



1. Select the Villa Case




2. Select Safety Assessment from the left-side menu, and select Add Safety Assessment



3. Select link intake and link appropriate intake. Select Identifying information tab from top bar.


4. Check accuracy of identifying information for the children.

5. Select Manage Child Vulnerabilities.



• ACV(s)
 • Siblings of ACV(s)
 • The parent(s) or caretaker(s) of the ACV(s)
 • Step/Half siblings of the ACV(s) living within the ACV's home
 • Paramour of the parent/caretaker
 • Children of the paramour residing in the home
 • Other children residing in the home of whom the parent/ caretaker has custody/guardianship
 • A related or unrelated adult residing in the home who has routine responsibility for the care of the ACV(s) and his/her sibling(s) (e.g., provides supervision or assists in meeting the basic needs, such as feeding and/or bathing the child)


Children in the Family

[LastName_ChildFirstName1 / 0000000](#) - Female Age 00, DOB 01/01/1900 **ACV** 

Type of Contact: Date of Contact:
 Face-to-face MM/DD/YYYY

[Child Vulnerabilities](#) ▼

Manage Child Vulnerabilities

[LastName_ChildFirstName2 / 0000000](#) - Female Age 00, DOB 01/01/1900 **ACV** 

Type of Contact: Date of Contact:
 Face-to-face MM/DD/YYYY

[Child Vulnerabilities](#) ▼


Manage Child Vulnerabilities

6. Select all child vulnerabilities that are present for each category, for each child. If no vulnerabilities are present in a particular category, select the "No" option within the category. Select Apply to return to previous screen.

CASE NAME / ID: Charlesworth-Dewitt, Janey Hacksaw / 000000000	SAFETY ASSESSMENT ID: 000000000	STATUS: In Progress
Child Vulnerabilities		
LastName, ChildFirstName1 - Female - Age xx Cc		
Physical ^		
<input type="checkbox"/> No physical vulnerabilities OR <i>Select all that apply below:</i>		
<input type="checkbox"/> The child is young (birth to five years of age)	<input type="checkbox"/> The child is small in height or weight	
<input type="checkbox"/> The child has a physical disability that requires special care and attention (physical therapy, diabetic, developmentally disabled, hearing impaired, etc)	<input type="checkbox"/> The child is immobile	
<input type="checkbox"/> The child has a chronic physical illness/diagnosis	<input type="checkbox"/> The child is not visible to others outside of the family system (daycare, school, extracurricular activities, etc.)	
<input type="checkbox"/> The child has an acute physical illness that requires special care and attention	<input type="checkbox"/> The child's soft spot (on the head) has not yet closed	
<input type="checkbox"/> The child requires intensive physical care (medically fragile, hearing impaired, blind, etc.)	<input type="checkbox"/> The child's appearance provokes parental hostility (resembles caretaker does not like)	
<input type="checkbox"/> The child is obese	<input type="checkbox"/> The child is physically unable to remove him/herself from a	
<input type="checkbox"/> The child has a disfigurement/deformity	<input type="checkbox"/> The child cannot verbalize that maltreatment is occurring	
Cognitive ^		
<input type="checkbox"/> No cognitive vulnerabilities OR <i>Select all that apply below:</i>		
<input type="checkbox"/> The child cannot recognize actions that are neglectful	<input type="checkbox"/> The child is unable to communicate	
<input type="checkbox"/> The child cannot recognize actions that are abusive	<input type="checkbox"/> The child has cognitive developmental delays	

7. Enter Protective Capacities assessments within the Identifying Information tab by selecting Manage Protective Capacities for each adult.



Parents/Custodians/Guardians/Caretakers and/or Other Adults in the Home

[LastName, AdultFirstName1 / 0000000](#) - Female Age 00, DOB 01/01/1900 AP 

Type of Contact: Date of Contact:
Face-to-face MM/DD/YYYY

[Adult Protective Capacities](#) ▼

Manage Protective Capacities

 [LastName, AdultFirstName2 / 0000000](#) - Male Age 00, DOB 01/01/1900 AP 

Type of Contact: Date of Contact:
Face-to-face MM/DD/YYYY

[Adult Protective Capacities](#) ▲

There are no Protective Capacities selected for this adult.

Manage Protective Capacities

Add Adult

Next Apply Save Cancel for the Safety Assessment, explain

8. Select the corresponding protective capacities in each category for each adult. If no protective capacities are present in any category (Emotive, Behavioral, Cognitive), then select “No protective capacities in the ___ domain.”

Ohio SACWIS Wallace, Mia / [Switch Profile](#) / [Log off](#)
 Quenton County Department of Job and Family Services
 <Environment+Version> Last Login: <Date/Time>

[Home](#) [Recent](#) [Search](#) [Help](#)

Case / Workload / Safety Assessment

CASE NAME / ID: **Charlesworth-Dewitt, Janey Hacksaw / 000000000** SAFETY ASSESSMENT ID: **000000000** STATUS: **In Progress**

Protective Capacities


LastName, FirstName1 - Female - Age xx [Collapse all Field Guides](#)

Behavioral

☐ No protective capacities in the behavioral domain OR *Select all that apply below:*

<input type="checkbox"/> The caretaker has a history of protecting	<input type="checkbox"/> The caretaker takes the child to all necessary medical appointments
<input type="checkbox"/> The caretaker is physically able to parent	<input type="checkbox"/> The caretaker utilizes a support network to assist in caring for the child when necessary
<input type="checkbox"/> The caretaker creates an organized and routinized home environment for the child	<input type="checkbox"/> The caretaker demonstrates adequate skill in fulfilling caretaking responsibilities
<input type="checkbox"/> The caretaker demonstrates support for the child	<input type="checkbox"/> The caretaker displays affection for the child (hugs, tenderness, consoles the child)
<input type="checkbox"/> The caretaker demonstrates impulse control	<input type="checkbox"/> The caretaker comforts the child
<input type="checkbox"/> The caretaker assigns chores appropriate to the child's age and development	<input type="checkbox"/> The caretaker physically intervenes when child attempts dangerous act
<input type="checkbox"/> The caretaker provides the child with supervision appropriate to age and stage of development	<input type="checkbox"/> The caretaker is able to provide structure for their child
<input type="checkbox"/> The caretaker has a capable/competent person supervising the children in the caretaker's absence	<input type="checkbox"/> The caretaker provides the child's basic needs

9. Review Historical information under the Historical Summary tab.


 Wallace, Mia / [Switch Profile](#) / [Log off](#)
 Quenton County Department of Job and Family Services
 <Environment+Version> Last Login: <Date/Time>

[Home](#) [Recent](#) [Search](#) [Help](#)

Case / Workload / Safety Assessment

CASE NAME / ID: **Charlesworth-Dewitt, Janey Hacksaw / 000000000**
 SAFETY ASSESSMENT ID: **000000000**
 STATUS: **In Progress**

[Identifying Information](#)
[Historical Summary](#)
[Safety Factors](#)
[Safety Response](#)
[Approval](#)

Intake ID
 123456789

Intake Participants
 LastName, ChildFirstName1 (ACV)
 LastName, ChildFirstName2 (ACV)
 LastName, AdultFirstName1 (AP)

Intake Narrative
 The potentially 10,000 character narrative would be displayed from the get-go, but only when the strength/concern record is being edited or added, if the user doesn't want to see this entire narrative at the top of the screen they can select. The potentially 10,000 character narrative would be displayed from the get-go, and would be along the left side in its own column. It could be very very long. It doesn't have a text box around it so it more fully shows that it is not editable. Potentially

Historical Intake Summary for Children in the Family
 For each child below, all Screened In/Screened In AR CA/N or Dependency Intakes in which the child has a role of ACV/CSR or AP/ASR are displayed

[Expand all](#)

[LastName, ChildFirstName1 / 0000000 - Male Age 00, DOB 01/01/1900 - \(14 records\)](#)

[LastName, ChildFirstName2 / 0000000 - Male Age 00, DOB 01/01/1900 - \(7 records\)](#)

[LastName, ChildFirstName3 / 0000000 - Male Age 00, DOB 01/01/1900 - \(11 records\)](#)

Historical Intake Summary for Adult Participants
 For each adult below, all Screened In/Screened In AR CA/N or Dependency Intakes in which the adult has a role of ACV/CSR or AP/ASR are displayed

[Expand all](#)

[LastName, AdultFirstName1 / 0000000 - Male Age 00, DOB 01/01/1900 - \(11 records\)](#)

10. Click on each intake to view historical case information.

[illegible]

11. Select the Safety Factor tab.

Ohio SACWIS Wallace, Mia / [Switch Profile](#) / [Log off](#)
 Quanton County Department of Job and Family Services
 <Environment+Version> Last Login: <Date/Time>

[Home](#) [Recent](#) [Search](#) [Help](#)

Case / Workload / Safety Assessment

CASE NAME / ID: **Charlesworth-Dewitt, Janey Hacksaw / 000000000** SAFETY ASSESSMENT ID: **000000000** STATUS: **In Progress**

Identifying Information Historical Summary **Safety Factors** Safety Response Approval

Linked Activity Logs [\(expand to full screen\)](#) [Expand all](#)

[MM/DD/YYYY - 11:00 AM](#) [Phone Call To](#)

[MM/DD/YYYY - 12:34 PM](#) [Face to Face, Home Visit](#)

[MM/DD/YYYY - 3:00 PM](#) [Phone Call From](#)

Safety Factors

[edit](#) 1. Does the family refuse access to the child or there is reason to believe the family will flee?

ACTIVE SAFETY THREAT

The potentially 10,000 character narrative would be displayed from the get-go, but only when the strength/concern record is being edited or added, if the user doesn't want to see this entire narrative at the top of the screen they can select. The potentially 10,000 character narrative would be displayed from the get-go, and would be along the left side in its own column. It could be very very long. It doesn't have a text box around it so it more fully shows that it is not editable. Potentially

[edit](#) 2. Does the child have inflicted physical injuries?

ACTIVE SAFETY THREAT

The potentially 10,000 character narrative would be displayed from the get-go, but only when the strength/concern record is being edited or added, if the user doesn't want to see this entire narrative at the top of the screen they can select. The potentially 10,000 character narrative would be displayed from the get-go, and would be along the left side in its own column. It could be very very long. It doesn't have a text box around it so it more fully shows that it is not editable. Potentially

[edit](#) 3. Does the caretaker have an understanding or insufficient explanation for the child's behavior?

12. Within each safety factor, select the check boxes that correspond to the accurate examples of how the safety factor presents for the family. If the safety factor is not present, select "No."

CASE NAME / ID: Charlesworth-Dewitt, Janey Hacksaw / 000000000		SAFETY ASSESSMENT ID: 000000000	STATUS: In Progress
Linked Activity Logs (expand to full screen) Expand all		Does the family refuse access to the child or there is reason to believe the family will flee?	
MM/DD/YYYY - 11:00 AM Phone Call To		<input type="checkbox"/> No OR <i>Select all that apply below:</i>	
MM/DD/YYYY - 12:34 PM Face to Face, Home Visit		<input type="checkbox"/> Caretaker hides the child or denies access to the child	
MM/DD/YYYY - 3:00 PM Phone Call From		<input type="checkbox"/> Caretaker refuses access to the home	
		<input type="checkbox"/> Caretaker refuses to speak to CPS	
		<input type="checkbox"/> Family has a history of moving frequently in response to CPS intervention	
		<input type="checkbox"/> Family has no ties to the community such as a job, home, extended family, etc.	
		<input type="checkbox"/> Caretaker constantly deceives in respect to the child: the child's condition, home conditions, events and circumstances related to the report and CPS intervention	
		<input type="checkbox"/> Family has a history of avoidance with CPS workers and/or law enforcement	
		<input type="checkbox"/> Caretaker refuses other community resources to have access into the home that could help the family/child: community action, early intervention, help me grow, home health nurse, medical personnel, etc.	
		<input type="checkbox"/> Other	

13. Then, select the checkbox next to each child for whom the safety factor is present.

	<div data-bbox="573 262 1331 333"> <input type="checkbox"/> Caretaker refuses other community resources to have access into the home that could help the family/child: community action, early intervention, help me grow, home health nurse, medical personnel, etc. <input type="checkbox"/> Other </div> <hr/> <div data-bbox="573 396 904 420"> <i>Please select the child or children this applies to:</i> </div> <div data-bbox="573 441 898 464"> <input checked="" type="checkbox"/> LastName, ChildFirstName1 - Male Age 00 </div> <div data-bbox="596 474 678 499"> Physical: </div> <div data-bbox="596 510 1284 604"> <ul style="list-style-type: none"> • The child has a physical disability that requires special care and attention (physical therapy, diabetic, developmentally disabled, hearing impaired, etc). • The child has a chronic physical illness/diagnosis • The child has an acute physical illness that requires special care and attention </div> <hr/> <div data-bbox="573 648 915 672"> <input type="checkbox"/> LastName, ChildFirstName2 - Female Age 00 </div> <hr/> <div data-bbox="573 714 915 737"> <input type="checkbox"/> LastName, ChildFirstName3 - Female Age 00 </div> <hr/> <div data-bbox="573 781 1099 804"> <i>If applicable, select the protective capacities that help control the safety factor.</i> </div> <div data-bbox="573 829 911 852"> <input type="checkbox"/> There are no applicable protective capacities </div> <div data-bbox="573 882 888 905"> LastName, AdultFirstName1 - Male - Age 00 </div> <div data-bbox="596 919 686 945"> Cognitive: </div> <div data-bbox="596 959 1149 1045"> <input type="checkbox"/> The caretaker is reality oriented <input type="checkbox"/> The caretaker has accurate knowledge of age-appropriate supervision for the child </div>
--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

14. Select which protective capacities that are available to specifically assist within controlling the specific safety factor.

- The child has a physical disability that requires special care and attention (physical therapy, diabetic, developmentally disabled, hearing impaired, etc).
- The child has a chronic physical illness/diagnosis
- The child has an acute physical illness that requires special care and attention

☐ LastName, ChildFirstName2 - Female Age 00

☐ LastName, ChildFirstName3 - Female Age 00

If applicable, select the protective capacities that help control the safety factor.

☐ There are no applicable protective capacities

LastName, AdultFirstName1 - Male - Age 00

Cognitive:

☐ The caretaker is reality oriented

☐ The caretaker has accurate knowledge of age-appropriate supervision for the child

☐ The caretaker understands the child's development in relation to the child's age

☐ The caretaker understands the child's physical abilities in relation to age

☐ The caretaker does not have cognitive delays or impairments

LastName, AdultFirstName2 - Female - Age 00

Behavioral:

15. If a safety factor is identified as present, then you will provide a brief narrative that described how the safety factor, child vulnerabilities, and protective capacities interrelate to create an active safety threat or not.

☐ The caretaker does not have ongoing contact or involvement

LastName, AdultFirstName2 - Female - Age 00

Behavioral:

- ☐ The caretaker has a history of protecting
- ☐ The caretaker is physically able to parent
- ☐ The caretaker creates an organized and routinized home environment for the child
- ☐ The caretaker demonstrates support for the child
- ☐ The caretaker demonstrates impulse control

Explain the presenting safety factor, child vulnerabilities and protective capacities:

Is there an active safety threat based on the presenting safety factor, historical information, child vulnerabilities, and protective capacities?

▼

16. Select the Safety Response tab.

CASE NAME / ID: Charlesworth-Dewitt, Janey Hacksaw / 000000000		SAFETY ASSESSMENT ID: 000000000		STATUS: In Progress	
--------------------------------------------------------------------------	--	-------------------------------------------	--	-------------------------------	--

Identifying Information	Historical Summary	Safety Factors	Safety Response	Approval
-------------------------	--------------------	----------------	------------------------	----------

Linked Activity Logs

[\(expand to full screen\)](#)

MM/DD/YYYY - 11:00 AM

[Phone Call To](#)

Associated Participants:

Lastname, Firstname

Correction:

The potentially 10,000 character narrative would be displayed from the get-go, but only when the strength/concern record is being edited or added, if the user doesn't want to see this entire narrative at the top of the screen they can select. The potentially 10,000 character narrative would be displayed from the get-go, and would be along the left side in its own column. It could be very very long. It doesn't have a text box around it do it more fully shows that it is not editable. [Show More](#)

Narrative:

The potentially 10,000 character narrative would be displayed from the get-go, but only when the strength/concern record is being edited or added, if the user doesn't want to see this entire narrative at the top of the screen they can select. The potentially 10,000 character narrative would be displayed from the get-go, and would be along the left side in its own column. It could be very very long. It doesn't have a text box around it do it more fully shows that it is not editable. [Show More](#)

Identified Safety Threats

The Child has inflicted physical injuries.

- Positive toxicology with harm to infant identified (withdrawal symptoms).

Drugs and/or alcohol is used by members of the family or persons having access to the child that places the child in immediate danger of serious harm.

- Adult is abusing legal or illegal substances or alcohol to the extent that control of his/her actions is significantly impaired.
- Due to drug and/or alcohol abuse, the caretaker is unable, or will likely be unable, to care for the child.
- Due to drug and/or alcohol abuse, the caretaker has harmed, or is likely to harm, the child.

The Caretaker is unwilling or unable to meet the child's immediate needs for sufficient supervision, food, clothing, and/or shelter to protect child from immediate danger of serious harm.

- Caretaker is unable or unwilling to provide a safe sleep environment for an infant including co-sleeping, inappropriate bedding in infant's sleep surface (stuffed animals, toys, pillows, quilts, blankets, wedge positioners, bumpers or other loose bedding).

Child Vulnerabilities

[LastName_FirstName1 / 00000000 - Female Age xx, DOB 01/01/1900](#) [Expand All](#)

Child Vulnerabilities ^

PHYSICAL

- The child is young (birth to five years of age).
- The child has an acute physical illness that requires special care and attention.
- The child's soft spot (on the head) has not yet closed.
- The child is physically unable to remove him/herself from a situation.

17. Click on the carrot next to each section to review the information already provided within the assessment.

The Caretaker is unwilling or unable to meet the child's immediate needs for sufficient supervision, food, clothing, and/or shelter to protect child from immediate danger of serious harm.

- Caretaker is unable or unwilling to provide a safe sleep environment for an infant including co-sleeping, inappropriate bedding in infant's sleep surface (stuffed animals, toys, pillows, quilts, blankets, wedge positioners, bumpers or other loose bedding).

Linked Activity Logs

[\(expand to full screen\)](#)

[Expand all](#)

MM/DD/YYYY - 11:00 AM

Phone Call To

Associated Participants:

Lastname, Firstname

Correction:

The potentially 10,000 character narrative would be displayed from the get-go, but only when the strength/concern record is being edited or added, if the user doesn't want to see this entire narrative at the top of the screen they can select. The potentially 10,000 character narrative would be displayed from the get-go, and would be along the left side in its own column. It could be very very long. It doesn't have a text box around it so it more fully shows that it is not editable. [Show More](#)

Narrative:

The potentially 10,000 character narrative would be displayed from the get-go, but only when the strength/concern record is being edited or added.

Child Vulnerabilities

[Expand All](#)

Child Vulnerabilities ^

PHYSICAL

- The child is young (birth to five years of age).
- The child has an acute physical illness that requires special care and attention.
- The child's soft spot (on the head) has not yet closed.
- The child is physically unable to remove him/herself from a situation.
- The child cannot verbalize that maltreatment is occurring.

COGNITIVE

- The child cannot recognize actions that are neglectful.
- The child cannot recognize actions that are abusive.

EMOTIONAL

- The child overreacts to audible noises
- The child is overly sensitive to physical touch.

BEHAVIORAL

- Infant is colicky or cannot be consoled.
- Child is exhibiting signs of withdrawal (trembling, irritability, excessive crying, poor feeding, etc.)
- The child has difficulty sleeping.
- The child is unable to self soothe.
- The child is in a stage of development that creates parental frustration (e.g., the child is not potty trained, has temper tantrums, bites).

18. Select the appropriate safety response for each child.

EMOTIVE

- The caretaker expresses love for the child.

[LastName_FirstName1 / 0000000](#) - Male Age xx, DOB 01/01/1900

There are no protective capacities selected for this adult.

Safety Response

LastName_FirstName1 / 0000000 - Female Age xx	ACTIVE SAFETY THREAT	Out-of-Home Safety Plan
LastName_FirstName2 / 0000000 - Female Age xx	ACTIVE SAFETY THREAT	Out-of-Home Safety Plan
LastName_FirstName3 / 0000000 - Female Age xx	DECEASED	Child Deceased

Linked Activity Logs
([expand to full screen](#))

[MM/DD/YYYY - 11:00 AM](#)
[Phone Call To](#)

Expand all

Associated Participants:
Lastname, Firstname

Correction:
The potentially 10,000 character narrative would be displayed from the get-go, but only when the strength/concern record is being edited or added, if the user doesn't want to see this entire narrative at the top of the screen they can select. The potentially 10,000 character narrative would be displayed from the get-go, and would be along the left side in its own column. It could be very very long. It doesn't have a text box around it so it more fully shows that it is not editable. [Show More](#)

Narrative:
The potentially 10,000 character narrative would be displayed from the get-go, but only when the strength/concern record is being edited or added,

Rationale to support the Safety Response identified for the child(ren):
Provide summarization of the identified safety threats, child vulnerabilities and adult protective capacities. Explain the identified safety plan for the child(ren). ([expand full screen](#))

✓ ABC

10000

19. Provide a narrative to support the identified safety response for each child. This narrative should include a synthesis of the safety factor, child vulnerabilities, and protective capacities that interact to create the active safety threat. Each child should be mentioned specifically. Documentation must differentiate which safety factors and child vulnerabilities apply to which children.