

Kaltura MediaSpace™ Setup Guide

Version: 5.84 April 2019

Kaltura Business Headquarters

250 Park Avenue South, 10th Floor, New York, NY 10003

Tel.: +1 800 871 5224

Copyright © 2019 Kaltura Inc. All Rights Reserved. Designated trademarks and brands are the property of their respective owners.
Use of this document constitutes acceptance of the Kaltura Terms of Use and Privacy Policy.

Contents

- Preface 8
 - About this Guide 8
 - Audience 8
 - Document Conventions..... 8
 - Related Documentation 9
- Section 1 Understanding the MediaSpace Setup 10
 - Enabling User Permissions – Prerequisites..... 10
 - Understanding Content Collections 10
 - Understanding Categories 10
 - Understanding Channels 11
 - Categories vs. Channels 11
 - Understanding Roles and Permissions for Categories and Channels..... 11
 - KMS Galleries / Channels Entitlements 13
 - Understanding Application Roles..... 14
 - Assigning Application Roles to Multiple Users in Bulk..... 15
 - Understanding Entitlement Permissions..... 15
 - Understanding Roles and Permissions..... 16
- Section 2 Setting up MediaSpace 18
 - Setting up MediaSpace Content in the KMC 18
 - Uploading MediaSpace Content 20
 - Setting up MediaSpace Categories in the KMC 21
 - Adding Content to your MediaSpace Categories 23
 - Adding Members and Contributors via the KMC 27
 - Setting up MediaSpace Channels 28
 - Displaying Channels in MediaSpace..... 29
 - Setting Permissions for Creating a MediaSpace Channel 30
 - Assigning MediaSpace Content to Channels..... 32
 - Assigning User Permissions to MediaSpace Channels..... 32
 - Assigning User Permissions to MediaSpace Channels in the KMC 33
 - Assigning Managers to a MediaSpace Channel 33
 - Assigning User Permissions to a Channel in MediaSpace..... 33
 - Setting up MediaSpace to Run on HTTPS 34
- Section 3 Authenticating and Authorizing Users in MediaSpace 36
 - Scenario 1: Authentication and Authorization Are Managed in Organizational Systems 36
 - Scenario 2: Authentication and Authorization are Managed by Kaltura 37
 - Scenario 3: Authentication is Managed in an Organizational System, Authorization is Managed by Kaltura..... 38

- Enabling Common Login Configurations 40
 - Configuring Multiple Authentication Providers 41
- Authentication Methods 42
 - Enabling Authentication Methods 42
 - Enabling Authorization Methods 42
- Configuring LDAP Authentication and Authorization 43
- Configuring SSO Gateway Authentication and Authorization 47
- Configuring Header Authentication 49
 - Persistent Cookies 49
- Configuring Kaltura Authentication and Authorization for MediaSpace 50
- Scenario 4: Authentication and Authorization Are Managed in Multiple locations 54
 - Enabling Configuration for Multiple Authentication Providers..... 54
 - Configure the Display for the Login Screen for Each authMethod 55
- Logging In (For User)..... 56
- Section 4 Organizational Strategy for MediaSpace Entitlements 59
 - Terminology 59
 - Planning Considerations 60
 - Channel Management Types 62
 - Creating Channels in MediaSpace by Users 63
 - Creating Channels Centrally by Administrators 63
 - Creating MediaSpace Channels in Bulk 63
 - Creating MediaSpace Channels Individually 64
 - Assigning Permissions and Entitlements 65
 - Setting Up Members and Permissions Manually in MediaSpace 66
 - Setting Up Permissions Centrally in Bulk 66
 - Setting Up Permissions Individually 68
 - Automatically Updating Permissions 68
 - Deleting MediaSpace Channels 71
 - Deactivating Channel Memberships 72
 - Setting Up the Initial Add Members Auto-Complete List 73
 - Updating the Add Members Auto-Complete List 74
- Section 5 Setting the Home Page 77
 - Configuring your Home Page..... 77
- Section 6 Customizing the Look and Feel 80
 - Choosing a Different Included Style 80
 - Uploading your Own Custom Style 81
- Section 7 Setting Email Notifications and Channel Subscriptions 82
 - Email Notifications 82
 - Channel Subscriptions 83
- Section 8 MediaSpace Administration: Actions and Configurable Fields 85

User Management	85
Backup and Restore	86
Configuration Management: Global	86
Application	86
Auth	88
Categories.....	91
Channels.....	91
Client.....	92
Debug.....	93
Gallery	93
Header.....	94
Languages	94
Metadata.....	95
Moderation.....	95
Navigation.....	96
Player	98
Security	100
SharedRepositories	100
Widgets	102
Search	102
MediaCollaboration	103
PlaylistPage.....	103
Configuration Management: Modules	104
Accessibility.....	104
Addcontent	104
Addtoplaylists.....	104
Attachments.....	104
Captions.....	105
Capturespace	105
Channel Playlists.....	106
Chapters	107
Cielo24/REACH	107
Clipper	112
Comments.....	113
Contentpolicy	113
Cssupload	113
Customdata.....	114
Customfavicon.....	114
Disclaimer	114
Downloadmedia.....	115

Editor.....	116
Emailnotifications.....	118
Embed	118
Embedplaylist.....	120
Entrydesign	121
Facebook	122
Headermenu	123
History	123
Home.....	124
Hotspots	125
Importchannel.....	126
Kmsapi.....	126
Oembed.....	128
Publish	128
REACH	129
Recorder	132
Related	132
ReplaceMedia	132
Saml	133
Samlgroupcync.....	133
Scheduling	133
Sidemymedia.....	133
Sideplaylists	133
Ssogroupsync	133
Staticpages	134
Styling	134
Thumbnails	135
Twitter.....	135
Userreports	136
V2ui.....	136
Configuration Management: Category Modules	136
Categoryembed	136
Categorymembers	137
Categorymoderation	137
Configuration Management:Channel Modules	137
Channelcategories	137
Channelembed	138
Channelmembers.....	138
Channelmoderation.....	138
Channelsubscription.....	139

Preface

Channeltheme	139
Channeltopics	139
Configuration Management:Entry Type Modules	139
Audioentry	139
Imageentry	140
Liveentry	140
Quiz	140
Webcast	142
Youtube	142
ModulesCustom/Core	143
Kwebcast	143
Recscheduling	144

Preface

This preface contains the following topics:

- [About this Guide](#)
- [Audience](#)
- [Document Conventions](#)
- [Related Documentation](#)

About this Guide

This guide details the setup required for Kaltura MediaSpace™ (KMS). The document describes how to set up your site structure, prepopulate Kaltura MediaSpace content, assign user permissions, and implement authentication and authorization.



NOTE: You perform some setup steps in the Kaltura MediaSpace Administration Area and in the Kaltura Management Console (KMC).



NOTE: Please refer to the official and latest product release notes for last-minute updates.
Technical support may be obtained directly from: [Kaltura Customer Care..](#)

Contact Us:

Please send your documentation-related comments and feedback or report mistakes to knowledge@kaltura.com.

We are committed to improving our documentation and your feedback is important to us.

Audience

This document is intended for Kaltura MediaSpace site administrators.

Document Conventions

Kaltura uses the following admonitions:

- Note
- Workflow



NOTE: Identifies important information that contains helpful suggestions.



Workflow: Provides workflow information.

1. Step 1
2. Step 2

Related Documentation

In addition to this guide, the following product documentation is available:

- [Kaltura MediaSpace](#)
- [Kaltura Management Console \(KMC\) User Manual](#)
- [Kaltura's Entitlement Infrastructure – Information Guide](#)
- [Kaltura's Entitlement Infrastructure – Bulk Services](#)

Understanding the MediaSpace Setup

Kaltura MediaSpace features fine grained governance rules that grant specific permissions to content on the MediaSpace site. To explain your options, this document describes the different site sections, roles, and permissions that you can configure for MediaSpace.

This document focuses on setups that include user permissions, referred to as entitlement enabled.

To start learning about MediaSpace, refer to the [Kaltura MediaSpace User Manual](#), which describes channels and user permissions in terms of site features.

Enabling User Permissions – Prerequisites

Contact your Kaltura Project/Account Manager to confirm that the following prerequisites are implemented:

- Entitlement services are enabled, and *Default Entitlement Enforcement* is set to true in your account settings.
- (Optional) The *Like* feature is enabled in your account settings.
- A root category is set up for MediaSpace in the KMC (see [To set up a MediaSpace category tree in the KMC.](#))

Assigning user permissions usually is handled in bulk using a comma-separated value (CSV) file. To learn more about the End-User Entitlements CSV, refer to the article [End-User Entitlements CSV](#).

Understanding Content Collections

Content collections in MediaSpace are defined as either categories or channels. Your MediaSpace instance can include one or both.

Understanding Categories

Categories represent a centrally curated structure and hierarchy that is available from the MediaSpace navigation side panel. Media can be organized around specific topics in either a hierarchal or a flat navigation layout. When MediaSpace is used as a company/institution-wide media portal, categories usually are shared with the entire organization and also may be available to the public on the web.

Categories define the taxonomy and hierarchical structure of your MediaSpace site. You can access categories through the Navigation icon and browse your content according to the categories they are contained in. Each category opens up the list of sub-categories that are pre-configured by your account administrator.

Understanding Channels

Channels are media collections that can be accessed by a subset of users (or all authenticated users). Channels can be created and managed by authorized **MediaSpace users** or can be provisioned centrally by a **KMC admin**.

Categories vs. Channels

	Categories	Channels
What are they?	Centrally curated hierarchical structure that defines the taxonomy of your site	User generated collections that are personally managed
Who can create?	KMC user only	Any MediaSpace user (configurable according to application roles)
Where do they appear?	Navigation panel	<ul style="list-style-type: none"> • My Channels • All Channels • Inside a category
Options	<ul style="list-style-type: none"> • Entitlements • Moderation • Group Offline Synchronization • Inherit members from parent category • Import members from parent category 	<ul style="list-style-type: none"> • Entitlements • Moderation • Group Offline Synchronization •

Understanding Roles and Permissions for Categories and Channels

Entitlement permissions are used to assign permissions to categories or channels (for example, enabling a user to add content to a channel).

[Application Roles](#) apply globally, while entitlement permissions are contextual. An example of contextual channel permissions is a user with *Manager* permissions for one channel and lower-level *Contributor* permissions for another channel.

For a user to perform an action that a permission allows, the action must be allowed by the user's application role. Therefore, you must ensure that a user with a permission of *Contributor* or higher (see [Understanding Permissions](#)) is assigned a role of *privateUploader* or higher (see [Application Roles](#)). Otherwise, the user is not able to upload content to MediaSpace despite the permission that entitles the user to contribute content.

A Channel Manager can assign permissions in MediaSpace. The channel manager selects the kind of access that users have for the channel. If the [channel type](#) is restricted or private, the channel manager adds members and assigns member permissions. To learn more, refer to the [Kaltura MediaSpace User Manual](#).

Understanding Privacy Types

MediaSpace supports the following privacy types for categories:

- **Open:** All users are entitled to access the category (anonymous or authenticated, depending on the configuration of your site) but only specific users are entitled to contribute content
- **Restricted:** All authenticated users are entitled to access the category, but only specific users are entitled to contribute content.
- **Private:** Only specific users are entitled to access the channel and to contribute content.

MediaSpace supports the following privacy types for channels:

- **Open:** All authenticated users are entitled to access the channel and contribute content.
- **Restricted:** All authenticated users are entitled to access the channel, but only specific users are entitled to contribute content.
- **Private:** Only specific users are entitled to access the channel and to contribute content.
- **Shared Repository:** Only specific users are entitled to access the channel, to contribute content and to publish content from it to other channels and categories,
- **Public:** Non-authenticated users are entitled to access the channel, but only specific users are entitled to contribute content.

Channel type definitions are displayed in MediaSpace under Channel Edit>Details.

Create a New Channel

Name:
(Required)

Description: **Black** **Bold** *Italic* Underline      

Enter Description...

Tags:

Privacy:

- Open** - Membership is open and non-members can view content and participate.
- Restricted** - Non-members can view content, but users must be invited to participate.
- Private** - Membership is by invitation only and only members can view content and participate.
- Shared Repository** - Membership is by invitation only. Members can publish content from this channel to any other channel according to their entitlements.
- Public** - Non-members can view content (including anonymous users) but users must be invited to participate.

KMC entitlement definitions are displayed in the KMC under Content>Categories>Edit Category

window>Entitlements tab.

The screenshot displays the 'Entitlements' configuration page for a MediaSpace. The page includes a navigation menu with 'ENTRIES', 'MODERATION', 'PLAYLISTS', 'SYNDICATION', and 'CATEGORIES'. The 'CATEGORIES' tab is active. The page title is 'Mediaspace' and it shows metadata: ID: 91811461, Sub-Categories: 3, Entries: 0, Creation Date: 05/03/18, Last Update: 05/17/18. The 'Entitlements' section is titled 'Manage your entitlements settings and specific end-user permissions to content in your applications.' The settings are as follows: Privacy Context Label is 'MediaSpace'; Content Privacy is 'No Restrictions' (Visible to everyone with access to the application page); Category Listing is 'No Restrictions' (Visible to everyone with access to the application page); Content Publish Permissions is 'No Restrictions' (Any authorized end-user); Moderate Content is 'No'; Default Permission Level is 'Member'; Owner is 'Not Specified' with a 'Change Owner' button; and Permitted Users are '4 End-users' with a 'Manage Users' link.



NOTE: If modifications are made in the KMC that do not correspond to one of the channel types, MediaSpace behavior follows the KMC definition, not the designated type.

For more information, refer to [How to set entitlement settings in the KMC](#).

KMS Galleries / Channels Entitlements

The following information describes how Channels/Galleries work, in context to KMS application roles.

Please familiarize yourself with the information in the article [Kaltura MediaSpace/Kaltura Application Framework \(KAF\) Roles and Permissions](#) before you set entitlement settings for KMS.



NOTE: KMS Galleries / Channels entitlements settings should NEVER be modified through the KMC. Changes to entitlements of KMS galleries / channels should be made through KMS ONLY.

KMS Galleries / channels are manifested with the following entitlements combinations in KMC:

Gallery type / permission	Content Privacy	Category listing	Who can add content to gallery
Open	No restriction	No restriction	No restriction
Restricted	Requires authentication	No restriction	Private
Private	Private	Private	Private

Channel type / permission	Content Privacy	Category listing	Who can add content to gallery
Public	No restriction	No restriction	Private
Open	Requires authentication	No restriction	No restriction
Restricted	Requires authentication	No restriction	Private
Private	Private	Private	Private
Shared Repository	Private	Private	Private

ANY combination that is set through the KMC and does not align with the above combinations, will not work properly or as described in the [Kaltura MediaSpace/Kaltura Application Framework \(KAF\) Roles and Permissions](#) article.

Understanding Application Roles

MediaSpace application roles apply globally and include:

- **anonymousRole** - Can browse your site anonymously until trying to access pages/actions that require login: My Media, My Playlists, and Add New
- **viewerRole**
 - Can browse open galleries
 - Is not authorized to upload new content
 - Does not have a My Media page
- **privateOnlyRole**
 - Can upload content to My Media
 - Can publish to galleries/channels by entitlements
- **adminRole**
 - Can upload content to My Media
 - Can publish to all open galleries and all galleries/channels by entitlements
- **unmoderatedAdminRole** – Can upload content and bypass moderation (when moderation is enabled for an account)

MediaSpace application roles are backward compatible.


Assigning Application Roles to Multiple Users in Bulk

You can assign application roles to multiple users with a bulk action. You use an End Users CSV that includes an option to assign roles.

To upload an End Users CSV

Do one of the following:

- In the KMC, upload the End-Users CSV. Refer to the [End-Users CSV - Usage and Schema Description](#).
- In the Management Console select Manage Users. On the User Management panel of the Kaltura MediaSpace Administration Area:
 - Click **Submit CSV**.
 - Click **Choose File** to select the CSV file and click **OK**.



The screenshot shows the 'User Management' interface. At the top, there are buttons for 'ADD NEW USER', 'DELETE CHECKED', 'SUBMIT CSV', and 'DOWNLOAD CSV'. A search bar is present with a dropdown menu for 'Show/All Roles' and radio buttons for 'All', 'By Name', 'By Email', and 'By User ID'. Below these is a table with the following data:

<input type="checkbox"/>	User ID	First Name	Last Name	Password	Role	Email	Extra data	Actions
<input type="checkbox"/>	debsi_test	Debsi	Zoni	*****	adminRole	debbie_zoni@kaltura.com		<input type="button" value="Edit User"/> <input type="button" value="Delete"/>
<input type="checkbox"/>	test	test	user	*****	privateOnlyRole	ts@email.com	pass is passme	<input type="button" value="Edit User"/> <input type="button" value="Delete"/>
<input type="checkbox"/>	JaneSmith	Jane	Smith	*****	unmoderatedAdminRole			<input type="button" value="Edit User"/> <input type="button" value="Delete"/>
<input type="checkbox"/>	buki	Buki	Peri	*****	unmoderatedAdminRole			<input type="button" value="Edit User"/> <input type="button" value="Delete"/>
<input type="checkbox"/>	debbiez	debbie	zoni	*****	adminRole	debbiesconi@gmail.com		<input type="button" value="Edit User"/> <input type="button" value="Delete"/>
<input type="checkbox"/>	debbiezoni	Debbie	Zoni	*****	adminRole	debbiesconi@yahoo.com	test for DZ	<input type="button" value="Edit User"/> <input type="button" value="Delete"/>

KMS (mediaspace) version 5.76.16, build 0

Understanding Entitlement Permissions

While an application role applies to your **entire** MediaSpace site, some permissions may be category or channel-specific.

You set user permissions to a specific content collection by applying the following permission levels:

- **Member:** Can access a channel or category but cannot add new content
- **Contributor:** Can add content to a channel or category
- **Moderator:** In addition to the Contributor permission, can moderate content.
- **Manager:** In addition to the Contributor permission, can moderate content and access settings, including change metadata, edit members, change appearance, and delete channel. See [Understanding Roles and Permissions](#).

In **channels:** All permission levels are relevant for channels.

In **galleries:** Only the Contributor and Member permission levels are relevant to galleries. Assigning a list of users as Members enables the users only to access a gallery. Assigning a list of users as Contributors enables the users to access a gallery and add media. (A user with the Admin application role also can add media.)

Understanding Roles and Permissions

Who can upload content to MediaSpace?

A user with an application role of `privateOnlyRole` and higher (`adminRole`, `unmoderatedAdminRole`) can upload content to MediaSpace.

Who can view categories?

By default, categories can be accessed by all authorized users.

When Anonymous mode is enabled, open categories can also be viewed by anonymous users.

To enable Anonymous mode

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Auth tab.
2. Under `allowAnonymous`, select **Yes** and click **Save**.

`allowAnonymous`

Can users access MediaSpace without logging in? Anonymous users will be able to browse the galleries and view videos. Unlike `viewerRole`, `anonymousRole` users WILL see links/ buttons to actions that require more qualified roles, but upon clicking them will be presented with a login screen.

Who can view or contribute content to a category/channel?

The following table describes the different scenarios depending on your KMS configuration and entitlements settings:

Privacy Type	Action	Category	Channel
Open	View	Anonymous + (if KMS is enabled for anonymous mode)	Any Authenticated User
	Contribute	Contributor + adminRole +	Any Authenticated User
Restricted	View	Any Authenticated User	Any Authenticated User
	Contribute	Contributor +	Contributor +
Private	View	Member +	Member +
	Contribute	Contributor +	Contributor +
Shared Repository	View	N/A	Member +
	Contribute	N/A	Contributor +
Public	View	N/A	Anonymous +
	Contribute	N/A	Contributor +

How does a user become a manager?

A user can become a manager in the following ways:

- The End-User Entitlements CSV includes fields for assigning a manager, contributors, and member permissions for each user and channel.
- An authorized user who creates a channel is assigned as the channel owner with managerial rights. An owner can add additional managers, contributors, and members to a channel.

How does a user join a channel?

An end user cannot join a channel. The sys-admin or channel manager must authorize the user. An authenticated user can access channels that are Open or Restricted.

Who can create a channel?

A user with a role that is defined as a channel creator can create a channel. You define the user roles that can create a channel. See [Setting Permissions for Creating a MediaSpace Channel](#).

Who can delete a channel?

The following are authorized to delete a channel:

- From MediaSpace: The channel owner/manager
- From the KMC: A KMC admin

Setting up MediaSpace

This section describes the following topics:

- [Setting up MediaSpace Content in the KMC](#)
- [Uploading MediaSpace Content](#)
- [Setting up MediaSpace Categories in the KMC](#)
- [Setting up MediaSpace Channels](#)
- [Assigning User Permissions to MediaSpace Channels](#)
- [Setting up MediaSpace to Run on HTTPS](#)

Setting up MediaSpace Content in the KMC

To set up a MediaSpace category tree in the KMC

1. In the KMC, create a MediaSpace root category.
 - a. Select the Content tab and then select the Categories tab.
 - b. Click Add Category.
 - c. On the New Category window, select the position of the root category and save your new category.

New Category

Name *

Select the parent category under which the new category will appear

No Parent

Search Categories

- 1.KMS_DEV 3
- Brightspace
- Canvas 3
- D2L 3
- Family
- MediaSpace 5

Selected: No Parent

- d. In the New Category window, enter metadata for the new category and click **Save**.

Setting up MediaSpace

ENTRIES MODERATION PLAYLISTS SYNDICATION CATEGORIES UPLOAD CONTROL BULK UPLOAD DROP FOLDERS

MediaSpace11 ID: 17168121 | Sub-Categories: 11 | Entries: 26 | Creation Date: 12/01/13 | Last Update: 06/27/18

Metadata

Entitlements

Sub-Categories

Metadata

Name: MediaSpace11

Description: Root category for a MediaSpace site

Type: MediaSpace

Reference ID:

2. In MediaSpace, define the root category.
 - a. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Categories tab.
 - b. Under *rootCategory*, select the category that you created, and click **Save**.

Configuration Management

Developer Tools

How to enable "Developer Tools"?

Global

Application

Auth

Categories

Channels

Client

Debug

Gallery

Header

Metadata

Moderation

Navigation

Player

Privacy

Important Notice! (click to open)

Categories

rootCategory: MediaSpace

Which root category does MediaSpace use for all categories and content? A root category must be defined in the KMC.
Note: If you change the root category, the old root category will still keep the privacy context and entitlements that were configured. If you wish to remove these settings, go to the KMC and remove the privacy context from Settings > Integration Settings > Entitlement Settings

restricted

Restrict categories to specific roles. Only users with the specified role can view media in the restricted category. Only users with adminRole or unmoderatedAdminRole can add media to the restricted category.

+ Add "restricted"

Save

3. In the KMC, verify your root category and sub-categories, if you created sub categories.
 - a. Select the Content tab and then select the Categories tab.
 - b. Click on the category and then click the Sub Categories tab to verify that the root category is displayed with new sub-categories.

ENTRIES MODERATION PLAYLISTS SYNDICATION CATEGORIES UPLOAD CONTROL BULK UPLOAD DROP FOLDERS

MediaSpace11 ID: 17168121 | Sub-Categories: 11 | Entries: 26 | Creation Date: 12/01/13 | Last Update: 06/27/18

Metadata

Entitlements

Sub-Categories

Add Sub-Category 11 Sub-Categories


<input type="checkbox"/>	Name	Created On	Entries	
<input type="checkbox"/>	private	12/01/13 15:31	1	...
<input type="checkbox"/>	site	12/01/13 15:31	17	...
<input type="checkbox"/>	archive	12/01/13 15:31	3	...
<input type="checkbox"/>	playlists	12/01/13 15:31	1	...

NOTE: The Archive category is reserved for future versions. The Private category isn't in use anymore. Do **not** change the Private category and Archive category settings.

4. In the KMC, verify that the root category is assigned a Privacy Context.

A Privacy Context is defined during MediaSpace installation or using the KMC. Refer to [How to add Entitlements to Categories](#).

- a. In the KMC, select the Content tab and then select the Categories tab.
- b. In the Categories table, click the root category name.
- c. On the Edit Category window, select the Entitlements tab.
- d. Under Privacy Context Label, confirm that a value is displayed.




Uploading MediaSpace Content

To upload initial content for MediaSpace in the KMC

In the KMC, click Create and then do one of the following:

- Click **Upload from Desktop**.
Use this option to upload a small number of files.
- Click Bulk Upload and select **Entries**.
Use this option to upload a large number of files. Using the Bulk Upload option, you may also import metadata such as categories and tags.



To learn more about uploading and ingestion, refer to the [Kaltura Management Console \(KMC\) User Manual](#).

Setting up MediaSpace Categories in the KMC

After you [set up a MediaSpace category tree](#), you can create categories and channels.

To learn more about Creating and Managing Content Categories, see [How to Create and Manage Content Categories?](#)

To add MediaSpace categories manually in the KMC

1. In the KMC, select the Content tab and then select the Categories tab.
2. Click **Add Category**.
3. Add a category under *[MediaSpace root]>site>galleries* and save your new category.


To create MediaSpace categories in bulk in the KMC

1. In the KMC, click Create select Bulk Upload, and then select **Categories**.
2. Specify the path for the gallery categories under *[MediaSpace root]>site>galleries*.


To specify the order of MediaSpace gallery categories in the KMC

By default, categories in MediaSpace are displayed by their creation date (the most recent appears last).

1. In the KMC, select the Content tab and then select the Categories tab.
2. Open the Site category and select Edit from the Actions (3 dots) dropdown menu.



3. On the Edit Category window, select the Sub Categories tab (displayed only when there is more than one sub-category):




4. Specify the order of the sub-categories by selecting Move Up /Move Down from the Actions (3 dots) menu.
5. Click **Save**.
6. Repeat for additional sub-category levels under *galleries*.

To set the owner of a category manually in the KMC

By default, categories in MediaSpace are added without an owner. To delegate the management of a specific category to a MediaSpace user and allow that user to configure that category and manage members, you should assign the appropriate MediaSpace user as the category owner.

1. In the KMC, select the Content tab and then select the Categories tab.

2. Search for the category that you want to set the owner for and Select Edit from the Actions (3 dots) menu.
3. On the Edit Category window, select the Entitlements tab. You will notice that the "Owner" is not specified.



4. Click Change Owner.
5. Enter the user name or user ID of the appropriate owner for this category and click Save.

Change Owner

Set a new owner for this category

Cancel Apply

Adding Content to your MediaSpace Categories


After your category structure is set up, you can publish content to your categories.

You can add entries to categories in the KMC by clicking on Create and then selecting Bulk Upload> Entries CSV/XML option. Categories that do not exist are created when you submit the file. To display these categories in MediaSpace, specify the [MediaSpace Root]>site>galleries path.

To manually assign content to a MediaSpace category in the KMC


1. In the KMC, select the Content tab and then select the Entries tab.
2. In the Entries table, select one or more entries and click **More Actions**.
3. Select Add to Categories to apply all selected entries to a new category or existing categories.
4. Enter the Category Name or search for the category.


5. Click Apply to all selected entries.




To remove entries from categories

1. In the KMC, select the Content tab and then select the Entries tab.
2. In the Entries table, select one or more entries and click **More Actions**.
3. Select Remove from Categories to remove all selected entries from a category or existing categories.
4. Enter the Category Name or search for the category. Check the categories you want to remove entries from and lick Apply to all selected entries.





5. On the Select Categories window, under the *galleries* category, select one or more categories and click **Apply**:



In the Entries table, the entries are displayed for the category you used as a filter.

Thumbnail	ID	Name	Type	Plays	Created On	Duration	Status	Actions
	0_4f361su0	Marco Tempest: Tr		0	06/25/12 12:44	06:05	Converting	Select Action
	0_8ne53my4	Peter Norvjo: The 1		0	06/25/12 12:43	06:11	Converting	Select Action
	0_4ne38f80	Wolfgang Kessling		0	06/25/12 12:42	11:35	Ready	Select Action

See [Assigning MediaSpace Content to Channels](#).

To change an entry's MediaSpace content owner in the KMC

Usually, the user who uploads content in the KMC is not the administrative content owner of the media entry.

Changing the owner can be done in the KMC.

1. Select the Content tab and select an entry.
2. In the Edit entry drill down, select the 'Users' tab.
3. Click 'Change Owner'.

Titanic in 5 Seconds

ID: 0 | Creation Date: 07/05/18 | Last Update: 07/05/18 | Created By: example | Duration: 00:11 | Landing Page: | Moderation: Auto Approved | Plays: 0

Users

Creator: example

Administrative Owner: example **Change Owner**

Co-Editors:

Co-Publishers:

- Refer to [How to change the category owner in the KMC or KMS](#).




NOTE: The content owner is the user that has the manager permission level for this category and can manage the category settings from the application.

Adding Members and Contributors via the KMC

To add a user as a contributor to a MediaSpace category in the KMC

1. In the KMC, select the Content tab and then select the Categories tab.
2. In the Categories table, click the category name.
3. On the Edit Category window, select the Entitlements tab.
The Entitlements screen is displayed.



4. Scroll down to Permitted Users and click Manage Users.

Manage End-user Permissions Close

Add Users
4 Users

▾ Refine

<input type="checkbox"/>	User Name / ID	Permission	Update	Updated at	Active
<input type="checkbox"/>	amir.chervinsky@kaltura.com	Contributor ▾	Manual ▾	05/17/18	<input checked="" type="checkbox"/> Yes
<input type="checkbox"/>	amir	Member ▾	Automatic ▾	05/17/18	<input checked="" type="checkbox"/> Yes
<input type="checkbox"/>	ami	Member ▾	Automatic ▾	05/17/18	<input checked="" type="checkbox"/> Yes
<input type="checkbox"/>	xxx	Member ▾	Automatic ▾	05/17/18	<input checked="" type="checkbox"/> Yes

5. Select Add Users.

Add Users

Select End-Users

Permission Level

Member ▾

Update Method

Automatic ▾

Cancel

Add 0 Users

6. Select the Permission Level and under the Permission Level select **Contributor**.
7. Select the Update Method..
8. Select Add Users to add additional users.
9. Click Save.

In MediaSpace, the selected user will have the Add Media option for the specified gallery.

Setting up MediaSpace Channels

Setting up MediaSpace channels in the KMC is similar to setting up categories. To learn about what's

unique for channels, see [Assigning User Permissions to MediaSpace Channels in the KMC](#).


Displaying Channels in MediaSpace

This section describes the following topics:

- [Adding a Link to the Channels Page and My Channels in the Top MediaSpace Navigation](#)
- [Adding a Link to My Channels in the MediaSpace Header Menu](#)
- [Associating Channels to Categories](#)

To add a link to the Channels page and My Channels in the top MediaSpace navigation

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Navigation tab.
2. Under *pre*:
 - a. In the *type* menu, select **Channels Page** or **My Channels**.
 - b. In the *name* field, enter the label to display.



3. Click **Save** to display the link in the top MediaSpace navigation bar.

To add a link to My Channels in the header menu

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Headermenu tab.
2. Under *enabled*, select **Yes** to enable the Headermenu module.
3. Under *menu*:
 - a. In the *type* menu, select **My Channels**.
 - b. In the *label* field, enter the label to display.

Modules

- Addcontent
- Addtoplaylists
- Channelmembers
- Channelmoderation
- Channelsettings
- Channelsettingsadvanced
- Channeltopics
- Customdata
- Embed
- Embedplaylist
- Headermenu**

The screenshot shows a configuration form with several fields. At the top, there is a 'label' field with a text input box and a note: 'For a URL, enter the URL label. For a Menu, enter the label.' Below this is a red 'DELETE' button. The 'type' field is a dropdown menu currently showing 'My Channels', which is circled in orange. A note below it says: 'Type can be My Media, My Playlists, URL, Menu, or My Channels.' At the bottom, there is another 'label' field with a text input box and the same note as above.

4. Click **Save** to display the link in the MediaSpace header menu.

Associating Channel to Categories

When you create a channel, you can associate a channel to a category. When users navigate to a category page, they will be able to browse the media and also the channels associated with that category.

To enable associating channels to categories when creating a channel

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the *Channelcategories* tab.

The screenshot shows the 'Channelcategories' configuration page. At the top right is a 'Search Configuration' input field. Below is a 'Module Info' section with a 'desc' field containing the text: 'this module replaces channelTopics module.' Below this is an 'enabled' field with a dropdown menu set to 'Yes' and a note: 'Enable the Channelcategories module.' Below that is a 'channelCategoriesProfileId' field with a text input box containing '736031' and a note: 'The profile id of the Channel Categories metadata profile.' At the bottom left is a 'Save' button.

2. Under *enabled*, select **Yes** to enable the *Channelcategories* module.
3. Click **Save**.

Setting Permissions for Creating a MediaSpace Channel

See [Who can create a channel?](#)

To define a user role with permissions to create a specific type of channel

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the *Channels* tab.
2. Under *channelCreator<type>*, select one of the following roles, and click **Save**.
 - o **Sys Admin** – Channels can be created *only* from the KMC by the KMC admin user.

- **viewerRole** – All authenticated users
- **privateOnlyRole** – All users with upload permissions
- **adminRole** – All users with permission to upload and publish to all categories
- **unmoderatedAdminRole** – All users with permission to upload and publish to categories and to bypass moderation (if moderation is enabled)

Configuration Management

Developer Tools
How to enable "Developer Tools"?

Global
Application
Auth
Categories
Channels
Client
Debug
Gallery
Header
Metadata
Moderation
Navigation
Player
Roles
Security
SharedRepositories
Widgets
Search

Modules
Addcontent
Addtoplaylists
Bootswatch
Continue

Important Notice! (click to open)


Channels

entriesPage Size	<input type="text" value="15"/>	How many entries can be displayed on each channel page? (The default is 15)
page Size	<input type="text" value="16"/>	How many channels can be displayed on the channel page? (The default is 20)
pageCount	<input type="text" value="100"/>	How many page links can be displayed in the channel pager? (Dots represent page links that are not displayed.)
pagerType	<input type="text" value="Sliding"/>	Which kind of paging mechanism should be used in the channel page?
defaultChannelType	<input type="text" value="Open"/>	Select the default channel type when creating a new channel.
channelCreatorOpen	<input type="text" value="viewerRole"/>	Select the minimal role that can create Open Channels.
channelCreatorRestricted	<input type="text" value="privateOnlyRole"/>	Select the minimal role that can create Restricted Channels.
channelCreatorPrivate	<input type="text" value="viewerRole"/>	Select the minimal role that can create Private Channels.
channelCreatorSharedRepository	<input type="text" value="viewerRole"/>	Select the minimal role that can create Shared repositories.
channelCreatorPublic	<input type="text" value="No Role - Sys Admin o"/>	Select the minimal role that can create Public Channels.



NOTE: We do not recommend enabling a Viewer to create channels since Viewers cannot add content to channels they create.


When a user has permissions to create a channel, a *Create Channel* button is displayed on Channel Listing pages. See [Channels](#) for additional configuration information.



Assigning MediaSpace Content to Channels

 **To manually assign content to a MediaSpace channel in the KMC**

1. In the KMC, select the Content tab and then select the Entries tab.
2. In the Entries table, select one or more entries and click **More Actions**.
3. Select Add/Remove Categories and click **Add to Categories**.



4. On the Select Categories window, under the *channels* category, select one or more categories and click **Appl.:**

In the Entries table, the entries are displayed when you filter for a category to which you assigned the entries.

See [Adding Content to your MediaSpace Categories](#).

Assigning User Permissions to MediaSpace Channels

To assign user permissions in bulk, use the [End-User Entitlements CSV](#). To learn more about assigning end-user permissions, refer to the [Kaltura Management Console \(KMC\) User Manual](#).

To learn more about entitlement services and how they apply to MediaSpace permissions, refer to [Introduction to the Kaltura Entitlement Infrastructure](#).

Assigning User Permissions to MediaSpace Channels in the KMC

By default, a channel that you create in the KMC is restricted to authenticated users. Handling permission restrictions for channels is similar to the way you handle permissions for galleries. See [Adding Contributors to MediaSpace Galleries](#).

In addition, you perform the following important flows related to channels in the KMC:

- [Assigning Managers to a MediaSpace Channel](#)
- [Assigning User Permissions to a Channel in MediaSpace](#)

Assigning Managers to a MediaSpace Channel

To access channel settings in MediaSpace, a user must have Manager permissions for the channel. To learn more about channel settings, refer to the [Kaltura MediaSpace User Manual](#).

To assign a manager to a MediaSpace channel in the KMC

1. In the KMC, select the Content tab and then select the Categories tab.
2. In the Categories table, click the channel category name.
3. On the Edit Category window, select the Entitlements tab.
4. Under Specific End-User Permissions, click **Manage**.
5. On the Specific End-User Permissions window, do one or more of the following:
 - In the user list, select one or more users and change the user permission to Manager.
 - Click **Add Users**.
 - On the Add Users window, under Permission Level select **Manager/Moderator**.
 - On the Add Users window, under Select End-Users start typing a user name. A list of suggestions is displayed after you type the third character.
 - On the Add Users window, select a user from the suggestion list and click **Save**.



NOTE: A MediaSpace end user who creates a channel can assign permissions, including adding managers and moderators.

Assigning User Permissions to a Channel in MediaSpace

Channel managers and owners can add members and change user permissions in MediaSpace.

To edit channel members and permissions in MediaSpace

1. In MediaSpace, on the Channels page or your My Channels page, click a channel to open the channel page, and then click Actions → Edit.
2. On the Members tab:
 - To modify the member's permission level, next to the member's Permission column, click the **Pencil** icon, select a new permission, and click **Done**.
 - To remove the member from channel membership, click **X** icon.
 - To add a member and assign a permission level to the new member, click **Add Member**,

- enter a user name and select a permission, and click **Add**.
- To set a different member as the channel owner, click the **Set as Owner** link.



NOTE: This operation is available to current owner only and will **transfer** ownership from you to selected member.

Edit Techpubs Channel

Details Playlists **Members**

Membership Settings

Default Permission Level:

Offline Sync Group Name:

6 members

View All Permissions

Member	User ID	Permission	Actions
Debbie Zioni	Debbie.Zioni	Manager	you, owner
Renee Dvir	renee.dvir	Contributor	<input type="button" value="✎"/> <input type="button" value="✕"/> Set as Owner
Buki Peri	Buki.Peri	Member	<input type="button" value="✎"/> <input type="button" value="✕"/> Set as Owner
Arik Perera	Arik.Perera	Member	<input type="button" value="✎"/> <input type="button" value="✕"/> Set as Owner
Ido Achrak	Ido.Achrak	Contributor	<input type="button" value="✎"/> <input type="button" value="✕"/> Set as Owner
meirav.ameo	meirav.ameo	Contributor	<input type="button" value="✎"/> <input type="button" value="✕"/> Set as Owner

To learn more about editing channel users, refer to the [Kaltura MediaSpace User Manual](#).

Setting up MediaSpace to Run on HTTPS

You can configure MediaSpace to run on HTTPS.

To run MediaSpace on HTTPS

Do one of the following:

- Use HTTPS for login only.
 - On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Auth tab.
 - Under *sslSettings*, select **Login only** and click **Save**.

sslSettings

Select your option for a secure login page (via https).
 Note: When setting this value to All Site you also need to set Client>serviceUri to 'https://www.kaltura.com' instead of 'http://www.kaltura.com' and Client>cdnUri to point to 'https://cdnapisec.kaltura.com' instead of 'http://cdnapi.kaltura.com'.

- On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Client tab.

- d. Under *serviceUrl*, enter an HTTP URL and click **Save**.

Client

serviceUrl

The URL from which API calls will be serviced. Change this if you are running Kaltura On-prem

- Use HTTPS for your MediaSpace site.



NOTE: To run MediaSpace on HTTPS, contact your Kaltura Project Manager or Account Manager for assistance. Do not attempt to run MediaSpace on HTTPS before consulting your Kaltura representative. Implement the following procedure when your Kaltura representative instructs you to do so.

- a. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Auth tab.
- b. Under *sslSettings*, select **All site** and click **Save**.

sslSettings

Select your option for a secure login page (via https).

Note: When setting this value to All Site you also need to set Client>serviceUrl to 'https://www.kaltura.com' instead of 'http://www.kaltura.com' and Client>cdnUrl to point to 'https://cdnapisec.kaltura.com' instead of 'http://cdnapi.kaltura.com'.

- c. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Client tab.
- d. Under *serviceUrl*, enter an HTTPS URL and click **Save**.

Client

serviceUrl

The URL from which API calls will be serviced. Change this if you are running Kaltura On-prem

Authenticating and Authorizing Users in MediaSpace

Use the MediaSpace Configuration Management panel Auth tab of the Kaltura MediaSpace Administration Area to configure the authentication and authorization methods for accessing MediaSpace content. Access is based on the Application role configured for the user.

The following scenarios are supported:

- [Scenario 1: Authentication and Authorization Are Managed in Organizational Systems](#)
- [Scenario 2: Authentication and Authorization Are Managed in Kaltura](#)
- [Scenario 3: Authentication Is Managed in an Organizational System, Authorization Is Managed in Kaltura](#)
- [Scenario 4: Authentication and Authorization Are Managed in Multiple Locations](#)

Usually, both authentication and role authorization are set through integration with the organizational identity and group management systems (Scenario 1). Kaltura's authentication and/or authorization options may be useful in the cases described in Scenarios 2 and 3.



NOTE: User authorization to channel and content entitlements is handled separately.

Scenario 1: Authentication and Authorization Are Managed in Organizational Systems

When does this scenario apply?

You can use your organizational system as your MediaSpace identity and role authorization provider when:

- You have a large-scale MediaSpace deployment. You want all users to log into MediaSpace with their organizational credentials and to be authenticated by your centralized authentication system.
- You can provide access from the MediaSpace application to your authentication and group management systems.
- Authorization to access MediaSpace with a specific Application Role derive in most cases from user membership in organizational units or groups.

Who can access MediaSpace?

Only users who are authenticated and authorized by your systems can access MediaSpace. Users who are not authenticated by your systems are denied access to MediaSpace and are not able to log in.

What user details are stored in Kaltura?

The user's identifier, Application Role, and first and last names (optional but recommended) must be stored in Kaltura.

After the user logs into MediaSpace for the first time, administrators can view and manage the user record on the User Management panel of the Kaltura MediaSpace Administration Area. The user's organizational password is not saved in Kaltura.

Can you manually set different user details in Kaltura?

Yes, you can manually set different user details in Kaltura.

After the user logs into MediaSpace for the first time, administrators can manage the user record on the User Management panel of the Kaltura MediaSpace Administration Area. An administrator can override the user details (first and last name) and the user MediaSpace Application Role. This option is useful mainly for granting a higher- or lower-level Application Role to certain users. For example, you can set a **Viewer** Application Role to a large group of people within your organization and then manually assign the higher level MediaSpace Admin role to a few of them.

To enable overriding settings manually

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Auth tab.
2. Set the following values and click **Save**.
 - a. To allow manual changes to the users' details:
Under `refreshDetailsOnLogin`, select **No**.
This option is displayed only when using an external authentication provider.
 - b. To allow manual changes to the users' role:
Under `refreshRoleOnLogin`, select **No**.
This option is displayed only when using an external role authorization provider.

<code>refreshDetailsOnLogin</code>	<input type="button" value="No"/>	Select 'Yes' to update the user's details on Kaltura upon login (recommended).
<code>refreshRoleOnLogin</code>	<input type="button" value="No"/>	Select 'Yes' to update the user's role on Kaltura upon login. Select 'No' to allow KMS admin to override the user's role through Kaltura user management.

Scenario 2: Authentication and Authorization are Managed by Kaltura

When does this scenario apply?

You can use Kaltura as your MediaSpace identity and role authorization provider when:

- You want to launch a MediaSpace pilot in your organization without IT integration.
- You want to quickly go live with your organizational video portal before performing IT integration with your organizational authentication and group management systems.
- Only a few users in your organization need to work with MediaSpace, and there is no requirement or need for managing user authentication and credential validation in your organizational systems.
- You do not have a centralized authentication system, or you are not able to provide access to your authentication system from the MediaSpace application.

Who can access MediaSpace?

Only users with a MediaSpace user account pre-provisioned in Kaltura can access MediaSpace. (The user account must include a MediaSpace Role and a MediaSpace password.) If you want to revoke MediaSpace access from a specific user, it is your responsibility to delete the user account in one of the following ways:

- On the User Management panel of the Kaltura MediaSpace Administration area, select one or more users, and click **Delete** or **Delete Checked**.
- Submit a Kaltura end-users CSV to delete MediaSpace user accounts in bulk. To learn more, see the [submit a Kaltura end-users CSV](#) procedure step.
- Use the Kaltura API to:
 - Delete the user record.
 - Remove the user's MediaSpace Role stored in a custom data profile.

How do you switch from Kaltura-managed authentication and authorization to managing MediaSpace authentication and authorization in your system?

Following the completion of your pilot, or when the IT integration with your user authentication and group management systems is completed, on the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Auth tab and change the selected authentication/authorization method. In the Kaltura MediaSpace Administration Area, you may override the Kaltura-managed Application Roles from your system on the Configuration Management panel or by manually deleting existing MediaSpace user accounts on the User Management panel.

To override Kaltura-managed Application Roles on the Configuration Management panel

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Auth tab.
2. Set the following values and click **Save**.
 - c. Under `refreshDetailsOnLogin`, select **Yes**.

This option is displayed only when using an external authentication provider.
 - d. Under `refreshRoleOnLogin`, select **Yes**.

This option is displayed only when using an external role authorization provider.

<code>refreshDetailsOnLogin</code>	<input type="button" value="Yes"/>	Select 'Yes' to update the user's details on Kaltura upon login (recommended).
<code>refreshRoleOnLogin</code>	<input type="button" value="Yes"/>	Select 'Yes' to update the user's role on Kaltura upon login. Select 'No' to allow KMS admin to override the user's role through Kaltura user management.

Scenario 3: Authentication is Managed in an Organizational System, Authorization is Managed by Kaltura

When does this scenario apply?

You can use Kaltura as your MediaSpace access and role authorization provider when:

- You have a small- to large-scale MediaSpace deployment. You want all users to log into MediaSpace with their organizational credentials and to be authenticated by your centralized

authentication system.

- Authorization for users to access MediaSpace and MediaSpace Application Roles is independent of their membership in organizational units or groups. For example, users who will be granted MediaSpace access do not belong to a specific organizational unit or group.
- You are not able to provide access to your group management system from the MediaSpace application for setting group-based role authorization. You want to set users' application roles before their first login to MediaSpace.

Who can access MediaSpace?

Only users who are authenticated by your systems *and* have MediaSpace user accounts pre-provisioned in Kaltura (the user account includes MediaSpace Application Roles) can access MediaSpace. Users who are not authenticated by your systems are denied access to MediaSpace, even if they have a user account and a MediaSpace Application Role in Kaltura. These unauthenticated users will not be able to log in.

Enabling Common Login Configurations

On the Configuration Management panel Auth tab of the Kaltura MediaSpace Administration Area, the following MediaSpace login options are available for all authentication and authorization methods.

Auth

demoMode ▾
Enable the demo login mode? After entering any user or password combination, the user has an admin role.

showLogin ▾
Show login / logout menu on site header

phUser
user ID alternate field placeholder

phPwd
password alternate field placeholder

phLoginInstruction
login instructions

enableMultiAuth ▾
Enable Multi-Auth

authNAdapter ▾
What is the name of the PHP class for handling authentication? KalturaAuth enables the built-in User Management system (located at /admin/users). LdapAuth lets you use your organizational LDAP/AD server to authenticate users. To use your own custom class, click 'Add custom value' and enter the custom class name.

authZAdapter ▾
What is the name of the PHP class for handling authorization? Authorization determines the user's role. KalturaAuth enables the built-in User Management system (located at /admin/users). LdapAuth lets you use your organizational LDAP/AD server to determine roles. To use your own custom class, click 'Add custom value' and enter the custom class name.

allowAnonymous ▾
Can users access MediaSpace without logging in? If you select 'yes,' anonymousRole users can browse the galleries and view videos. For anonymousRole users, links/buttons for actions that require more advanced roles are displayed. When an anonymousRole user clicks a link/button that requires a more advanced role, a login screen is displayed.

anonymousGreeting
What text should be used in the header instead of an actual user name?

sessionLifetime
How long (in seconds) can a MediaSpace user session last? If set value is lower than the minimum of 100 seconds, the minimum will be utilized.

ssiSettings ▾
Select your option for a secure login page (via https).
Note: When setting this value to All Site you also need to set Client-serviceUrl to 'https://www.kaltura.com' instead of 'http://www.kaltura.com' and Client-cdnUrl to point to 'https://cdnapi.kaltura.com' instead of 'http://cdnapi.kaltura.com'.

refreshDetailsOnLogin ▾
Select 'Yes' to update the user's details on Kaltura upon login (recommended).

refreshRoleOnLogin ▾
Select 'Yes' to update the user's role on Kaltura upon login. Select 'No' to allow KMS admin to override the user's role through Kaltura user management.

Field	Description
demoMode	Enable the demo login mode? After entering any user or password combination, the user has an admin role
showLogin	Show login / logout menu on site header
phUser	user ID alternate field placeholder
phPwd	password alternate field placeholder
phLoginInstruction	login instructions
enableMultiAuth	The default is No. When set to Yes you can configure multiple authentication providers.
authNAdapter	When enableMultiAuth is set to Yes this field is replaced by authMethod field. See Auth Module . What is the name of the PHP class for handling authentication? KalturaAuth enables the built-in User Management system (located at /admin/users). LdapAuth lets you use your organizational LDAP/AD server to authenticate users. To use your own custom class, click 'Add custom value' and enter the custom class name.
authZAdapter	When enableMultiAuth is set to Yes this field is not available. What is the name of the PHP class for handling authorization? Authorization determines the user's role. KalturaAuth enables the built-in User Management system (located at /admin/users). LdapAuth lets you use your organizational LDAP/AD server to determine roles. To use your own custom class, click 'Add custom value' and enter the custom class name.
allowAnonymous	Can users access MediaSpace without logging in? If you select 'yes,' anonymousRole users can browse the galleries and view videos. For anonymousRole users, links/buttons for actions that require more advanced roles are displayed. When an anonymousRole user clicks a link/button that requires a more advanced role, a login screen is displayed.
anonymousGreeting	What text should be used in the header instead of an actual user name?
sessionLifetime	How long can a MediaSpace user session last? The value must be greater than 100 sec in sessionLifetime field.
sslSettings	Select your option for a secure login page (via https).
refreshDetailsOnLogin	Select 'Yes' to update the user's details on Kaltura upon login (recommended).
refreshRoleOnLogin	Select 'Yes' to update the user's role on Kaltura upon login. Select 'No' to allow KMS admin to override the user's role through Kaltura user management.

Configuring Multiple Authentication Providers

Kaltura MediaSpace supports multiple authentication sources for users of collaborative work platforms. The default configuration for the **enableMultiAuth** field in the Auth tab is **No**. Each authentication method's

configuration fields are provided and are collapsible and expandable.

Select Yes in the **enableMultiAuth** field in the Auth tab of the Kaltura MediaSpace Administration Area to configure multiple authentication methods. For more information see [Scenario 4: Authentication and Authorization Are Managed in Multiple Locations](#)

Authentication Methods

The following authentication methods are available:

- [LDAP Authentication](#) – User authentication and credentials validation through direct access to the organizational LDAP or Active Directory server.
- [SSO Gateway Authentication](#) – A Kaltura generic gateway for integrating with a customer- specific login and authentication implementation, while providing the user with a Single Sign-On experience.
- [Header Authentication](#) – User is authenticated through a request in the organizational authentication system. The response includes the authenticated user ID in a specific HTTP header.
- [Kaltura Authentication](#) – User authentication and credentials managed by Kaltura.
- **Custom Authentication Methods** – For any other type of authentication method, custom adapters can be developed and added to the MediaSpace installation.

Enabling Authentication Methods

This section pertains to enabling authentication methods when the **enableMultiAuth** field is set to **No**.

When you select an authentication adapter, all configuration fields for each authentication adapter are displayed with the option to Collapse each set of fields.

authNAdapter

Header AuthN

Header AuthN

Krms_Auth_AuthN_Kaltura

LDAP AuthN

SSO Gateway AuthN

Add custom value

What is the name of the PHP class for handling authentication? KalturaAuth enables the built-in User Management system (located at /admin/users). LdapAuth lets you use your organizational LDAP/AD server to authenticate users. To use your own custom class, click 'Add custom value' and enter the custom class name.

Enabling Authorization Methods

This section pertains to enabling authorization methods when the **enableMultiAuth** field is set to **No**.

On the Configuration Management panel Auth tab of the Kaltura MediaSpace Administration Area, the following authorization methods are supported as part of the MediaSpace standard installation. When you select an authorization method, a set of relevant configuration fields is displayed to fill in.

authZAdapter

Kms_Auth_AuthZ_Kalt

Kms_Auth_AuthZ_Kaltura

LDAP AuthZ

SSO Gateway AuthZ

What is the name of the PHP class for handling authorization? Authorization determines the user's role. KalturaAuth enables the built-in User Management system (located at /admin/users). LdapAuth lets you use your organizational LDAP/AD server to determine roles. To use your own custom class, click 'Add custom value' and enter the custom class name.

Add custom value

- **LDAP Authorization** – The user’s application role in MediaSpace is determined based on organizational groups in which the user is a member, which are managed in the organization’s LDAP server. This authorization method usually is used together with the LDAP authentication method. The method also can be selected when using other authentication methods (SSO Gateway authentication, Kaltura authentication, and Header authentication).
- **SSO Gateway Authorization** - The user’s application role in MediaSpace is set and passed to MediaSpace as part of the customer-specific login and authentication implementation, which is set through the Kaltura SSO gateway interface. Always use this option with SSO Gateway authentication. This option cannot be used with any authentication method besides SSO Gateway authentication.
- **Kaltura Authorization** – Manage user authorization to access MediaSpace and user MediaSpace application roles in Kaltura. This authorization option can be used with any other authentication method (SSO Gateway authentication, Kaltura authentication, and Header authentication).
- **Custom Authorization Methods** – For any other type of access and role authorization method, custom adapters can be developed and added to the MediaSpace installation.

Configuring LDAP Authentication and Authorization

To learn more about integrating your LDAP server for authenticating users and authorizing user access to MediaSpace with a specific application role, refer to [Kaltura MediaSpace Introduction to Authentication and Authorization Solutions](#) and [Kaltura MediaSpace LDAP Integration Guide](#).

To configure user authentication through your LDAP server

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Auth tab.
2. Under *authNAdapter*, select **LDAP AuthN**.

authNAdapter

LDAP AuthN

Header AuthN

Kms_Auth_AuthN_Kaltura

LDAP AuthN

SSO Gateway AuthN

3. Select your preferences for [the common login options](#).
4. Under *refreshDetailsOnLogin*, select your preference.

This option affects the updating of the user’s first name, last name, and email address (when provided) from your LDAP system upon every login.

refreshDetailsOnLogin

Yes

No

Yes

Should user details on Kaltura be updated through an external authentication provider?

5. Under *IdapServer*:

- e. Select the LDAP Server access and bind settings.

Your **bindMethod** selection will affect the information you need to provide for authenticating the user.

IdapServer
Collapse

To configure KMS login through LDAP server fill in the fields below. If needed, Kaltura's [LDAP wizard](#) can be used to test connectivity and suggest a configurations that works best with your LDAP server. Please also make sure that the relevant ports and IP range in the org firewall are available from the Kaltura servers.

host	<input type="text" value="ldap.example.com"/>	What is the address of your LDAP Server?
port	<input type="text" value="389"/>	What is the port of your LDAP Server?
protocol	<input type="text" value="ldap"/>	What protocol does your LDAP server use? (ldap or ldaps)
protocolVersion	<input type="text" value="v3"/>	What is the protocol version of your LDAP server? (V2 or V3)
baseDn	<input type="text" value="dc=example,dc=com"/>	What is the base DN of your LDAP server?
bindMethod	<input type="text" value="Search before bind"/> <input checked="" type="text" value="Search before bind"/> <input type="text" value="Direct Bind"/>	Which mode of operation is used for authenticating with LDAP? 'Search before bind' means that the user's DN is discovered by searching the LDAP/ad server. Direct bind means that the user's DN is constructed automatically according to the format that you specify under userDnFormat (displayed below when you select Direct Bind) and no search is performed.

bindMethod	<input type="text" value="Search before bind"/>	Which mode of operation is used for authenticating with LDAP? 'Search before bind' means that the user's DN is discovered by searching the LDAP/ad server. Direct bind means that the user's DN is constructed automatically according to the format that you specify under userDnFormat (displayed below when you select Direct Bind) and no search is performed.
-------------------	---	--

searchUser
Collapse

username	<input "="" type="text" value="CN="/>	Typically the username would be in the following format "CN=xyz". If anonymous search is not allowed, what is the DN of the account that should be used to bind for searching users? For anonymous, do not enter a username.
password	<input type="text"/>	If anonymous search is not allowed, what is the password of the account that should be used to bind for searching users? For anonymous, do not enter a password.
userSearchQueryPattern	<input type="text" value="(&(objectClass=person)(uid=@@)"/>	Enter the pattern for querying the LDAP server to find a user. The @@USERNAME@@ token will be replaced with the actual username provided in the login screen.

bindMethod	<input type="text" value="Direct Bind"/>	Which mode of operation is used for authenticating with LDAP? 'Search before bind' means that the user's DN is discovered by searching the LDAP/ad server. Direct bind means that the user's DN is constructed automatically according to the format that you specify under userDnFormat (displayed below when you select Direct Bind) and no search is performed.
-------------------	--	--

directBind
Collapse

userDnFormat	<input type="text" value="cn=@@USERNAME@@@.dc=exa"/>	Enter the DN format of the username. Place the @@USERNAME@@ token where the username should be in the string. For example: 'cn=@@USERNAME@@@.ou=somegroup,dc=example,dc=com')
---------------------	--	---

- f. Select the LDAP attributes for first name, last name and email address.

Populating the user's first and last name is used for several MediaSpace options that require the user name.

The email address is optional. This field is useful for user management and for future features (such as email notifications).

emailAttribute	<input type="text"/>	What is the name of the attribute on the user record that contains the user ID? If you do not want to sync email with Kaltura, do not enter an emailAttribute.
firstNameAttribute	<input type="text"/>	What is the name of the attribute on the user record that contains the user's first name? If you do not want to sync the first name with Kaltura, do not enter a firstNameAttribute.
lastNameAttribute	<input type="text"/>	What is the name of the attribute on the user record that contains the user's last name? If you do not want to sync the last name with Kaltura, do not enter a lastNameAttribute.
tlsCipherSuite	<input type="text"/>	Advanced: control the value of LDAPTLS_CIPHER_SUITE environment variable. use with extra care!

6. If you are using your LDAP server to authorize user access to MediaSpace with a specific application role, continue with the next procedure. If not, select a different authorization method.
7. After you complete and verify the steps, click **Save**.

To configure user authorization through your LDAP server

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Auth tab.
2. Under *authZAdapter*, select **LDAP AuthZ**.

authZAdapter

LDAP AuthZ ▼

Kms_Auth_AuthZ_Kaltura

LDAP AuthZ

SSO Gateway AuthZ

3. Under *refreshRoleOnLogin*, select your preference.
This option affects the updating of the user's role from your LDAP system upon every login.

refreshRoleOnLogin	<input type="text" value="Yes"/>	Select 'Yes' to update the user's role on Kaltura upon login. Select 'No' to allow KMS admin to override the user's role through Kaltura user management.
--------------------	----------------------------------	---

4. Under *ldapOptions*, select your preferences for getting the list of groups in which the user is a member.
This option is used to determine the user's MediaSpace Application Role.
Under *groupsMatchingOrder*, enter the order for matching MediaSpace roles to LDAP groups. The order determines whether the strongest or weakest role is mapped first.
Your groupSearch selection will affect the information you need to provide.

Authenticating and Authorizing Users in MediaSpace

ldapOptions Collapse

Configure the LDAP options for group searches.

groupSearch

byUser Collapse

memberOfAttribute Enter the memberOf attribute to use the memberof search filter to map groups to users. Note: The memberof search filter is not enabled by default on all LDAP servers.

userSearchQueryPattern Enter the pattern for querying the LDAP server to find a user. The @@USERNAME@@ token will be replaced with the actual user name provided in the login window.

primaryGroupIdAttribute (Optional) Enter the attribute name for the primary group ID (usually primaryGroupId). Use this field only to authorize by primary group ID when you are using AD.

groupsMatchingOrder Enter the order in which to match MediaSpace roles to LDAP groups. For example, if a user belongs to a group that is mapped to the admin role, enter adminRole before other roles ('adminRole,viewerRole') to find the admin role first and log in the user with the adminRole.

ldapOptions Collapse

Configure the LDAP options for group searches.

groupSearch

byGroup Collapse

groupSearchQueryPattern Enter the pattern for querying all groups in one query. The @@GROUPS_REPLACEMENTS@@ token will be replaced with the pattern that you specify under groupSearchEachGroupPattern (displayed below). The query results list all groups defined in the mapping settings.

groupSearchEachGroupPattern Enter the pattern for each group in the groupSearchQueryPattern (displayed above). This pattern is used multiple times: one time for each group defined in the mapping settings. The relation between the groups is OR.

groupSearchQuery Enter the LDAP query that finds all groups. This query runs only one time, so it returns all groups defined in the matching settings. If you enter a value for this LDAP query, the two settings displayed above (groupSearchQueryPattern and groupSearchEachGroupPattern) are not used.

groupMembershipAttribute Enter the attribute on a group record that lists the users who are members in the group.

groupsMatchingOrder Enter the order in which to match MediaSpace roles to LDAP groups. For example, if a user belongs to a group that is mapped to the admin role, enter adminRole before other roles ('adminRole,viewerRole') to find the admin role first and log in the user with the adminRole.

5. Under *ldapGroups*, select your preferences to define the mappings between the groups defined in

your LDAP server and the MediaSpace Application Roles.

IdapGroups Collapse

Map your LDAP server groups to MediaSpace roles.
The group value should be the value of the CN part - i.e. 'faculty', not 'CN=faculty'

adminRole	mediaSpaceFaculty X	Enter LDAP group names that match the MediaSpace adminRole.
	mediaSpaceAdmin X	
	+ Add "adminRole"	
viewerRole	mediaSpaceStudent X	Enter LDAP group names that match the MediaSpace viewerRole.
	mediaSpaceUser X	
	+ Add "viewerRole"	
privateOnlyRole	mediaSpacePrivateOnly X	Enter LDAP group names that match the MediaSpace privateOnlyRole.
	+ Add "privateOnlyRole"	
unmoderatedAdminRole	mediaSpaceSuperAdmin X	Enter LDAP group names that match the MediaSpace unmoderatedAdminRole.
	+ Add "unmoderatedAdminRole"	
matchByPrimaryGroupId	Match by primary group Id	+ Add "matchByPrimaryGroupId"

6. After you complete and verify the steps, click **Save**.

Configuring SSO Gateway Authentication and Authorization

To learn more about integrating MediaSpace with your authentication systems using the MediaSpace SSO Gateway, refer to [Kaltura MediaSpace Introduction to Authentication and Authorization Solutions](#) and [Kaltura MediaSpace SSO Integration Guide](#).

To configure user authentication using the MediaSpace SSO gateway

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Auth tab.
2. Under *authNAdapter*, select **SSO Gateway AuthN**.

authNAdapter

SSO Gateway AuthN ▼

Header AuthN

Kms_Auth_AuthN_Kaltura

LDAP AuthN

SSO Gateway AuthN

[Add custom value](#)

3. Select your preferences for the [common login options](#).
4. Under *refreshDetailsOnLogin*, select your preference.

This option affects the updating of the user's first name, last name and email address (when provided) from your authentication system upon every login.

refreshRoleOnLogin Yes ▼
Select 'Yes' to update the user's role on Kaltura upon login. Select 'No' to allow KMS admin to override the user's role through Kaltura user management.

5. Under *sso*, select your preferences for integrating the MediaSpace SSO Gateway with your login implementation:
 - **secret** – Enter the secret string shared with the login page. The *default* value uses your Kaltura Admin Secret (accessible from [KMC -> Settings -> Integration Settings](#)).
 - **loginUrl** – Enter the absolute URL where you host the login page.
 - **logoutUrl** – Enter the URL to which MediaSpace redirects a user after invalidating the local MediaSpace session (for example, when a user clicks **logout**).
 - On your site you may use this page to invalidate other authenticated sessions, if needed (for example, CAS login).
 - A *sessionKey* URL parameter is automatically appended to the logout URL. This parameter securely encapsulates the user information, enabling you to know which user logged out. The *sessionKey* parameter is constructed using the [secret](#) shared with the login page.

sso Collapse

To configure KMS login through SSO gateway fill in the fields below.

secret	<input type="text" value="default"/>	<small>Enter a custom secret, or enter 'default' to use the Kaltura Admin Secret associated with your Kaltura account.</small>
loginUrl	<input type="text"/>	<small>What is the URL for the SSO gateway login page? Note: The 'ref' parameter is added automatically.</small>
logoutUrl	<input type="text"/>	<small>What is the URL to which a user is redirected after logging out of MediaSpace? Usually, you enter your organization's login page.</small>

6. After you complete and verify the steps, click **Save**.
7. If you are using the MediaSpace SSO Gateway to authorize user access to MediaSpace with a specific application role, continue with the next procedure.

To configure user authorization using the MediaSpace SSO gateway

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Auth tab.
2. Under *authZAdapter*, select **SSO Gateway AuthZ**.

authZAdapter

▼
 SSO Gateway AuthZ
 Kms_Auth_AuthZ_Kaltura
 LDAP AuthZ
SSO Gateway AuthZ

Add custom value

3. Under *refreshRoleOnLogin*, select your preference.
This option affects the updating of the user's role upon every login.

refreshRoleOnLogin


Select 'Yes' to update the user's role on Kaltura upon login. Select 'No' to allow KMS admin to override the user's role through Kaltura user management.

4. After you complete and verify the steps, click **Save**.

Configuring Header Authentication

To configure header authentication through the MediaSpace SSO gateway


1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Auth tab.
2. Under *authNAdapter*, select **Header AuthN**.



3. Select your preferences for the [common login options](#).
4. Under *refreshDetailsOnLogin*, select your preference.
This option affects the updating of the user's first name, last name, and email address (when provided) from your authentication system upon every login.



5. Under *headerAuth*, enter values for:
 - **headerName** – the ID of the authenticated user
 - **logoutUrl**



6. After you complete and verify the steps, click **Save**.

Persistent Cookies

KMS supports persistent cookies to maintain the user login-state.

The KMS administrator now has 2 options to choose from, for user login-state:

- A specific session length
- A persistent cookie which will give users endless session time (until cookies are deleted)



NOTE: Opening links from PowerPoint (when SAML or SSO configured) is supported.


Configuring Kaltura Authentication and Authorization for MediaSpace

Authenticating or authorizing MediaSpace users in Kaltura requires creating MediaSpace user accounts that include a MediaSpace Application Role. Only users with a MediaSpace user account and MediaSpace Application Role are able to log into MediaSpace.

Authenticating MediaSpace users in Kaltura also requires setting a password for each MediaSpace user. Follow the procedure [to create MediaSpace user accounts that include a MediaSpace Application Role](#).

To configure Kaltura authentication

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Auth tab.
2. Under *authNAdapter*, select **Kms_Auth AuthN**.



authNAdapter

Kms_Auth_AuthN_Kalt

Header AuthN

Kms_Auth_AuthN Kaltura

LDAP AuthN


SSO Gateway AuthN

Add custom value

3. Select your preferences for the [common login options](#).
4. After you complete and verify the steps, click **Save**.

To configure Kaltura authorization

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the Auth tab.
2. Under *authZAdapter*, select **Kms_Auth AuthZ** and click **Save**.



authZAdapter

Kms_Auth_AuthZ_Kalt

Kms_Auth_AuthZ Kaltura

LDAP AuthZ

SSO Gateway AuthZ

Add custom value

To configure options for forgotten password

- In the forgot Password section– configure the relevant fields.

Authenticating and Authorizing Users in MediaSpace

forgotPassword Collapse

Define the values for the 'Forgot Password' options.

link The 'link' options are: [1] Empty the value if you do not want a 'Forgot Password' link to be displayed. [2] Enter an email address preceded by 'mailto:' (without quotes). The user's local email client opens an email with the subject and body populated with the texts defined in the 'emailSubject' and 'emailBody' fields. [3] Enter a URL for a page that you define (for example, a mechanism for reminding users of their login credentials). Note: Do not enter 'true.'

emailSubject If you enter an email address in the 'link' field, enter the text to populate the subject field of the email. If you do not want to populate the subject field, enter an empty string ('').

emailBody If you enter an email address in the 'link' field, enter the text to populate the body of the email. If you do not want to populate the body, enter an empty string (''). For KalturaAuth's User Management send new password feature: (If authClass is set to KalturaAuth, MediaSpace exposes a user management system. This system's admin can click on a user's email to open the admin's local email client to email the new password to the user.)

reminderSubject Enter the text to populate the subject field of the 'new password' email. If you do not want to populate the subject field, enter an empty string ('').

reminderBody Enter the text to populate the body of the 'new password' email. The password will be inserted automatically at the end of the body text. If you do not want to populate the body, enter an empty string ('').

To create MediaSpace user accounts that include a MediaSpace Application Role

Do one of the following:

- On the Manage Users panel of the Kaltura MediaSpace Administration Area, you can create and manage MediaSpace user accounts.

Use the list to manually manage all users in the partner account that have a MediaSpace role for the specific MediaSpace instance.

MANAGE CONFIGURATION **MANAGE USERS** KNOWLEDGE BASE CLEAR THE CACHE GO TO SITE LOGOUT

User Management

Show All Roles

All By Name By Email By User ID

ADD NEW USER DELETE CHECKED SUBMIT CSV DOWNLOAD CSV

<input type="checkbox"/>	User ID	First Name	Last Name	Password	Role	Email	Extra data	Actions
<input type="checkbox"/>	tzachi	Tzachi	Guetta	*****	viewerRole	tzachi._____@kaltura.com		<input type="button" value="Edit User"/> <input type="button" value="Delete"/>
<input type="checkbox"/>	moderator1	Moderator	PWD 1-6	*****	adminRole			<input type="button" value="Edit User"/> <input type="button" value="Delete"/>
<input type="checkbox"/>	debbiemoderator	Debbie	Moderator	*****	adminRole	debbie.zion@kaltura.com		<input type="button" value="Edit User"/> <input type="button" value="Delete"/>
<input type="checkbox"/>	ori.fichtman	Ori	Faculty	*****	adminRole	ori.fichtman@kaltura.com		<input type="button" value="Edit User"/> <input type="button" value="Delete"/>
<input type="checkbox"/>	test	test	user	*****	adminRole	its@mail.com	pass is passme	<input type="button" value="Edit User"/> <input type="button" value="Delete"/>

KMS (mediaspace) version 5.70.11, build 0

- Submit a Kaltura end-users CSV to create MediaSpace user accounts in bulk. Use the following format:


	A	B	C	D	E	F	G	H
1	*action	userid	firstName	lastName	screenName	metadata::KMS_USERSCHEMA1_your-instanceId::role	partnerData	
2	6	Johns123	John	Smith	John Smith	ViewOnly	pw=ecc94cd2e13ec3ae3ea30bda01e4fe715f9f9d20	
3	6	Dans123	Dan	Smith	Dan Smith	ViewOnly	pw=ecc94cd2e13ec3ae3ea30bda01e4fe715f9f9d21	
4	6	Danas123	Dana	Smith	Dana Smith	AdminRole	pw=ecc94cd2e13ec3ae3ea30bda01e4fe715f9f9d22	
5								
6								
7								

After submitting a CSV file, the following message is displayed:

Your request has been submitted. Track the progress of your bulk job in the [Bulk Upload Log Page](#).

OK

- To learn more about the end-user CSV schema, refer to [End-Users CSV – Usage and Schema Description](#).
- The `userId` field must include a minimum of three characters.
- The MediaSpace password must include a minimum of six characters.
- The MediaSpace Application Role is managed within the MediaSpace user metadata schema. Adjust the schema name in the example to include your MediaSpace **instanceId**. (You can copy the MediaSpace **instanceId** from the Configuration Management Panel Application tab of the Kaltura MediaSpace Administration Area.)
- Set the role names in the CSV according to the role labels you set in the Configuration Management Panel Roles tab of the Kaltura MediaSpace Administration Area.
- When using Kaltura to authenticate users, you may populate a [sha1](#) hashed password in the CSV as part of the `partnerData` field, as in the example. MediaSpace administrators are responsible for managing password hashing and distribution to users. The un-hashed password must include a minimum of six characters.
- When using Kaltura only for authorizing user access to MediaSpace with a specific application role, do not populate the password in the CSV. (You can remove the `partnerData` column in the example from the CSV since it is not required.)
- You can submit the end-users CSV in the following ways:
 - On the Manage Users panel of the Kaltura MediaSpace Administration Area, click Submit CSV.
 - In the KMC, select Create and then under Bulk Upload, select End-Users.



To automate the update of the authorized MediaSpace users list

When you manage MediaSpace authorization in Kaltura, you can develop automated processes for updating the list of MediaSpace users based on changes in your organizational information system.

- You can develop a scheduled update process to periodically add or delete multiple users to the MediaSpace users list using the [Kaltura end-users CSV](#). In your script, you can call the [user.addfrombulkupload](#) Kaltura API action to submit the CSV.
- Using Kaltura API actions, you can develop a trigger-based process to update the MediaSpace users list in real time when changes occur in your organizational information system. You can call the [user.add](#), [user.delete](#) and [user.update](#) Kaltura API actions to add, delete, and update specific user records. You can call the [metadata.add](#), [metadata.delete](#), and [metadata.update](#) Kaltura API actions to add, delete, and update the user's MediaSpace role.



NOTE: Deleted users are also removed from all channels in which they are members. Content ownership and analytics information of the deleted user are not deleted.



NOTE: Since user records are shared by all Kaltura applications running on the same account, we recommend that you delete records only of users who left the organization. In other cases, we recommend revoking the user's access to MediaSpace by using the Kaltura API to remove only the user's MediaSpace role or by using the User Management panel of the Kaltura MediaSpace Administration Area to delete the user.

Scenario 4: Authentication and Authorization Are Managed in Multiple locations

KMS provides support for the following types of authentication methods: LDAP, SAML, SSO Gateway, and Kaltura authentication as described in the [Authentication Methods](#) section.

Until now, only one type of authentication method was supported, and combinations of the different types of authentication methods were not available. KMS is now able to support multiple types and combinations of authentication methods and allow users to login through different authentication methods. A common use case for example, is for organizations that do not have the user in the organization's Active Directory or cannot be authenticated by the organization's Identity Provider. With this new feature, external users with local credentials may login with LDAP credentials, and internal users with SAML credentials. Read more about it in the new Kaltura MediaSpace Setup guide.

This section pertains to enabling authentication providers when the **enableMultiAuth** field is set to **Yes**.

When configured, the user is presented with a choice of authentication methods (based on the authentication methods configured by the admin) in the login screen. The four default authentication methods are

LDAP Authentication – User authentication and credentials validation through direct access to the organizational LDAP or Active Directory server. •

SSO Gateway Authentication – A Kaltura generic gateway for integrating with a customer- specific login and authentication implementation, while providing the user with a Single Sign-On experience. •

Header Authentication – User is authenticated through a request in the organizational authentication system. The response includes the authenticated user ID in a specific HTTP header. •

Kaltura Authentication – User authentication and credentials managed by Kaltura. •

Custom Authentication Methods – For any other type of authentication method, custom adapters can be developed and added to the MediaSpace installation.



NOTE: Multiple SAML instances may be configured, which can increase the total number of login options. For more information about SAML authentication, see the [Kaltura MediaSpace SAML Integration Guide](#).

When setting multiple authentication providers, the authorization method must be the same as the authentication method, therefore, the authorization configurations that are displayed for single providers are hidden. The relevant fields for authorization are taken from the authentication configurations.

Enabling Configuration for Multiple Authentication Providers

To enable the multi authentication feature

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the

Auth tab.

2. Select Yes in the **enableMultiAuth** field.

enableMultiAuth	<input type="text" value="Yes"/>	Enable Multi-Auth
multiAuthWelcome	<input type="text" value="Welcome to MediaSpace"/>	welcome text to show on login selection page
multiAuthSelect	<input type="text" value="Please choose one of the login op"/>	text to show on login selection page

3. Enter the Welcome message in the **multiAuthWelcome** field. This may be a text string in any language. The default is: Welcome to Mediaspace.
4. Enter the text to display on the login page in the **multiAuthSelect** field. This may be a text string in any language. The default is: Please choose one of the login options below, The authMethods fields are displayed. Each authMethod that you choose has the relevant fields available for configuration.
5. Click Add authMethods to add additional methods.

authMethods

Select authentication methods

1 DELETE

method authentication method

friendlyName text to show the user on the login selection page, leave empty to use default

helpText text to show when hovering over the question mark on the login selection page, leave empty to use default

2 DELETE

method authentication method

friendlyName text to show the user on the login selection page, leave empty to use default

helpText text to show when hovering over the question mark on the login selection page, leave empty to use default


+ Add "authMethods"

Configure the Display for the Login Screen for Each authMethod

To Configure the Display for the Login Screen for Each authMethod

1. Select an authentication method from the drop-down menu.
2. Enter a friendlyName. if left empty the default is take from the authentication method name
3. Enter helpText.
4. Click Add authMethods to add more authentication methods.
5. Continue configuring each section as in [Selecting an Authentication Method](#).

Example of a Multi-Authentication Login Screen




Remember My Selection - will store the user’s login credentials for their following sessions.

If the user makes a mistake they will need to clear their browser’s cache. An alternate method to change the selection will be to use the following link to clear the login selection: https://{your_KMS_URL}_here}/user/clear-login-selection

Logging In (For User)

Logging in to MediaSpace depends on your MediaSpace configuration. When you receive the MediaSpace URL to login into, there may be two options:

- The site presents a login window to login into MediaSpace.
- The MediaSpace site homepage is displayed with pre-configured content.




The different login displays depend on whether your site is configured to allow anonymous users to access your portal. There are some pages in MediaSpace that are reserved for authenticated users and the login window displayed depends on your administrator’s configuration.

To log in to MediaSpace

The Login window is displayed either when you open MediaSpace or when you click:

- **My Media**
- **My Playlists**
- **My Channels**
- **Guest (Login - Logout)**
- **On Restricted Channels/Galleries**
- **On a Direct Link – Depends on your admin’s configuration and the resource you are trying to access**

If your administrator configured your site to allow multiple authentication providers, the login prompt will display with several choices for you to login. If you are uncertain which option to use, use the tooltip for guidance.



If multiple authentication methods have not been set, enter your username and password, in the Kaltura Sign In window.



The image shows a 'KALTURA Sign In' form. At the top, the title 'KALTURA Sign In' is displayed in a bold, dark font. Below the title, there are two input fields: the first is for the email address, containing the text 'debbie @kaltura.com', and the second is for the password, represented by a series of dots. A horizontal line separates the input fields from the 'Sign in' button, which is a prominent blue rectangle with white text. At the bottom of the form, there are two links: 'Forgot Password?' on the left and 'Cancel' on the right.

Check Remember My Selection to store the login selection. Clear your Browser's cache or Navigate to the following link to clear the login selection: https://{your_KMS_URL}_here}/user/clear-login-selection.

Organizational Strategy for MediaSpace Entitlements

When creating an organizational video portal with MediaSpace, MediaSpace categories, channels and their respective user permissions can be set and maintained in different ways. When categories and channels serve organizational units and groups, it may be possible to create the channels and maintain the channel permissions based on data managed in the organization's information system (for example, identity management systems and group management systems).

This section addresses:

- [How to plan the organizational operations and integrations related to managing user permissions](#)
- [How to create categories and channels in bulk for groups managed in the organizational information systems](#)
- [How to create and maintain user permissions based on groups managed in the organizational information systems](#)
- [How to create and maintain the Add Members auto-complete list for adding members manually](#)

These tasks can be accomplished in different ways since every organization has different needs and requirements, deploys and supports different information systems, and has different levels of IT capabilities and resources. The guidelines in this document can be adapted to fit each organization's needs and capabilities.

Terminology

User ID – A user's unique identifier in your organization's information systems. The same ID is used in Kaltura as a unique identifier of the user in a specific partner account.

Group ID – A unique identifier in your organizational information system representing an actual organizational unit or an ad-hoc security group. A user can be a member of multiple groups and may hold a different organizational role in each group. The organizational role of a user within a unit/group may or may not be represented within the organization information system.

MediaSpace Category – An open/private/restricted category in MediaSpace that a specific group of users (category members) is able to access. Categories are centrally created via the Kaltura Management Console (KMC) and reflect the navigation structure of your MediaSpace site. The list of people with permission to access the category may derive from user membership in a specific organizational group or may be defined manually by the category manager with no relation to organizational structure and units

MediaSpace Channel – An open/private/restricted channel in MediaSpace that a specific group of users (channel members) is able to access. The list of people with permissions to access the group channel may derive from user membership in a specific organizational group or may be defined manually by the channel manager with no relation to organizational structure and units.



NOTE: MediaSpace Channels can be associated with one or more MediaSpace Category according to the entitlements set in the category.

Kaltura User – A Kaltura backend object that holds information about a specific user and is identified by

the **User ID**. Kaltura supports the management of different user attributes. The **user ID** is a mandatory attribute; the user's first name, last name, and screen name (by default, the user's full name) are required to enable convenient end-user management in MediaSpace and in the KMC. **Kaltura User** objects are automatically created in Kaltura for different scenarios. For user management purposes, **Kaltura User** objects also may be created manually from the KMC or using bulk services. The **Kaltura User** object is used for managing both KMC admins and application end-users. Only KMC administrators have a special attribute granting access to the KMC account.

Kaltura Category – A Kaltura backend object for managing media collections and the end-user entitlements to access and manage these media collections in MediaSpace. This backend entity manages **MediaSpace Channels** and **MediaSpace Categories**.

Kaltura Category ID – A Kaltura internal unique identifier of a single **Kaltura Category** Object.

Kaltura Category Reference ID – A **Kaltura Category** attribute designed to hold and connect the category to an external identifier such as the **Group ID**. Uniqueness of the Category Reference ID is not enforced by Kaltura.

Kaltura's End-User Entitlements – A permission level that enables a specific end-user to access, contribute to, or manage a specific channel or category. In the Kaltura backend, end-user entitlements are managed in Kaltura's categoryUser object, which manages the relationship between a specific end-user and a specific category.

Planning Considerations

Consider the following questions when you plan the organizational process for managing MediaSpace channels and channel memberships.

What types of channels will be in your video portal?

- Education Examples
 - Course channels

For media-rich courses, faculty can create a course channel in MediaSpace in a simple, feature-rich environment.
 - School/Department channels

Each school/department has its own managed channel that shows content that either is accessible only to the school/department or is open to all.
 - Workgroup channels

Not bound by a strict learning management system (LMS) structure, faculty and students can create cross-course ad hoc groups for research, projects, and more.
 - Portfolio Channel

Allow faculty and any authorized users to create their own portfolio channel, with recordings of public speaking, awards and events, lectures, video work, and more. Typically, the channels are public under the university roof, but also can be restricted to a specific set of users within the organization.
- Enterprise Examples
 - Department channel

Each department head manages the department channel that shows content that either is accessible only to the department or is accessible to all employees.
 - Community channels

All employees are empowered to create their own channels and can either invite specific co-workers to join or can enable open access. For each channel, the creator can control who can contribute and whether moderation is required.

For which units in your organization do you want to create a MediaSpace channel?

Examples:

- For all groups of a specific type (for example, all departments or all schools)
- For only a few groups within the organization (for example, a few departments or media-related courses only)
- For a few communities/work groups within the organization
- Every user will be able to open a channel.

What should be the typical/default privacy level required for channels of each type?

- **Open** - All users in the organization are entitled to access the channel and contribute content.
- **Restricted** - All users in the organization are entitled to access the channel, but only specific users are entitled to contribute content.
- **Private** - Only specific users in the organization are entitled to access the channel and contribute content.

What should be the typical/default privacy level required for categories of each type?

- **Open** - All users in the organization are entitled to access the category including anonymous users if your site is configured for unauthenticated access. Only specific users are entitled to contribute content.
- **Restricted** - All users in the organization are entitled to access the category, but only specific users are entitled to contribute content.
- **Private** - Only specific users in the organization are entitled to access the category and contribute content.

What changes in your organization should require an update to user permissions?

Examples:

- Someone joined/left an organizational group.
- Someone's role in organizational groups changed.
- Someone joined or left the organization.

What is the frequency and volume of the relevant organizational changes?

- How often do the changes happen?
- How many users/groups are affected?

What is the acceptable lag time for channel permissions to be updated in MediaSpace following an organizational change?

How promptly must organizational changes be reflected within MediaSpace channels and channel permissions? For example, immediately, within a few hours, on the next day.

How available is your organizational IT Department?

Do you have resources for developing and maintaining an automated update of channel permissions based on changes in your organizational information systems?

Channel Management Types

Based on your evaluation of the [planning consideration questions](#), decide on the best way to manage channels and channel memberships in your organization. You can select one of the following options or combine options to manage different types of channels.

Management Type	Integration Effort	Channel Management			
		Creation	Channel Permissions — Initial Setup	Channel Permissions — Ongoing Updates	
Self-Created	Very Low	Who?	Organizational unit/group managers or anyone authorized by the organization to create a MediaSpace channel	Channel Managers	Channel Managers
		When?	Whenever a new channel is needed	Upon channel creation	When needed
		How?	On the MediaSpace site	On the MediaSpace site	On the MediaSpace site
Centrally Assigned	Low–Medium	Who?	Video portal administrators, with or without IT department assistance	Channel Managers	Channel Managers
		When?	Upon initial set up of video portal channels, upon major organizational changes, when a new channel is needed	Upon channel creation	When needed
		How?	In the KMC: manual or bulk CSV-based creation	On the MediaSpace site	On the MediaSpace site
Centrally Prepared	Medium	Who?	Video portal administrators, with or without IT department assistance	Video portal administrators, with or without IT department assistance	Organizational unit managers and/or their assistants.
		When?	Upon initial set up of video portal channels, upon major organizational changes, when a new channel is needed	Upon channel creation	When needed
		How?	In the KMC: manual or bulk CSV-based creation	In the KMC: manual or bulk CSV-based setup	On the MediaSpace Site
Automatically Maintained	High	Who?	Video portal administrators, with or without IT department assistance	Video portal administrators, with or without IT department assistance	Scheduled automated update process or based on information system's triggers
		When?	Upon initial set up of video portal channels, upon major organizational changes, when a new channel is needed	Upon initial set up of video portal channels, upon major organizational changes, when a new channel is needed	Scheduled as needed or triggered in real-time upon group membership modifications
		How?	In the KMC: manual or bulk CSV-based creation	In the KMC: manual or bulk CSV-based setup	See Automatically Updating Channel Permissions

Creating MediaSpace Channels

The following topics are described:

- [Creating Channels in MediaSpace by Users](#)
- [Creating Channels Centrally by Administrators](#)

Creating Channels in MediaSpace by Users

Organizational group managers or anyone authorized by the organization to create channels in MediaSpace can create a channel on the MediaSpace site and manually select the channel's settings and member permissions.

Users who create channels in MediaSpace require a MediaSpace application role that enables channel creation. To learn more, refer to [Setting Permissions for Creating a MediaSpace Channel](#) in this guide.

To learn more about channel creation and management, refer to [Creating and Managing a Channel in the Kaltura MediaSpace User Manual](#).

Creating Channels Centrally by Administrators

Video portal administrators can create channels, with or without the assistance of the organizational IT department.

Creating MediaSpace Channels in Bulk

You may need to create channels in bulk, either at the initial setup or upon major organizational changes that trigger the creation of numerous channels. We recommend creating channels in bulk using Kaltura's bulk services with [Kaltura's Categories CSV](#).



NOTE: There is a 5000 user limitation on channel and category members. If more members are expected, please use Kaltura Groups . See [Group Support in Kaltura Applications and Kaltura Groups FAQ](#) for additional information.

To create MediaSpace Channels in bulk

1. Prepare the initial list of groups that will use the new MediaSpace Channels. You can prepare the list manually or export the list from the organizational information system. Include at least the following information from your organizational information system:
 - For groups managed in your organizational information system, include the **Group ID** of each organizational group/unit.
 - If a group manager plans to create the channel members list and permissions in MediaSpace, specify the **User ID** of the group manager. This sets the group manager as the channel owner and enables the group manager immediate access to the group channel settings in MediaSpace.
 - If a friendly group name is available in your information system, you can export the friendly group name to use as the channel name.

2. Edit the basic group list in a spreadsheet editor or programmatically to comply with [Kaltura's Categories CSV format](#). Insert the following information to create channels in MediaSpace with relevant channel settings (see example below).
 - Enter the relative category path to your MediaSpace Channels category.
 - When relevant, set each **Group ID** as the **reference ID** of its respective category. This enables you to refer to the category based on the **Group ID**, when needed (for example, for automated channel membership creation).
 - Enter the channel name. You can use the group name exported from your information system, the **Group ID**, or any name you select. The name will be displayed as the channel name in MediaSpace.
 - For the category owner, enter the **User ID** of the user who will initially manage the channel (for example, the **User ID** of the unit/group manager).
 - Enter the category entitlement settings according to the type of channel (open/restricted/private).
 - You can add additional information, such as channel description, tags, and any custom channel classification or topic managed by the category's custom data. The channel owner also can manually enter this information in MediaSpace after the channel is created.
 - Insert the Categories CSV headers for fields that are populated in your CSV.

	A	B	C	D	E	F	G	H	I
1	*action	relativePath	name	referenceId	description	privacy	appearInList	contributionPolicy	owner
2	1	MediaSpace>site>channels	Tutorials	dep-training	This is an Open channel moderated by the Training department	2	1	1	Johns123
3	1	MediaSpace>site>channels	Marketing	dep-marktg	This is a Restricted channel managed by the Marketing department	2	1	2	Dabas123
4	1	MediaSpace>site>channels	HR	dep-hr	This is a Private channel managed by the HR department	3	3	2	Dans123

Categories CSV for creating different types of MediaSpace Channels



NOTE: While there is no limit on the number of lines in the CSV, the processing time of each CSV is affected by the number of lines in the CSV. Therefore, we recommend splitting the CSV into manageable chunks for convenient editing, processing, and tracking.

3. On the KMC Upload tab, upload the Categories CSV.

Bulk processing in Kaltura is handled in an asynchronous batch process. Track the completion status of the bulk job in the KMC on the Bulk Upload Log page or using email notifications set by Kaltura for your account.

Creating MediaSpace Channels Individually

Occasionally you may need to create a single channel or a few channels. We recommend creating and configuring individual channels in the KMC Edit Category window.

To learn more, refer to Managing Categories in the [Kaltura Management Console \(KMC\) User Manual](#) and [Understanding Privacy Types](#) in this guide.

Creating and Updating Channel and Category Permissions

This section describes the following topics:

- [Assigning Permissions and Entitlements](#)
 - [Setting Up Members and Permissions Manually in MediaSpace](#)
 - [Setting Up Permissions Centrally in Bulk](#)
 - [Setting Up Permissions Individually](#)
 - [Automatically Updating Permissions](#)
- [Deleting MediaSpace Channels](#)
- [Deactivating Channel Memberships](#)

Assigning Permissions and Entitlements

Entitlements are configurable for categories as well as channels. You can define whether the category is open, private or restricted. You can also define who actually has access to specific categories and in which role. Formerly, if you wanted someone to publish media to a gallery they had to be defined as an adminRole. You can define a category and allow specific users to contribute content providing granular control over the entitlements and the roles of users according to the structure of your categories.

This includes:

- Inheriting permissions from parent categories – you don't need to define users again and again in each sub category.
- Importing members from the parent category - you can add or remove users from subcategories.
- You can define a group name, for example LDAP group or authorization provider that you are using and the default permission level, so that when you are developing an offline sync process, to synchronize roles and permissions on KMS and roles and permissions in your identity provider, you can leverage the group name definition to add or remove users from KMS.

Edit Techpubs Channel

Details Playlists **Members**

Membership Settings

Default Permission Level:

Offline Sync Group Name:

6 members

View All Permissions

Member	User ID	Permission	Actions
Debbie Zioni	Debbie.Zioni	Manager	you, owner
Renee Dvir	renee.dvir	Contributor	<input type="button" value="✎"/> <input type="button" value="✕"/> Set as Owner
Buki Peri	Buki.Peri	Member	<input type="button" value="✎"/> <input type="button" value="✕"/> Set as Owner
Arik Perera	Arik.Perera	Member	<input type="button" value="✎"/> <input type="button" value="✕"/> Set as Owner
Ido Achrak	Ido.Achrak	Contributor	<input type="button" value="✎"/> <input type="button" value="✕"/> Set as Owner
meirav.ameo	meirav.ameo	Contributor	<input type="button" value="✎"/> <input type="button" value="✕"/> Set as Owner

Setting Up Members and Permissions Manually in MediaSpace

Channel and category managers can manually add members to their channels, assign and update member permission levels, and remove members. A channel manager manages channel members and permissions on the Edit Channel / Category page in MediaSpace.

To learn more, refer to Creating and Managing a Channel in the [Kaltura MediaSpace User Manual](#).

Setting Up Permissions Centrally in Bulk

The video portal administrator in the KMC can initially assign category and channel permissions for categories or channels related to organizational units. The organizational IT department usually needs to assist setting up group permissions by exporting the organizational group membership data from the organization’s information systems.

Channel and category permissions should be assigned in bulk for a large number of new categories or channels, either at the initial setup or upon major organizational changes that trigger the creation of numerous categories / channels. We recommend assigning permissions in bulk using Kaltura’s bulk services with [Kaltura’s End-User Entitlements CSV](#).



NOTE: You must assign permissions in bulk *after* creating the channels or categories. Assigning permissions in bulk requires first setting the **Group ID** value as the channel **Category’s Reference ID**. See the procedure [To create MediaSpace Channels in bulk](#).

To create memberships and permissions in bulk

1. For all channels or categories for which you are assigning permissions, prepare an initial list of organizational user/group membership pairs with the required channel permission levels.

	A	B	C
1	Group ID	User ID	channel permission
2	dep-marktg	danba1	manager
3	dep-marktg	johnc3	contributor
4	dep-marktg	mikea2	contributor
5	dep-marktg	sharonyd1	contributor
6	dep-marktg	johnathans2	contributor
7	dep-hr	lenar56	manager
8	dep-hr	donr523	member
9	dep-hr	ronw3556	member

Initial list of group memberships

- When you export group memberships from your organizational information system for the list, you may need to separately query all group managers, all group members, and so on. This is to ensure that different channel permission levels are assigned according to the user’s organization role within a specific group.
 - If you want the channel to be self-managed in MediaSpace and did not assign a channel owner when creating the channel, assign a Manager permission level to at least one user.
2. Edit the basic group membership list in a spreadsheet editor or programmatically to comply with [Kaltura’s End-User Entitlements CSV format](#). Specifically, insert the CSV field headers, specify the CSV ‘add’ action (action =1), and specify the numeric value of each permission level according to Kaltura’s specifications.

You may assign permissions for multiple channels and categories within one CSV file.

	A	B	C	D
1	*action	categoryReferenceId	userId	permissionLevel
2	1	dep-marktg	danba1	0
3	1	dep-marktg	johnc3	2
4	1	dep-marktg	mikea2	2
5	1	dep-marktg	sharonyd1	2
6	1	dep-marktg	johnathans2	2
7	1	dep-hr	lenar56	0
8	1	dep-hr	donr523	3
9	1	dep-hr	ronw3556	3

Memberships formatted in Kaltura's End-User Entitlements CSV



NOTE: While there is no limit on the number of lines in the CSV, the processing time of each CSV is affected by the number of lines in the CSV. Therefore, we recommend splitting the CSV into manageable chunks for convenient editing, processing, and tracking.

3. On the KMC Upload tab, upload the End-User Entitlements CSV.
Bulk processing in Kaltura is handled in an asynchronous batch process. Track the completion

status of the bulk job in the KMC on the Bulk Upload Log page or using email notifications set by Kaltura for your account.

Setting Up Permissions Individually

Occasionally the video portal administrator may need to assign individual membership and permissions. We recommend assigning individual channel membership and permissions in the KMC Edit Category window.

To learn more, refer to Managing Categories in the [Kaltura Management Console \(KMC\) User Manual](#).

Automatically Updating Permissions

Following the initial setup of permissions, you can automate the updating of permissions to reflect relevant changes in your organization (user joined/left an organizational group; User joined/left the organization, and so on).

Automated updating of MediaSpace permissions based on changes made in your organizational information system is very useful for big organizations. Automatic permission updates help when organizational group memberships are updated frequently and when you want to eliminate the need for each channel manager to manually manage permissions in MediaSpace.

Automating ongoing updates of channel permissions requires the expertise and full involvement of the organizational IT department and requires your organizational information system to support one of the following modes:

- **Automated periodic export of changes**

Audit, query, report, or export changes in your information systems for a specific time period (for example, day or week) to prepare and submit a scheduled bulk update using [Kaltura's End-User Entitlements CSV](#) or Kaltura's API.

- **Real-time triggers**

Trigger real-time update calls from your information system or from related applications to Kaltura using Kaltura's API when every relevant change occurs in your system.



NOTE: The following procedures provide general guidelines and rely on your IT experts and/or developers to tailor the automation process based on the capabilities of your organizational information system and related applications. Kaltura's professional services team may provide assistance in designing and developing the automated updating process and will provide all information required for utilizing Kaltura's bulk services and API for automation.

To develop an automated process for periodically updating channel membership permissions

1. Define how frequently to schedule the update.

Decide how often you need to update the membership permissions and schedule the frequency of the update process accordingly.

2. Develop an automated process that includes the following steps and logic:

- a. List the required permissions modifications.

Based on your information system audit, querying, and export capabilities, retrieve the list of users who — within a specific time range — joined or left groups within your organization, or

changed their organizational role in specific groups.

You may rely on direct audit information available in your information system or develop a *query and sync* process that implements the following logic:

- List every user whose record was created/modified/deleted within a specific time range (for example, from the last update until now).
- For each user in this list:
 - a. Query your information system to get the list of groups that the user currently belongs to (possibly with the specific role in each group)
 - b. Query Kaltura for the list of channels and categories that the user currently is a member of.
- Compare the two lists (based on the Group ID and Category reference ID) and implement the logic for determining the channels for which the specific user's permission should be created, updated, or deleted. Format this as an initial list of channel permission actions (add, update, delete).

This logic assumes that changes in user group memberships affect the modification date of the *user's* record. When changes in user group memberships affect the modification date of the *group's* record, implement an equivalent logic that is oriented toward synchronizing the list of channel members instead of synchronizing the list of channels that the user is a member of.



NOTE:

- An attempt to create/update/delete user permission in a channel's category that does not exist yet in Kaltura will fail. You may extend the logic for automatic creation of new channels when the first relevant group membership is set in Kaltura. Note that such an addition may cause uncontrolled channel creation and may result in a large number of empty channels, which is not recommended when channel browsing is enabled in your site.
- An attempt to create a user permission in a channel's category when the user record is not yet in Kaltura will cause the automatic creation of the user's record in Kaltura with the specified User ID.
- The category's reference ID is a standard way to map a single organizational group to a single channel. To automatically assign permissions for a single channel to users of multiple organizational groups, you may tailor a synchronization logic that relies on a category custom data schema that enables multiple Group IDs to be assigned specific permission levels to a single category. Contact Kaltura professional services for assistance if necessary.

b. Prepare the End-User Entitlements CSV.

Transform the initial list of channel permission actions (add, update, delete) to comply with [Kaltura's End-User Entitlements CSV format](#). Insert the CSV field headers and specify the permission levels and actions.

To add a user permission, use the CSV add action (action = 1).

To update a user permission or create a new one as a fallback in case the permission you attempt to update was not yet set, use the CSV add or update action (action = 6).

To delete a user permission, use the CSV delete action (action = 3).

	A	B	C	D	E	F	G	H	I
1	*action	categoryReferenceId	userId	permissionLevel					
2	6	dep-marktg	johnc3	0	John's channel permission is updated to 'manager'				
3	1	dep-marktg	danaa2	2	Dana is added as a 'contributor' in the channel				
4	3	dep-marktg	sharonyd1		Sharon's channel permission is deleted				

Channel permission actions formatted in Kaltura's End-User Entitlements CSV

- c. Submit the End-User Entitlements CSV.

When the End-User Entitlements CSV is available, submit it to Kaltura using the Kaltura API: Call the [categoryUser.addfrombulkupload](#) API action.

Bulk processing in Kaltura is handled in an asynchronous batch process. Track the completion status of the bulk job in the KMC on the Bulk Upload Log page or using email notifications set by Kaltura for your account.

To develop a trigger-based process for updating membership permissions



NOTE: For changes in your information system to trigger real-time updates to channel membership permissions, your information system or related applications must support real-time triggering of notifications to other systems.

Develop the following:

1. Trigger an Add Permission call

Create a script that implements the following Kaltura API requests when a new group membership is created for a user in your information system (a user joins an organizational group).

- a. Call the [category.list](#) API action to retrieve the category object. In the list filter, include the **Group ID** set as the **Category's Reference ID** attribute.
- b. When the category is found, call the [categoryUser.add](#) API action to create a new permission for the user with the proper permission level.

2. Trigger a Delete Membership call

Create a script that implements the following Kaltura API requests when an existing group membership is removed from a user in your information system (a user leaves an organizational group).

- a. Call the [category.list](#) API action to retrieve the category object. In the list filter, include the **Group ID** set as the **Category's Reference ID** attribute.
- b. When the category is found, call the [categoryUser.delete](#) API action to delete the user's existing membership.

3. Trigger an Update Channel Membership call

Create a script that implements the following Kaltura API requests when an existing group membership type in your information system is changed in a way that impacts the relevant channel or category permission level (for example, a user's role within a group changes and the user should be set as a channel manager).

- a. Call the [category.list](#) API action to retrieve the category object. In the list filter, include the **Group ID** set as the **Category's Reference ID** attribute.
- b. When the category is found, call the [categoryUser.update](#) API action to adjust the user's permission level.



NOTE: In the previous steps you may skip step A, which lists the category with the specified Reference ID, if you store the **Kaltura Category ID** in your information system's group record.

Enabling Manual Overrides of Automatically Updated Permissions

When permissions are assigned and automatically updated based on organizational group memberships, you may want to allow managers and video portal administrators the flexibility to assign different permissions in specific cases.

Examples:

- In a company departmental channel, you want one of the employees to be the channel *moderator*, while all employees in the department are assigned only the channel *member* permission level.
- In a course channel, you want to assign contribution privileges to one of the students, while all other students are assigned only the channel *member* permission.
- In a company business unit channel, you want the unit's administrative assistant to be the channel manager but there is no attribute within your organizational information system that you can use to assign this permission level automatically.

The Update Method attribute of channel permissions enables manual overrides to a channel's user permission levels that will not be updated by the automatic update process. You can set the Update Method as *automatic* or *manual*.

Call the [categoryUser.update](#) Kaltura API action to enable a controlled override of permission levels that were set or updated manually in MediaSpace or the KMC. Use the *override* parameter to indicate whether to override a permission level that is set manually.

Using this API action enables you to implement a logic that prevents manually created or updated permission levels from being updated by automated processes or that allows the permission levels to be updated only in specific cases.

By default, end-user permissions created in bulk using a CSV use the *automatic update* method and will not override manual updates to permission levels.

Any member added in MediaSpace is set to the *manual update* method. In addition, any permission level change to existing members by a MediaSpace channel or category manager sets the channel permission to *manual update*.

You can view and fully control the permission level update method in the KMC Category Edit window.

Deleting MediaSpace Channels

MediaSpace Channels can be deleted:

- By the channel owner in MediaSpace
- By the video portal administrators in the KMC
- With a bulk service, using [Kaltura's Categories CSV](#)
- With a script that calls the [category.delete](#) Kaltura API action

When a category is deleted, the media entries in the category (including sub-category entries) are not deleted. The media entries lose the association with the deleted category, including any privacy setting defined in the deleted category.

To plan channel deletions and to ensure that access to content in deleted channels is controlled according to your organizational needs, note that:

- 1.** When a channel is deleted in MediaSpace, a media entry in the channel that is not associated with any other channel or gallery becomes private (associated with the MediaSpace private category).
- 2.** When categories are deleted manually in the KMC or using the Categories CSV, the media entries in the category automatically are associated with the deleted category's parent category. Before deleting a category, you may want to associate the category's entries with new categories using the entry bulk actions available in the KMC (Edit Categories, Add to New Category).

When a category is deleted using the [category.delete](#) Kaltura API action, you can control whether the deleted category's media entries automatically are assigned to the parent category. In addition, you can programmatically associate the entries with other categories before the category is deleted, according to

the logic you want to implement.

Deactivating Channel Memberships

Deactivating MediaSpace channel memberships may be useful when you want to block channel members from accessing a channel’s content while retaining the option to reactivate their memberships later.

To deactivate and reactivate channel memberships

You can do either of the following:

- In the KMC Edit Category window, apply the deactivate/activate action to selected channel members.
- Prepare a [Kaltura End-User Entitlements CSV](#):
 - To deactivate a user's channel membership, use the CSV 'update' action (action = 2) with status = 3.
 - To activate a user's channel membership, use the CSV 'update' action (action = 2) with status = 1.

	A	B	C	D
1	*action	categoryReferenceId	userId	status
2	2	dep-marktg	johnc3	3
3	2	dep-marktg	danaa2	3
4	2	dep-marktg	sharonyd1	3

Deactivating channel's members (status = 3)

	A	B	C	D
1	*action	categoryReferenceId	userId	status
2	2	dep-marktg	johnc3	1
3	2	dep-marktg	danaa2	1
4	2	dep-marktg	sharonyd1	1

Reactivating channel's members (status=1)

Creating and Updating the Add Members Auto-Complete List

A channel or category manager can add end-users as members in MediaSpace on the Members tab of the Edit Channel / Category page. The manager can conveniently select members using an auto-complete feature. In the Add Member window under Enter user name, the manager starts typing a user name or user ID. Suggested user names are displayed after three characters are entered, and the manager can select a member to add. To learn more about editing members, refer to Editing Channel Users in the [Kaltura MediaSpace User Manual](#).

By default, the auto-complete list includes only users who already are listed in Kaltura.

When authorizing access to MediaSpace through integration with SSO/LDAP, a user's record in Kaltura is not necessarily created prior to the user's first login to MediaSpace.

To populate the auto-complete list with all users who potentially can use MediaSpace (and not only those who already are logged-in), you may pre-provision the user records in Kaltura.



The Workflow for Creating and Updating the Add Members Auto-Complete List:

1. [Setting Up the Initial Add Members Auto-Complete List](#)
2. [Updating the Add Members Auto-Complete List](#)



NOTE: When you use Kaltura to authorize access to MediaSpace, it is assumed that all user accounts are pre-provisioned in Kaltura. Therefore, the auto-complete list includes all potential MediaSpace users.

Setting Up the Initial Add Members Auto-Complete List

To populate the Add Members auto-complete user list in bulk

1. Prepare the initial list of users in your organization who will be eligible to access MediaSpace. You can prepare the list manually or export the list from your organizational information system. Include at least the following information:
 - o User ID
 - o User's first name
 - o User's last name
2. Edit the initial users list in a spreadsheet editor or programmatically to comply with [Kaltura's end-users CSV format](#).
 - a. Use the CSV *add or update* action (action = 6) to update any existing user record that includes only the user ID with the user's first and last names, or to create new records.
 - b. (Optional) Combine the first and last names into an additional field called *screenName*, which also is used in the KMC and applications.

	A	B	C	D	E	
1	*action	userId	firstName	lastName	screenName	
2	6	johns23	John	Smith	John Smith	
3	6	dang256	Dan	Green	Dan Green	
4	6	mikeb436	Mike	Black	Mike Black	

Adding/Updating User Records Using the End-Users CSV



NOTE: While there is no limit on the number of lines in the CSV, the processing time of each CSV is affected by the number of lines in the CSV. Therefore, we recommend splitting the CSV into manageable chunks for convenient editing, processing, and tracking.

3. On the KMC Upload tab upload the End-Users CSV.

Bulk processing in Kaltura is handled in an asynchronous batch process. Track the completion status of the bulk job in the KMC on the Bulk Upload Log page or using email notifications set by Kaltura for your account.

Updating the Add Members Auto-Complete List

You may need to update the Add Members auto-complete list when users join or leave your organization.

To add or delete users, you can:

- Manually update the users list and submit the End-Users CSV.
- [Develop an automated process for periodically updating the Add Members auto-complete users list.](#)
- [Develop a trigger-based process for updating the Add Members auto-complete user list.](#)



NOTE: Deleted users are also removed from all channels in which they are members. Content ownership and analytics information of the deleted user are not deleted.



NOTE: Since user records are shared by all Kaltura applications running on the same account, we recommend that you delete records only of users who left the organization.



NOTE: Integrating the Add Members auto-complete feature directly with your information system to enable a real-time search of users may be possible as custom work. The integration requires real-time access and search capabilities based on user ID and user name. To learn more, contact Kaltura.

To develop an automated process for periodically updating the Add Members auto-complete users list

- 1.** Define how frequently to schedule the update.
Decide how often you need to update the Add Members auto-complete users list and schedule the frequency of the update process accordingly.
- 2.** Develop an automated process that includes:
 - a.** List the users to add or delete in the Add Members auto-complete users list.
Create the list of users to be added or deleted, based on your information system audit, querying, and export capabilities.
 - b.** Prepare the End-User CSV.
Transform your update data to comply with the [Kaltura's end-users CSV format](#) for adding/deleting users from the user list. Insert the CSV field headers and specify the actions. To add a user, use the CSV *add or update* action (action = 6). To delete a user, use the CSV *delete* action (action = 3).

	A	B	C	D	E	F	G	H	I	J
1	*action	userId	firstName	lastName	screenName					
2	6	jonathanw23	Jonathan	White	Jonathan White	User records are created/updated for Jonathan and Mark				
3	6	markr32535	Mark	Red	Mark Red					
4	3	bethb241				Beth's user record is removed				

User records are added/updated/deleted using Kaltura's End-Users CSV

- c. Submit the End-User CSV.

When the End-Users CSV is available, submit it to Kaltura using the Kaltura API: Call the [user.addfrombulkupload](#) API action.

Bulk processing in Kaltura is handled in an asynchronous batch process. Track the completion status of the bulk job in the KMC on the Bulk Upload Log page or using email notifications set by Kaltura for your account.



NOTE: For the updating process, you can use direct Kaltura API calls ([user.add](#), [user.delete](#)) instead of the CSV.

To develop a trigger-based process for updating the Add Members auto-complete users list



NOTE: For changes in your information system to trigger real-time updates to the Add Members auto-complete users list, your information system or related applications must support real-time triggering of notifications to other systems.

Develop the following:

1. Trigger an Add User notification.

Create a script that implements the following Kaltura API requests when a new user who is eligible to access MediaSpace is added to your information system.

- o Call the [user.add](#) API action to create a new user record. Specify at least the following:
 - User ID
 - User's first name
 - User's last name
 - screenName (Combine the first and last names.)

2. Trigger a Delete User notification.

Create a script that implements the following Kaltura API requests when a MediaSpace user leaves your organization.

- o Call the [user.delete](#) API action to delete the user's record from Kaltura.
Specify the User ID.

3. Trigger an Update User notification.

Create a script that implements the following Kaltura API request when an existing MediaSpace user's name changes in your information system.


- o Call the [user.update](#) API action to update the user record. Specify the following:
 - User ID
 - Updated values for:
 - o User's first name

Creating and Updating the Add Members Auto-Complete List

- User's last name
- screenName (Combine the first and last names

Setting the Home Page

MediaSpace provides a home page module that allows you to curate and define specific content that you would like to feature in the landing page of your MediaSpace site. The home can contain a single large carousel and as many additional lists of featured content. This section describes how to configure your home page and set your MediaSpace site to display your home page as your landing page.



CONTINUE WATCHING >



Configuring your Home Page

To configure your home page content

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the *Home* tab.
2. Under *enabled*, select **Yes**.
3. If you would like to use a carousel control: Select *Yes* for **carouselEnabled**.
In the *carousel* section, Select the type of playlist to load in the carousel. The options are:
 - Most Recent – All published media by creation date
 - Most Viewed – All published media by number of views
 - Most Liked – All published media by number of likes
 - Most Commented – All published media by number of comments
 - Custom Playlist – This option will allow you to enter any manual or rule-based playlist created via the KMC. When selecting this option, you can enter the playlist ID in the additional


playlistId field. Refer to the [Kaltura Management Console \(KMC\) User Manual](#) to learn how to create custom playlists.

carouselBg – Defines the hex color code for letterboxing for cases that the thumbnail that is displayed doesn't fill the entire carousel

4. To add additional lists in the home page, in the *lists* section, click **Add "lists"**. Repeat these actions for each list to feature in the home page. For each list you can define the following:
 - a. Select the **type** of playlist to load in the carousel. The options are:
 - Most Recent – All published media by creation date
 - Most Viewed – All published media by number of views
 - Most Liked – All published media by number of likes
 - Most Commented – All published media by number of comments
 - Custom Playlist – This option will allow you to enter any manual or rule-based playlist created via the KMC. When selecting this option, you can enter the playlist ID in the additional **playlistId** field. You can refer to the [Kaltura Management Console \(KMC\) User Manual](#) to learn how to create custom playlists
 - b. **name** – The title that is displayed for the list in the home page.
5. Click **Save**.

To configure your home page as your landing page

1. Make sure the home page is configured and enabled as in the [instructions](#).
2. Go to the *Navigation* tab.
3. Click **Add "pre"**
4. Add a:
 - a. **type:** *Link*
 - b. **name:** *Home* (or any other textual description that will appear in the navigation panel for your home page.
 - c. **value:** */home*



pre

Add items to the beginning of the main menu, before the categories. MediaSpace displays the items in the order you define here. The first 'pre' item must be a 'playlist' type.

1 **DELETE**

type Select one of the options: Playlist, My Media, My Playlists, Link, Category, Entry Id, or Channels Page

name Enter the label for the menu item. The label is displayed in the main navigation bar.

value Enter the menu item's playlist ID or URL.

sameWindow Select whether link should open in new window (target = _blank) or same window. Applied only to external links (absolute URLs)

+ Add "pre"

5. Click **Save**.

Setting the Home Page



NOTE: The home page must be the first item (top one) in your “pre” navigation items to function as the landing page of the site.


Customizing the Look and Feel

MediaSpace allows you to override the default style that is included in the application. The default style is defined in `bootstrap.css`. Since the default theme in MediaSpace is built on top of the [Twitter Bootstrap framework](#), you can provide a standard [Bootstrap CSS](#) and override the default style that MediaSpace provides out-of-the-box.

This section defines the different options to “skin” MediaSpace and adjust it to your own brand colors.

Choosing a Different Included Style


MediaSpace includes 13 additional styles to choose from in addition to the default style. These styles are open source CSS files available from [Bootstrap2.X](#). With a single selection, from your Kaltura MediaSpace Administration Area, you can quickly change the style of your MediaSpace. For example:



To choose a different Bootstrap CSS

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the *Cssupload* tab.

2. Under *enabled*, select **Yes**.
3. Under the *bootstrap* section, click the *upload* link.



The screenshot shows a form titled "bootstrap" with the instruction "upload a replacement bootstrap file." It contains two input fields: "name" and "url", each with a grey placeholder box. Below the "name" field is an "upload" link, and below the "url" field is a "Reset" link.


4. Browse to your Bootstrap CSS file and click **Upload**.
5. The *additional* section allows you to provide a separate CSS file for other CSS classes used in MediaSpace that are not part of the standard Bootstrap CSS file. If you want to override any of these classes, create a separate CSS file and upload it through the *upload* link in this section
6. Click **Save**.
7. Refresh your MediaSpace site to see the updated style.

Uploading your Own Custom Style

You can create your own custom Bootstrap CSS and upload it via the MediaSpace Administration Area. You can write a CSS using your favorite CSS editing tool or use one of the many dedicated Bootstrap tools that generate a standard Bootstrap CSS without the need to do any coding. Refer to the [Kaltura MediaSpace Styling Guide](#) for information on how you can create your own custom CSS file before you upload it to MediaSpace.

To upload a custom CSS file

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, open the *Cssupload* tab.
2. Under *enabled*, select **Yes**.
3. Click **Save**. You will not be able to upload a file until the module is enabled.
4. Under the *bootstrap* section, click the *upload* link.



The screenshot shows a form titled "bootstrap" with the instruction "upload a replacement bootstrap file." It contains two input fields: "name" and "url", each with a grey placeholder box. Below the "name" field is an "upload" link, and below the "url" field is a "Reset" link.

5. Browse to your Bootstrap CSS file and click **Upload**.
6. The *additional* section allows you to provide a separate CSS file for other CSS classes used in MediaSpace that are not part of the standard Bootstrap CSS file. If you want to override any of these classes, create a separate CSS file and upload it through the *upload* link in this section
7. Click **Save**.
8. Refresh your MediaSpace site to see the updated style.

Setting Email Notifications and Channel Subscriptions

Email Notifications



NOTE: The "Event Notifications" partner feature must be enabled for the email notifications and channel subscriptions feature to work . If your partner does not have these features enabled, contact your account manager or project manager for additional information.

The following table describes the different events that can be configured through the Emailnotifications module:

Event Name	Category	When is it Triggered?	Who will receive the notification?
New Item Pending Moderation	MediaSpace Moderation	When a new media is added to a moderated channel	Channel moderators
Entry Approved In Category	MediaSpace Moderation	When the media is approved to appear in the channel	Media owner
Entry Rejected In Category	MediaSpace Moderation	When a submitted media is rejected	Media owner
Entry Rejected	KMC Moderation	When the uploaded media was rejected by the KMC administrator	Media owner
Entry Approved	KMC Moderation	When a media is approved to be used in the partner account	Media owner
Entry Ready	Media Encoding	When the encoding of the media is complete	Media owner
User was added to category as [role]	Members Management	When the user is added to a channel	User
User's role was changed in category	Members Management	When the role of the user in a channel is changed	User
User was	Members Management	When the user is	User

Event Name	Category	When is it Triggered?	Who will receive the notification?
removed from category		removed from a channel	
Entry was added to channel	Channel Subscription	When a new media is published to a channel	Users subscribed to the channel
Comment was added to entry	Comments	When a new comment is added to a media	Media owner

 **To configure email notifications:**

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, enable the **Emailnotifications** module by selecting "Yes" for enabled.
2. Click **Save**.

Configuration Management

Developer Tools

How to enable "Developer Tools"?

Global

Application

Client

Important Notice! (click to open)

Emailnotifications

enabled Yes ▾ Enable the Emailnotifications module.

3. Click on the dedicated page link to access the notifications configuration.

supportedNotifications

The supported list of notifications. Enable / disable each notification on a dedicated page

1

4. Use the dedicated page to enable / disable individual notifications and modify the templates of the emails that are sent for each notification.

Notification	Subject	Body	
New Item Pending Moderation <small>(New_Item_Pending_Moderation)</small>	[AppTitle] - New Item Pending Moderation <small>update</small>	A new item is pending your approval: [ChannelSettingsPendingURLPrefix] {category_name_encoded}{category_id} [ChannelSettingsPendingURLSuffix]	<input type="button" value="Enable"/>
Entry Approved In Category <small>(Entry_Approved_In_Category)</small>	[AppTitle] - Your Media has been approved <small>update</small>	Your media {entry_name} [AppEntryUrl]{entry_id} has been approved to be published in {category_name}	<input type="button" value="Enable"/>

Channel Subscriptions

The **Channelsubscription** module allows you to configure subscriptions to channels. Users can subscribe to individual channels and get an email notification each time media is published to the subscribed channel.

The channel manager is able to define whether members can subscribe to the channel.

 **To enable the channel subscription option**

Setting Email Notifications and Channel Subscriptions

1. On the Configuration Management panel of the Kaltura MediaSpace Administration Area, go to the **Channelsubscription** module.
2. Select **Yes** for enabled and click **Save**.

Channelsubscription

enabled

No

Enable the Channelsubscription module.

3. The channel manager can offer the subscription feature when creating or editing the channel settings by selecting the “Enable subscription to channel”.

Home Corporate Family HR Technology Webcasts Channels

Create a New Channel

Name: (Required)

Description: **Black** **Bold** *Italic* Underline

Enter Description...

Tags:

Privacy:

- Open** - All logged in users can view and contribute content (contribution is not allowed for viewer-role users).
- Restricted** - All logged in users can view content and only channel members can contribute content.
- Private** - Only channel members can view and contribute content.
- Shared Repository** - Only channel members can view and contribute content; Content may be published to other channels, according to publishing entitlements.
- Public** - Anyone can view content (including anonymous not logged-in users). Only channel members can contribute content according to their publishing entitlements.

Options:

- Moderate content (Media will not appear in channel until approved by channel manager)
- Enable comments in channel
- Enable subscription to channel

4. If Enable Subscription to channel is checked, users can subscribe to the channel from the channel page (Be certain that the *entry was added to channel event* is enabled.)

Techpubs channel

0 Media | 1 Members | 0 Subscribers | 0 Managers | Appears in

SUBSCRIBE

MediaSpace Administration: Actions and Configurable Fields

This reference section for the Kaltura MediaSpace Administration Area lists:

- The available actions in the [User Management](#) panel
- The configurable fields in the Configuration Management panel, which includes [Global](#) and [Modules](#) sections.

User Management

To add or modify user information

- In the KMS Admin window select the Manage Users tab.

Action	Description
Add New User	<p>Add a new MediaSpace user. Define the following fields:</p> <ul style="list-style-type: none"> • User ID • First Name • Last Name • Password • Role • (Optional) Email • (Optional) Extra Data (Additional data about the user)
Delete Checked	<p>Delete all selected users.</p> <p>Note: Exercise caution when you perform this action.</p>
Submit CSV	<p>Import a CSV file to add multiple new users. Note that only "End Users CSV" can be submitted.</p> <p>"End Users Entitlements CSV", "Categories CSV" or "Entries CSV" must be submitted via the KMC</p> <p>After you submit the CSV you can track the progress of your import from Kaltura Management Console (KMC).</p> <p>In KMC go to Content and click Upload Control. After the import is processed, refresh this page to view users and edit their properties.</p>
Edit User	<p>Edit the user fields defined when you added the selected user.</p>
Delete	<p>Delete the selected user.</p>

Backup and Restore

You can create a snapshot of the current site configuration (all modules) as a 'Last Good Configuration'. This snapshot can be later used in case a configuration restore is needed. We recommend setting the backup snapshot after the initial setup is completed.

To create or restore a configuration backup

- In the KMS Admin window select Server Tools> Backup Configuration.
- Select one of the following options:
 - Save Backup
 - Restore Last Backup Configuration

Configuration Management: Global



NOTES:

1. Some fields are displayed only when you select a specific value for a different field.
2. The group's configurable fields follow the group name.

To modify KMS configuration modules

- In the KMS Admin window select the Manage Configuration tab.

Application

Field	Description
instanceId	Unique string to identify that installation of MediaSpace. This value can be set during installation only.
privacyContext	String used to be set as privacy context on root category. This value can be set during installation only.
userRoleProfile	Metadata Profile ID for user's role per KMS installation instance
title	What is your MediaSpace website title? The website title is displayed in the browser's title bar and usually is displayed in search engine results. Page titles consist of the name of the currently loaded media and the website title. For example, if a page has a video called 'My Video' and 'MediaSpace' is the website title, the page title is: 'My Video – MediaSpace'
footer	What is your MediaSpace footer text? The default is: MediaSpace video portal by Kaltura
forceIECompatibilityMode	Should MediaSpace force IE to use the latest engine when Compatibility Mode is enabled? By default, if compatibility mode is enabled, Internet Explorer renders the page with IE7's engine. Turning on this option forces Internet Explorer to use the latest rendering engine. For more details, please visit this link .

Field	Description
theme	What is the name of your custom MediaSpace theme?
languageConfiguration	Choose your instance configuration. Enable either Single Language Instance or Mutli Language Instance.
languageSelection	<p>Choose the languages you want to enable for your users. You can edit existing languages and add custom languages using the Language module. See here for the list of supported KMS localization languages.</p> <p>English - en Swedish - sv - svenska Arabic - ar - العربية French - fr - Français Japanese - ja - 日本語 Danish - da - Danske Dutch - nl - Nederlands Portuguese (Brazilian) - pt-br - Português Serbian - sr - српски Korean - ko - 한국인 Italian - it - italiano Catalan - ca - català Chinese (traditional) - zh-Hant - 正體字/繁體字 Spanish - es - Español German - de - Deutsch Chinese (simplified) - zh-Hans - 中国 Russian - ru - русский</p>
showLanguageFlag	Select 'Yes' to show the available languages with the flag. Select 'No' to show the first 2 letters representing the language.
language	Choose the default language for a new user. In Kms, when you change Note: Language files are in /locale/kms/{LANG}/default.po. See here for the list of supported KMS localization languages.
enableLike	Enable the 'Like' feature for entries.
enableWebcam	Enable or Disable the Webcam upload.
enableEntryTitles	Include the media title in the URL of the media page when browsing the site and sharing a link to the media.
allowEditPublished	Enable editing of published entries
allowDeletePublished	Enable deletion of published entries
enableEntryDelete	Enable deleting the media from MediaSpace.
enableViews	Enable showing number of views per entry.

Field	Description
showPageTitles	Show page titles
enableUnlisted	Enable setting entries as unlisted. An unlisted entry can be viewed by anyone with the link to the entry page. Unlisted media can be accessed by anyone with a direct link to the media page and will not be displayed in search results.
timezone	Which timezone should MediaSpace use to present times and dates.
useUserTimezone	Set to 'Yes' to show webcast and scheduling time in the user's time zone.
assetConsolidationEnabled	Enable assets (js/css) consolidation and minification.
entryAdditionalInfoProfileId	Custom Metadata profile Id for entries additional info.
showEmailInUserSuggestions	Show the user's email address in the user suggestions box?
enableLoadButton	When enabling this configuration, a 'Load More' button will appear in galleries and channels to allow loading additional entries. This will replace Endless scrolling mechanism.
weekStartDay	Which day starts the week

Auth

Field	Description
demoMode	Enable the demo login mode? After entering any user or password combination, the user has an admin role
showLogin	Show login / logout menu on site header.
phUser	user ID alternate field placeholder
phPwd	password alternate field placeholder
phLoginInstruction	login instructions
enableMultiAuth	Enable Multi-Authentication Methods configuration. When set to Yes the <code>multiAuthWelcome</code> and <code>multiAuthselect</code> Fields are displayed and a section for each authentication method you choose to configure.
multiAuthWelcome	Enter the welcome text to show on the login selection page.
multiAuthSelect	Enter the text to show on login selection page.
authmethods	
method	Choose an authentication method from the drop-down menu.
friendlyName	Enter the text to show the user on the login selection page, leave empty to use default .
helpText	Enter the ext to show when hovering over the question mark on the login selection page, leave empty to use default
authNAdapter is displayed when enableMultiauth is set to NO>	What is the name of the PHP class for handling authentication? <code>KalturaAuth</code> enables the built-in User Management system (located at <code>/admin/users</code>). <code>LdapAuth</code> lets you use your organizational LDAP/AD server to authenticate users. To use your own custom class, click 'Add custom value' and enter the custom class name.

Field	Description
authZAdapter is displayed when enableMultiauth is set to NO>	What is the name of the PHP class for handling authorization? Authorization determines the user's role. KalturaAuth enables the built-in User Management system (located at /admin/users). LdapAuth lets you use your organizational LDAP/AD server to determine roles. To use your own custom class, click 'Add custom value' and enter the custom class name.
allowAnonymous	Can users access MediaSpace without logging in? If you select 'yes,' anonymousRole users can browse the galleries and view videos. For anonymousRole users, links/buttons for actions that require more advanced roles are displayed. When an anonymousRole user clicks a link/button that requires a more advanced role, a login screen is displayed.
anonymousGreeting	What text should be used in the header instead of an actual user name?
sessionLifetime	How long can a MediaSpace user session last? The value must be greater than 100 sec in sessionLifetime field.
sslSettings	Select your option for a secure login page (via https).
refreshDetailsOnLogin	Select 'Yes' to update the user's details on Kaltura upon login (recommended).
refreshRoleOnLogin	Select 'Yes' to update the user's role on Kaltura upon login. Select 'No' to allow KMS admin to override the user's role through Kaltura user management.
IdapServer	
host	What is the address of your LDAP Server?
port	What is the port of your LDAP Server?
protocol	What protocol does your LDAP server use? (ldap or ldaps)
Protocolversion	What is the protocol version of your LDAP server? (V2 or V3)
basDn	What is the base DN of your LDAP server?
bindMethod	Which mode of operation is used for authenticating with LDAP? 'Search before bind' means that the user's DN is discovered by searching the LDAP/ad server. Direct bind means that the user's DN is constructed automatically according to the format that you specify under userDnFormat (displayed below when you select Direct Bind) and no search is performed.
directBind	
userDnFormat	Enter the DN format of the username. Place the @@USERNAME@@ token where the username should be in the string. For example: 'cn=@@USERNAME@@,ou=somegroup,dc=example,dc=com')
emailAttribute	What is the name of the attribute on the user record that contains the user ID? If you do not want to sync email with Kaltura, do not enter an emailAttribute.
firstNameAttribute	What is the name of the attribute on the user record that contains the user's first name? If you do not want to sync the first name with Kaltura, do not enter a firstNameAttribute.
lastNameAttribut	What is the name of the attribute on the user record that contains the user's last name? If you do not want to sync the last name with Kaltura, do not enter a lastNameAttribute.
tlsCipherSuite	Advanced: control the value of LDAPTLS_CIPHER_SUITE environment variable. use with extra care!
IdapOptions - Configure the LDAP options for group searches.	
groupSearch	

Field	Description
byUser	
memberOfAttribute	Enter the memberOf attribute to use the memberof search filter to map groups to users. Note: The memberof search filter is not enabled by default on all LDAP servers.
userSearchQueryPattern	Enter the pattern for querying the LDAP server to find a user. The @@USERNAME@@ token will be replaced with the actual user name provided in the login window.
primaryGroupIdAttribute	(Optional) Enter the attribute name for the primary group ID (usually primaryGroupId). Use this field only to authorize by primary group ID when you are using AD.
groupsMatchingOrder	Enter the order in which to match MediaSpace roles to LDAP groups. For example, if a user belongs to a group that is mapped to the admin role, enter adminRole before other roles ('adminRole,viewerRole') to find the admin role first and log in the user with the adminRole.
ldapGroups -Map your LDAP server groups to MediaSpace roles. The group value should be the value of the CN part - i.e. 'faculty', not 'CN=faculty'	
adminRole	Enter LDAP group names that match the MediaSpace adminRole.
viewerRole	Enter LDAP group names that match the MediaSpace viewerRole.
privateOnlyRole	Enter LDAP group names that match the MediaSpace privateOnlyRole.
unmoderatedAdminRole	Enter LDAP group names that match the MediaSpace unmoderatedAdminRole.
matchByPrimaryGroupId	
sso	
secret	Enter a custom secret or enter 'default' to use the Kaltura Admin Secret associated with your Kaltura account.
loginUrl	What is the URL for the SSO gateway login page? Note: The 'ref' parameter is added automatically.
logoutUrl	What is the URL to which a user is redirected after logging out of MediaSpace? Usually, you enter your organization's login page.
headerAuth - To configure KMS login through Header Authentication fill in the relevant fields in this section.	
headerName	Set the name of the HTTP header that contains the user ID of the authenticated user.
logoutURL	If 'allowAnonymous' value is set to 'No', you can specify a URL (instead of an 'unauthorized' page) to which the user is redirected when logged out.
forgotPassword	
link	The 'link' options are: [1] Empty the value if you do not want a 'Forgot Password' link to be displayed. [2] Enter an email address preceded by 'mailto:' (without quotes). The user's local email client opens an email with the subject and body populated with the texts defined in the 'emailSubject' and 'emailBody' fields. [3] Enter a URL for a page that you define (for example, a mechanism for reminding users of their login credentials). Note: Do not enter 'true.'
emailSubject	If you enter an email address in the 'link' field, enter the text to populate the subject field of the email. If you do not want to populate the subject field, enter an empty string (' ').

Field	Description
emailBody	If you enter an email address in the 'link' field, enter the text to populate the body of the email. If you do not want to populate the body, enter an empty string (' '). For KalturaAuth's User Management send new password feature: (If authClass is set to KalturaAuth, MediaSpace exposes a user management system. This system's admin can click on a user's email to open the admin's local email client to email the new password to the user.)
reminderSubject	Enter the text to populate the subject field of the 'new password' email. If you do not want to populate the subject field, enter an empty string (' ').
reminderBody	Enter the text to populate the body of the 'new password' email. The password will be inserted automatically at the end of the body text. If you do not want to populate the body, enter an empty string (' ').

Categories

Field	Description
rootCategory	Which root category does MediaSpace use for all categories and content? A root category must be defined in the KMC.
restricted	Restrict categories to specific roles. Only users with the specified role can view media in the restricted category. Only users with adminRole or unmoderatedAdminRole can add media to the restricted category.
category	Select a category to restrict.
roles	Select one or more roles that can access the restricted category. Use 'Ctrl' to select multiple roles.

Channels

Field	Description
entriesPageSize	How many entries can be displayed on each channel page? (The default is 15)
pageSize	How many channels can be displayed on each channel page? (The default is 20.)
pageCount	How many page links can be displayed in the channel pager? (Dots represent page links that are not displayed.)
pagerType	Which kind of paging mechanism should be used in the channel page?
defaultChannelType	Select the default channel type when creating a new channel.
channelCreatorOpen	Select the minimal role that can create Channels.
channelCreatorRestricted	Select the minimal role that can create Restricted Channels.
channelCreatorPrivate	Select the minimal role that can create Private Channels.

Field	Description
channelCreatorSharedRepository	Select the minimal role that can create Shared repositories.
channelCreatorPublic	Select the minimal role that can create Public Channels
channelsTermUse	Add channel term of use. Use to configure a policy message that is displayed to users every time a channel is created. The configured text is displayed in the top of the channel creation
supportPublicChannel	Set to yes to support creation of channels that anonymous users can access. Note that after you change to 'no' anonymous users won't be able to view your public channels and the option to create public channels will be removed from the create channels page. Note that if you enabled this field then disabled it, the channels/ type would have to be manually reset to a new channel type.
channelsSorting	Use the drop down to select the channels' sorting default. The options are: Media Count, Alphabetical, Members and Subscribers or Most Recent.
channelDefaultView	Default view for channel page.

Client

Field	Description
serviceUrl	The URL of the service for API calls. Modify the URL if you use the Kaltura On-Prem Edition.
CDNUrl	<p>The CDN regular URL Used for Player and html5lib. Leave empty for default.</p> <p>You can change the Kaltura Server CDN URL used by the Kaltura HTML5 player and player embeds. The default value is http://cdnapi.kaltura.com. To update your CDN URL, add the URL in this field.</p> <p>Note: When configuring a KMS site to HTTPS, also change the CDN URL to https://cdnapisec.kaltura.com.</p>
SecuredCDNUrl	The CDN secured URL. Used for Player and html5lib. Leave empty for default.
partnerId	Copy your Kaltura account's Partner ID from the Kaltura Management Console (KMC): KMC->Settings->Integration Settings.
secret	Copy your Kaltura account's user secret from KMC->Settings->Integration Settings (http://www.kaltura.com/index.php/kmc/kmc4#account integration). Kaltura MediaSpace uses your user secret to create secure sessions to access the Kaltura API.
adminSecret	Copy your Kaltura account's administrator secret from KMC->Settings-

Field	Description
	>Integration Settings (http://www.kaltura.com/index.php/kmc/kmc4#account integration). Kaltura MediaSpace uses your administrator secret when you need an 'admin' session, which allows more actions than a user secret session.
verifySSL	Set to No, if you want to use SSL with a self-signed certificate.
proxy	Configure proxy settings if the HTTP communication from the MediaSpace server to Kaltura server has to go through a proxy
host	roxy server hostname or IP
port	Port through which the communication with the proxy is going through
username	OPTIONAL - proxy username if the proxy server requires authentication
password	OPTIONAL - proxy password if the proxy server requires authentication
type	Type of web proxy.

Debug

Field	Description
logLevel	Debug level of the KMS Log File (logs/kms.log)
kalturaDebug	Enable debug log of requests to the Kaltura API (logs/apidebug.log)
kalturaStats	Enable stats log of requests to the Kaltura API (logs/api.log)

Gallery

Field	Description
pageSize	How many entries can be displayed on each gallery page? (The default is 10.)
pageSizeWide	How many entries can be displayed on each gallery page in the Wide gallery view (for example, search results, playlists)? (The default is 24.)
pagerType	Which kind of paging mechanism should be used in the gallery page?
sortMediaBy	By default, how should media in the gallery be sorted?
globalSearchSortMediaBy	By default, how should media in the global search be sorted?
thumbnailRotator	Enable thumbnail image rotation on mouseover in galleries
categoryDefaultView	Default view for categories. You can define optional view modes for media items inside Galleries. Choose from Collapsed, Expanded or Table view.
playlistDefaultView	This is the default view for playlist page (gallery-like page) that is linked from the homepage

Field	Description
categoryExplicitDateFormat	Explicit date format.
firstTabLoad	Select the tab you want to load first in categories. The options are: <ul style="list-style-type: none"> • Media • Category moderation • Channel categories The 'firstTabLoad' in the category configuration applies after the search as well.
tableview	Add table view to My Media page.

Header

Field	Description
headerStyle	Which background and matching theme should MediaSpace use for the header?
logoImageUrl	The option to load logo from URL - specify the URL of the logo. If URL is specified it will be used instead of logoImage (above). Default logo size is 325px wide X 41px high. Note: The width of the logo image affects the amount of space available for the Header menu. (See menu configuration below.)
logoImageUpload	An uploaded image will be displayed if the logoImageUrl field (above) is blank. The image will be displayed at its native resolution. Note: the size of the logo image affects the layout of the page. Default logo size is 325px wide x 41px high. (Upload does not support IE 11 or earlier.)
logoAltText	The 'logoAltText' options are: [1] If you insert an image file in the 'logoImage' field, you may enter alternate text for the tag's 'alt' attribute; [2] If you enter 'false' or an empty string in the 'logoImage' field, you must enter text for the page header.
logoLink	The options for defining the behavior when a user clicks the logo are: [1] Enter 'false' if you do not want the logo to be clickable; [2] Enter 'home' to display the home page (displayed when MediaSpace opens); [3] Enter a full URL (starting with http://) to open a different page in a new browser window/tab.
enableUploadButton	Enable or Disable the 'Add New' button in the site's header

Languages

Field	Description
languageAdminName	Enter the name of the language to be presented in the language drop down list (for the admin), in <i>Application</i> module, <i>languageSelection</i> and <i>language</i> fields.
languageClientName	Enter the name of the language to be presented in the language drop down list for the users.

Field	Description
languageCode	For KAF use only: Select the formal language code to be used to sync the instance language to the hosting application (LMS,CMS, SBS) chosen language.
localeFile	Click upload locale. Upload your customized .mo file. In order to convert your customized .po file to an .mo file you can use some available tools on the web.
localeIcon	Click upload flag. Upload a custom language flag icon to be presented to the users. The icon should be in *.jpg;*.jpeg;*.bmp;*.png;*.gif;*.tif;*.tiff;*.ico format and the dimensions should be 30px X 26px (The application will resize any given image, however for the best visual result, use these dimensions). You can also choose from this library of icons: http://freebiesbug.com/psd-freebies/100-flat-flag-psd-icons/
languageId	For KAF use only: Unique language id for application usage, (not for KMS admin usage).

For additional information see [Localization for KMS/KAF Administrators - How to Change Your Kaltura Application Language?](#)

Metadata

Field	Description
descriptionRequired	Require users to fill in the 'Description' field when uploading or editing media?
tagsRequired	Require users to fill in the 'Tags' field when uploading or editing media?
readMoreEnabled	Enable/disable read more for entry description - shortening to 500 characters. Notice : channel & category description is always shortend.
metaDataInReadMore	If enabled metadata is hidden until clicking on 'read more...' works for all descriptions - entry/channel/category
basicNameFieldHelperText	Tooltip comment for the Name field when uploading or editing an entry.
basicDescriptionFieldHelperText	Tooltip comment for the Description field when uploading or editing an entry.
basicTagsFieldHelperText	Tooltip comment for the Tags field when uploading or editing an entry.
showDescriptionInTooltipMeta	Choose whether to display field's description as a tooltip

Moderation

Field	Description
reasonSex	Please provide the reasons KMS users can choose for flagging media. (If none are

Field	Description
	provided, the default Kaltura reasons will be used)
reasonViolence	Please provide the reasons KMS users can choose for flagging media. (If none are provided, the default Kaltura reasons will be used)
reasonHarmful	Please provide the reasons KMS users can choose for flagging media. (If none are provided, the default Kaltura reasons will be used)
reasonSpam	Please provide the reasons KMS users can choose for flagging media. (If none are provided, the default Kaltura reasons will be used)

Navigation

Use options in this module to add menus to your MediaSpace header.

Field	Description
navigationStyle	Vertical - a hidden vertical menu appears on the left in all resolutions, Horizontal - a horizontal menu appears in desktop resolution and vertical menu appears in lower resolutions.
includeCategories	Select 'No' if you don't want the categories to display in main navigation and only want PRE and POST items to appear
showSearchBoxInHeader	relevant only for horizontal navigation - select 'yes' to show the search box in the header instead of in the navigation pane.
pre	Add items to the beginning of the main menu, before the categories. MediaSpace displays the items in the order you define here. The first 'pre' item must be a 'playlist' type.
type	Select one of the options: Playlist, My Media, My Playlists, Link, Category, Entry Id, or Channels Page
name	Enter the label for the menu item. The label is displayed in the main navigation bar.
value	Enter the menu item's playlist ID or URL.
sameWindow	Select whether link should open in new window (target = _blank) or same window. Applied only to external links (absolute URLs)
post	Add items to the end of the main menu, after the categories. MediaSpace displays the items in the order you define here.
type	Select one of the options: Playlist, My Media, My Playlists, Link, Category, Entry Id, or Channels Page
name	Enter the label for the menu item. The label is displayed in the main navigation bar.
value	Enter the menu item's playlist ID or URL.

Example: Add the Home menu to the header

Configure the options to display the Home Page menu in your KMS header.

To add the Home page link to the header

1. In the "pre" section, select Link from the type dropdown menu.

2. Enter an intuitive name for the menu. In this example: Home
3. Enter "/home" in the value field.
4. Select Yes for the Home page to open in the same window.
5. Click Save.

pre

Add items to the beginning of the main menu, before the categories. MediaSpace displays the items in the order you define here. The first 'pre' item must be a 'playlist' type.


DELETE

type: Select one of the options: Playlist, My Media, My Playlists, Link, Category, Entry id, or Channels Page

name: Enter the label for the menu item. The label is displayed in the main navigation bar.

value: Enter the menu item's playlist ID or URL.

sameWindow: Select whether link should open in new window (target = _blank) or same window. Applied only to external links (absolute URLs)



Example: Add the Channels menu to the header

Configure the options to display the channels menu in your KMS header. The Channels menu displays all available channels. My channels displays only channels that are created by the user.

To set the vertical navigation menu

1. In the "post" section, select Channels Page from the "type" drop down menu.
2. Enter an intuitive name for the menu. In this example: Channels
3. Click Save.

post

Add items to the end of the main menu, after the categories. MediaSpace displays the items in the order you define here.


DELETE

type: Select one of the options: Playlist, My Media, My Playlists, Link, Category, Entry id, or Channels Page

name: Enter the label for the menu item. The label is displayed in the main navigation bar.

[undo](#)

[+ Add "post"](#)




Example: Configure a vertical navigation layout menu.

To set the navigation menus


Vertical

1. Set the *navigationStyle* value to vertical.
2. Click Save.



Horizontal

1. Set the *navigationStyle* value to vertical.
2. Click Save.



Player

Kaltura MediaSpace instances are automatically created using the [Kaltura v2 Player](#).

Field	Description
playerId	What is the player ID (uiConf ID) of the player that plays the embedded video?

Field	Description
playerBarHeightPixels	The height (in pixels) of the player ui which is not part of the actual video (for example - the bottom bar)
playerVideoRatioPercent	The ratio (in percent) of the video inside the player. Standard values: 16:9 = 56.25 , 4:3 = 75 , 16:10 = 62.5
playerEditId	What is the player ID (uiConf ID) of the player that edits entries?
autoPlayOnLoad	When MediaSpace loads, should the video that is loaded in the player begin playing automatically? Notes: (1) Autoplay is triggered when MediaSpace starts and each time a new page loads, such as when switching from My Playlists to a gallery page. (2) The player always begins playing automatically when a user clicks a video in a gallery, regardless of whether autoPlayOnLoad is enabled.
playback	<p>Which Playback method should MediaSpace use? Kaltura Auto' is the default playback option for a new MediaSpace instance.</p> <p>MediaSpace administrators can select additional playback options. From <i>Player > playback</i>, select any of the following options:</p> <ul style="list-style-type: none"> • Auto - Kaltura server chooses between HTTP Progressive Download and Akamai's HTTP Adaptive Streaming, based on entry duration and available flavors. Auto gives you the best video delivery and playback quality for your entry. • HTTP Progressive Download – Allows you to pause the video playback and wait for the content to download. Typically used where viewers have very limited bandwidth and might experience more buffering than adaptive bitrate. • HTTP Streaming (HDS) - HTTP streaming based on Adobe technology. Allows adaptive bitrate so the player can adjust the video quality on the fly based on network and CPU conditions. • HTTP Streaming (Akamai HD) – HTTP streaming based on Akamai's technology. Allows adaptive bitrate so the player can adjust the video quality on the fly based on network and CPU conditions, formally called Akamai HD. • RTMP Streaming – RTMP streaming based on Adobe technology. Allows adaptive bitrate so the player can adjust the video quality on the fly based on network and CPU conditions. • Secure Transport (RTMPE) - RTMP encrypted using Adobe's security mechanism which wraps the RTMP session in a lighter-weight encryption layer. <p>RTMP is not formally supported for MediaSpace based on the Kaltura On-Prem Edition.</p>
playerModerationId	What is the player ID (uiConf ID) of the player shown in moderation pages?

Security

Field	Description
allowLoadInIframe	Allow MediaSpace to be loaded in Iframe. The default is NO for XFS.
loadThumbnailWithKs	The default is set to "no". When enabled, KMS will add a KS (Kaltura Session, read more here) to any thumbnail URL rendered by it, and KMS will pass relevant parameters to the player, to comply with the same requirement.. Switch this field to 'yes' if your account should apply access control rules on thumbnails (this would have to first be set up by Kaltura Customer Care . on the Kaltura Server admin console) and if your access control has KS-restriction

SharedRepositories

The SharedRepositories module allows any member to not only browse the media that is published in the shared repository, but also use the media to publish to other channels and/or categories. The shared repository allows education institutions and enterprises to create a shared media location for media that anyone with access to it has publishing rights to other areas in MediaSpace.

Metadata is composed of the following:

- customDataProfileId
- nested filters

At least one of these must be defined for the Advanced Search form to display in your MediaSpace instance.

customDataProfileId (schema) - Create a metadata schema, and select it in the KMS admin sharedRepositories module.



NOTE: The customDataProfileId selected in the sharedRepositories module **MUST** be different than the profileId selected in [Customdata](#) module.

nested filters - Select "yes" in the KMS admin nestedFilters field, to enable the nested filters appearance in KMS and to create the nestedFilters category.

Nested Filters (optional)

A shared repository is a special type of channel used in Kaltura MediaSpace and Kaltura Application Framework (KAF) applications. Nested filters add the ability to filter media from a shared repository when media is added to a channel/category. Nested filters provide a more efficient/robust way to search within a shared repository.


The nestedFilters category is automatically generated by MediaSpace or KAF when enabling the nestedFilters field in KMS or the KAF application. All new instances of Kaltura Mediaspace or KAF include the Nested Filters category.

To configure the nestedFilters node.


1. In the KMC, select the Content tab and then select the Categories tab.
2. In the left pane, select MediaSpace > Site > nested Filters and then Next.
3. Create all your nested filters under this node. This process is identical to adding categories. You can add nested filters, using the Add Category button and then select the parent node and add

the sub nodes. This tree structure will be used as labels on the entry and is very useful when searching for content that is shared.

For example, under the nestedFilters node, create elementary grades. Select elementary grades as a parent and then create General Music 4th, General Music 5th. Under each node you may provide additional filters to more easily find your content in your shared repositories.



Currently, searching for content using nested filters is only available via the Shared Repository Advanced Search.



Field	Description
enabled	Enable shared repositories.
amountOfSharedRepositories	Amount of shared repositories to show in the drop down (when adding media from shared repository).
termsOfUseLink	Enable Terms of Use
nestedFilters	Enable nested filters. Configure them as nested categories under root>site category in the KMC. (http://kmc.kaltura.com/index.php/kmc/kmc4#content categories).

Field	Description
customDataProfileId	Choose custom metadata schema for media in the shared repository. All custom data schemas can be viewed in KMC > Settings > Custom Data (http://www.kaltura.com/index.php/kmc/kmc4#account metadata).
requiredFields	Which custom metadata fields are required before publishing media to a shared repository? Use custom data system names from KMC > Settings > Custom Data (http://www.kaltura.com/index.php/kmc/kmc4#account metadata).
dateFormat	What is the format of the date for the date picker (of the shared repository custom data)?

When nested filters are enabled in the SharedRepositories module, you must set the nested filters metadata (in the Edit entry page) on the entry to contribute to the shared repository. The list of nested filters is taken from the nested filters defined in the KMC category tree. For more information about nested filters, see [How to Use Nested Filters](#).

Widgets

Field	Description
ksuId	What is the uiConf ID of the Kaltura Simple Uploader (KSU)? MediaSpace uses KSU to upload videos, images, and audio files.
krecordId	What is the uiConf ID of the kRecord widget? MediaSpace uses kRecord to record and upload video from a webcam.
rtmpUrl	What is the URL of your RTMP Server? The URL is required for Webcam recording.
krecordDefaults	Configure recording details. Select Yes, to expose additional fields to configure the webcam widget quality.
emailErrors	Enable sending emails in case of errors.
keaPlayerId	What is the uiConf ID of the player used by Kaltura Video Editing Tools? leave this field empty to use default.

Search

Field	Description
entriesPageSize	How many entries to show in search results.
inVideoPageSize	How many in-entry search results to show.
instantSearch	Select Yes for search results to render instantly. Select No for search results to display after pressing Enter (does not apply to KMS header search).
eSearch	Configuration only available when v2UI is enabled.
tags	Search in entry Tags
Owner	Search in entry Owners
RefId	Search in the entry Reference ID
customdata	Add the option to search custom metadata. See the Customdata module

Field	Description
	configuration.
kwebcast	Add the options to search in kwebcast fields. See the Kwebcast Module .
mediaCollaboration	See the MediaCollaboration Module .
pageSize	Display the number of entries to show in the page.
KeepHeaderSearch Open	Choose Yes to keep the global search bar open and stretched in the KMS Header in the web view. Please note that if turned on, the search bar will cover any Header Menu items. (fields in the Headermenu Module where linkLocation=Header)
SearchContext	How are search suggestions shared between KMS instances.

MediaCollaboration

To add a user as Co-editors, Co-publishers or Webcasting Moderators, the user must log in to KMS/KAF prior to using this feature.

Enable this module to change the media owner and edit Co-editors, Co-publishers and Webcasting Moderators.

Field	Description
mediaCollaborationEnabled	Enable MediaCollaboration module.
changeOwnerEnabled	This field is available when the MediaCollaboration Module is enabled. The change owner feature has a special configuration for the Co-editor/Co-publisher or Webcasting Moderator and can be set to enable or disable the Co-editor, Co-publisher, or Webcasting Moderator without any dependencies.
allowGroupsCollaboration	Allow groups support in 'Media Collaboration' features
collaborationEnabledInUploadForm	Enable the option to add collaborators (co-editors and co-publishers) in the upload media form.



NOTE: If configuration is set to 'no' after it was set to 'yes' and in the interim, entries were added with co-editors and co-publishers, all co-editors and co-publishers will lose their ability to view, edit or publish those entries.

PlaylistPage

Module info: Use this module to generate a player ID or enter the playlist player ID.

Field	Description
playerId	The playerId field is initially empty and the following message is displayed: "Create a

	<p>Playlist player ID (uiConf ID) for playlists dedicated view page".</p> <p>Click Create to generate the player ID for the playlist player.</p>
playlistPluginType	<p>Use to choose the look of playlist page. 'on page' displays a unique application playlist page. 'in player' displays the default player's studio playlist look.</p>

Configuration Management: Modules



NOTES:

1. Some fields are displayed only when you select a specific value for a different field.
2. Field group names are in bold. The group's configurable fields follow the group name.

Accessibility

Field	Description
enabled	Enable the Accessibility module.
showContrastButton	Show a button that allows users to toggle contrast on site pages.

Addcontent

Field	Description
enabled	Enable the Addcontent module.

Addtoplaylists

Field	Description
enabled	Enable the Addtoplaylists module.
allowCreation	Allow users to create new playlists from the 'Add to Playlists' module?

Attachments

Enable this module to:

- allow media owners to attach files of any type to their media,
- enable media viewers to download the file before, during or after viewing.

Field	Description
enabled	Enable the Attachments module.
showOnlyAttachmentType	Enabling this will cause transcript files (created by APIs for example) to not

Field	Description
	show in the attachments tab.
allowAnonymous	Enabling this will allow anonymous users to view and download attachments.

Captions

Field	Description
enabled	Enable the Captions module.
thumbnailRotator	Enable thumbnail image rotation on mouse over in captions search results
entriesPageSize	How many entries are displayed as captions search results on each page? (The default is 10)
captionsPageSize	How many caption lines are displayed for each entry in search results? (The default is 5)
allowToggleDisplayOnPlayer	Select "Yes" to allow the user to decide whether to display the caption on the player.
allowEditCaptions	Select "Yes" to enable the Caption Editor button in the Captions tab.

Capturespace



NOTE: The CaptureSpaceLite module replaces the Screenshot module.

Field	Description
enabled	Enable the Capturespace module.
FTP - CaptureSpace SFTP drop folder – The relevant fields for FTP are indicated in italics and are for CaptureSpace Full clients version 4.44 and before	
server	CaptureSpace SFTP server
path	CaptureSpace SFTP server path
user	User name of CaptureSpace SFTP drop folder
password	Password of CaptureSpace SFTP drop folder
AddNewLabel	Label for the 'Add New' menu item.
AddNewLabelLite	CaptureSpace is currently enabled for this environment. This setting is not relevant for your environment.
Allow DownloadingClient	Allow end users to download the personal capture recording agent from KMS.
allowedRoles	Who can create Lecture Captures? if a role is selected, any role above it will also be able to create Lecture Captures.

Field	Description
entryURL	What URL to show the user after the captured media is uploaded. Leave blank for KMS base URL
recordingLimit	Sets max recording length for CaptureSpace recordings in minutes.

For additional information on CapturespaceLite administration , see the [Kaltura CaptureSpace - Administrator's Guide](#) in the Kaltura Knowledge Center.

Channel Playlists

There are three admin modules used to configure the Channel Playlists:

- [Channelplaylists](#)
- [PlaylistPage Module](#)
- [Embedplaylist](#)

ChannelPlaylists Module

Field	Description
enabled	Enable the ChannelPlaylists module
channelPlaylistsTabName	The title of the tab which will be added to the channel (Media Gallery) and will be presented first.
entriesSource	Add media to the playlist from the cahnnel gallery itself, from My Media or from all entitled areas in the site.

From this page you can:

- [Enable the Channel Playlists feature](#)
- [Rename the Channel Playlists tab's name](#)

Enabling Channel Playlists


By default, Channel Playlists are not activated and the menu items are not visible to users.

To enable Channel Playlists:

1. From the **Channelplaylists** page change the setting in the **enabled** field from **No** to **Yes**.
2. Click **Save** to apply the changes.

Renaming the Playlists Tab

Admin users can rename the Playlists tab that appears in the Edit Channels page:



To rename the Playlists tab:

1. From the Channelplaylists page change the setting in the channelPlaylistsTab Name field from Playlists to any value you want.
2. Click Save to apply the changes.

Chapters



NOTE: The minimum player version required for this module to work is v2.26. The Chapters module is mandatory for the Kaltura [CaptureSpace](#) module but can also work independently, without it.

Field	Description
enabled	Enable the Chapters module.
enableFullDeck	Enables the ability to upload a document / presentation file as slides.

Cielo24/REACH

cielo24- searchable captions™ and Kaltura have partnered to provide Kaltura clients with full caption, index and transcription services.

Field	Definition	Description	Variable
userName	The username of your cielo24 account.	This is provided directly from cielo24 or provisioned through "auto-provisioning". If you do not have a username or password, please reach out to your Kaltura rep or cielo24 at sales@cielo24.com.	
password	The password of your cielo24 account.	This will be provided along with the cielo24	

		username. If you are using an apiKey, you do not require a password. Please see userName description for details around procuring a password.	
apiKey	API Key for secure (instead of password)	This is used as an alternative to the password (above). Also provided by cielo24.	
serverUrl	cielo24 Server URL.	https://api.cielo24.com	https://api.cielo24.com
logo	cielo24 Logo	Hide or show the cielo24 logo on Order Captions screen.	Show Hide
orderCaptionScreenText	Display info text on Order Caption screen.	There is a 100-character limit. This feature can be used to communicate simple messages to users on the order captions panel, typically instructive or descriptive.	
AllowOrdering	Select User Roles to set who is able to request captions.	Users who are logged in with an enabled permission role, will have the "Order Captions" button available.	
allowOrderingSpeakerName	Select User Roles to enable adding speaker identification	Users who are logged in with an enabled permission role, will to add Speaker name identification to caption order requests	
requireRequestsAuthorization	If enabled, caption requests must be approved before processing.	Captions submissions are not sent into moderation prior to processing. The request will require "Approval" or	Yes No

		<p>"Rejection" from an administrator role. While approving the request, the moderator also has the capability to adjust request parameters for fidelity and turnaround time prior to approving.</p>	
requireAuthMechanical Fidelity	<p>If enabled, mechanical caption requests must be approved before processing begins.</p>	<p>If disabled and requireRequestsAuthorization is enabled, mechanical caption requests will be processed automatically without approval.</p>	<p>Yes No</p>
allowAuthorize	<p>Users enabled will be able to authorize and delete caption requests.</p>	<p>This setting is tied directly to requireRequestsAuthorization and requireAuthMechanical Fidelity configurations.</p>	
allowEdit	<p>Users enabled will be able to edit completed caption using the Customer Edit Tool.</p>	<p>For permitted User Roles 'edit captions' will be available from the 'Actions' drop down of the media entry. Please find instructions for using the customer edit tool here.</p>	
allowView	<p>Users enabled will be able to view all caption requests for an entry.</p>	<p>For permitted User Roles 'view captions' will be available from the 'Actions' drop down of the media entry.</p>	
language	<p>Language set will be default language for all caption requests.</p>		
languageOverride	<p>Select User Roles enabled to adjust the source language of caption requests.</p>	<p>This provides the ability for users to select native foreign language processing i.e. (Spanish audio into Spanish</p>	

		captions/transcripts)	
additionalLanguage	Select User Roles enabled to request foreign language translation when ordering captions.	cielo24 supports English into 15 supported languages, as well any of the listed languages into English. Custom translation will need to be requested directly from cielo24 by contacting support@cielo24.com . Translation requests will automatically perform native transcription first, and then translation from native transcription to requested language. For example, if 'Request Foreign Language Translation' is enabled and you select a language to translate (e.g. Source Media Language = English and Target Translation Language = Hebrew) the request will process in two parts automatically A) Native Transcription (return English captions) B) Foreign Translation (return Hebrew captions).	
fidelity	Set value is default fidelity for caption requests	Choose the default accuracy options (Professional, Premium, Mechanical)	Professional (99%) Premium (94 to 96%) Mechanical (70 to 80%)
fidelityOverride	Select User Roles enabled to change the requested fidelity of caption requests.	Allows users to select the various accuracy options (Professional, Premium, Mechanical)	
fidelityChoices	Enabled options will be available fidelity choices when ordering	Configures the fidelity options permitted	Professional (99%)

	captions	users are able to choose from when selecting accuracy levels.	Premium (94 to 96%) Mechanical (70 to 80%)
turnaroundTime	Default value for turnaround time of caption requests	Choose the default turnaround time for English transcription requests.	Standard (7 days) Standard (48 hours) Priority (24 hours) Critical (6 hours) Critical (3 hours) Custom
turnaroundTimeChoices	Enabled options will be available turnaround time choices when ordering captions	Configures the turnaround options permitted users are able to choose from when changing processing times.	Standard (7 days) Standard (48 hours) Priority (24 hours) Critical (6 hours) Critical (3 hours) Custom
turnaroundTimeOverride	Select User Roles enabled to choose turnaround time value when ordering captions	Allows users to select the various turnaround options (24 hours, 48 hours, 7 days, etc.)	
format	File format of returned caption file to KMC	Default is DFXP.	DFXP SRT
showMediaDataAsTags	Allow media data to appear as tags on entries that have been processed	cielo24 provides media data (keywords, topic, entities, speaker names, etc.) about a given media file. By enabling this setting these outputs are displayed at Tags.	

progressiveReturn	Select User Roles enabled to set progressive return	Progressive return is the interim delivery of all three fidelities (accuracies) cielo24 provides. Media will initially be processed at the Machine output and data will be populated within Mechanical SLA, followed by the Premium fidelity, ending in the Professional quality.	
progressiveReturnDefault	If enabled progressive return will be turned on by default	Videos selected at Professional fidelity will be processed with Progressive Return (see progressiveReturn description) workflow by default.	Yes No
allowNotes	Select User Roles enabled to add special notes to transcriptionists when ordering captions for a specific entry	Notes serve as a resource for cielo24's transcription team to aid with difficult technical terminology, domain information, and names.	
glossary	This text will be shown as notes to transcriptionists for ALL caption requests from your account	Glossaries can be added on an account level to provide a rolodex of terminology, genres, names, etc to cielo24's transcription team.	
cielo24ProfileId	Custom metadata profile ID for cielo24	This will be set automatically when the plugin is enabled.	

For additional information about Cielo24/REACH, see the [Kaltura REACH Administrator's Guide](#) on the Knowledge Center.

Clipper

The Clipper module has been deprecated. See the [Editor Module](#) for information about clipping and trimming media.

Comments

Field	Description
enabled	Enable the Comments module.
channelCommentsProfileId	Custom Metadata profile Id for channels
entryCommentsProfileId	Custom Metadata profile Id for entries
entryCommentsCountProfileId	Custom Metadata profile Id for entry comments count
commentsAllowed	Who can add comments?
pageSize	Number of comments to display
sort	Sort comments by newest or oldest first?
sortReplies	Sort replies by newest or oldest first?
allowClose	Allow content owners to disable/close comments for particular entries
showInGalleries	Enable/disable showing of comments for entries in the gallery page
showInChannels	Enable/disable showing of comments for entries in the channels page
showInChannelsOnly	Show comments on media entries to users only in the context of a channel. In this case, users will not be able to see media comments if browsing to the media from search results, my media or any other context that doesn't include the context of the channel. To enable this feature, from the KMS Admin > Comments set showInChannelsOnly to Yes.
showAddTimedCommentsCheckbox	Show Add comment at mm:ss checkbox.
showPrivateCommentsConfig	Show configuration for setting private comments per gallery/channel

Contentpolicy

Field	Description
enabled	Enable the Contentpolicy module.
contentPolicyText	Content policy for my media entries and channels. Use [b]foo[b] - for bold, [i]foo[i] - for italic. Full list here .

Cssupload

Upload CSS files to your KMS site.

Field	Description
enabled	Enable the Cssupload module.

Field	Description
upload bootstrap	Upload an alternative bootstrap.min.css file to the one in use by KMS. Only useable for Bootstrap based themes.
upload additional	Upload an additional css file to KMS to include additional classes not defined as part of the standard Bootstrap CSS file

Customdata

Field	Description
enabled	Enable the Customdata module.
profileId	What is the ID of the custom metadata? Copy the custom data schema ID from KMC > Settings > Custom Data (http://www.kaltura.com/index.php/kmc/kmc4#account metadata).
dateFormat	What is the format of the date for the datepicker
requiredFields	Which custom data fields are required when uploading or editing media? Use custom data System Names from KMC > Settings > Custom Data (http://www.kaltura.com/index.php/kmc/kmc4#account metadata).
privateFields	Which custom data fields are not displayed in MediaSpace? Use custom data system names from KMC > Settings > Custom Data (http://www.kaltura.com/index.php/kmc/kmc4#account metadata). Note: Private custom data fields are not hidden when the media owner accesses the media from My Media.
hiddenFiltersFields	Which custom data fields will not be available as a search filters. Check the fields you want to exclude in your search.
showInSearchResults	Allow custom data to be searchable

Customfavicon

MediaSpace Administrators can set a custom favicon, which is a small, iconic image that represents your website. Favicons are most often found in the address bar of your web browser, but they can also be used in lists of bookmarks in web browsers and feed aggregators. The KMS Admin can upload an image file through the faviconName field in this module. Supported file formats are PNG, GIF, and JPG. It is recommended that the image be a square and no larger than 32 x 32...

Field	Description
enabled	Enable the Customfavicon module.
faviconName	Click Upload and select an image file.
favviconURL	Click Reset to reset to the default file.

Disclaimer

MediaSpace administrators can enforce the Terms of Agreement text and checkbox for end-users to review and/or accept before uploading or publishing content.

Field	Description
enabled	Enable the Disclaimer module.
disclaimerProfileId	The disclaimer custom data profile id.
disclaimerField	Which custom data field is required to be checked when uploading or publishing media?.
disclaimerText	Text to show when explaining user the reason for this checkbox.
agreeText	The text to display next to the checkbox that the user accepts the terms of agreements.
displayArea	<p>Before Upload - Terms of agreement are displayed to the user before they can contribute content. Only after the user agrees, the upload, and other buttons are displayed. After checking the box, the button (or other option to upload) is enabled and the checkbox is disabled so it cannot be unchecked.</p> <p>Before Publish - Terms of agreement are presented as part of metadata in the upload screen and in the edit media screen. The checkbox can be configured as a required field preventing the user from publishing media if the checkbox is not selected (This is the same behavior as when required metadata is not completed). After terms are agreed to by the user (The checkbox is selected and saved) the field turns into view only and select cannot be unchecked,</p>
agreeRequired	This is relevant only if selected to show before publish. In this case the module displays the text of the terms of agreement and does not display a checkbox for the user to select.

Downloadmedia

Enable this module to configure downloadable versions of the media for viewers to download from the media page.

Field	Description
enabled	Enable the Downloadmedia module.
downloadRoles	Select one or more roles that can use the Downloadmedia module.
downloadFlavors	Click Add Download Flavors to configure the flavors that will be visible to the media owner to choose from. You, the admin, choose as many flavors as you want from the list of the transcoding profiles, as they appear in the KMC. You then can name the flavors as they should be displayed to the media owner. If no name is given, the flavor default name in Kaltura is used as the default name.. The final list that is displayed to the media owner includes the list that was chosen by the admin, the flavors that are actually set (in the KMC) for this KMS instance and all other available flavors on the specific entry. It is advised that the KMS admin will verify with KMC admin what flavors

Field	Description
	are checked for the account beforehand.

Example of Downloadmedia Configuration

downloadFlavors

1 DELETE

flavorId ▼
Select a flavor which will be available to be downloaded via the native app.

name
Enter the label for the flavor.

2 DELETE

flavorId ▼
Select a flavor which will be available to be downloaded via the native app.

name
Enter the label for the flavor.

3 DELETE

flavorId ▼
Select a flavor which will be available to be downloaded via the native app.

Editor

The Editor Module is used to enable the Kaltura Video Editing Tools. To enable and configure interactive video quizzes through the Editing Tools configure the [Quiz](#) module.

To configure Hotspots for you video through the Kaltura Editing Tools, enable the [Hotspots](#) module.

The Kaltura Video Editing Tools will be replacing the previous Clip button and Trim tab.

The KMS/KAF Editor Module attributes replace the KMS and KAF Clipper Module attributes and consolidate the [keaPlayerId](#) value from the KMS [Widgets Module](#).

The Editor Module is enabled for all new users. For existing users, the Editor Module is configured as per their current Clipper Module configuration.

When the "Editor" Module is accessed from the KMS/KAF admin for the first time (before saving the configuration), the following parameter's values are copied from the Clipper Module to the Editor Module:

- [showClipAttribution](#) - Should a clipped entry page contain an attribution to the original entry.
- [clipperprofileID](#)- What is the uiConf ID of the Clipper App.
- Clipper Module - enabled Yes or No.

Field	Description
Enabled	Enable the Editor module.
enableClipping	Should users be allowed to use the editor to clip entries? The values from the KMS/KAF Clipper module are consolidated into the Kaltura Video Editing Tools and not configured in the Editor module. If set to No, the "Save a Copy" option will be disabled in KEdit.
enableTrimming	Should users be allowed to use the editor to trim entries? If set to No, the "Save" option will be disabled in the Kaltura Video Editing Tools.
showClipAttribution	Should a clipped entry page contain an attribution to the original entry? If set to Yes, then Clipped media will contain a "Created from..." attribute Clip of Aqua Life and Beyond <small>From Aqua Life 17 Minutes ago Created from Aqua Life Original Media</small>
clipperProfileId	Metadata profile ID for clipping permissions. Allows media owners and co-editors to decide whether the media can be clipped by other users. <div style="border: 1px solid #ccc; padding: 5px;"> <p style="text-align: center;"> Details Options Attachments Captions Thumbnails Downloads Timeline Trim Video </p> <hr/> <p>Clipping: <input checked="" type="checkbox"/> Enable everyone to create clips from this video</p> <p>Comments: <input type="checkbox"/> Disable comments for this media <input type="checkbox"/> Close discussion (do not allow new comments)</p> </div>
keaPlayerId	What is the player ID of the player used in Kaltura Video Editing Tools? Leave empty to use the default. Leave this field empty to use the default.
keaDocumentationURL	What is the link to the custom Kaltura Video Editing Tools documentation. Leave empty to use the default.
keaPreviewPlayerId	What is the player ID of the preview player used in Kaltura Video Editing Tools? Leave empty to use the default.
keaCustomCss	Use to upload a new custom language CSS file for the Kaltura Video Editing Tools interface.

Field	Description
downloadLocales	Download a zip file which contains all texts for all built-in locales. These can be used to create custom languages.
uploadCustomLanguage	
languageCode	Select the language code. Note that the selected language code should match an existing localized version of the application.
localeFile	Upload your customized .json file.

Emailnotifications

Click on the dedicated page link in this screen to get to the page where you can enable the different email notification events and define the email templates for each. See the section on [Setting Email Notifications and Channel Subscriptions](#) for more information.

Field	Description
enabled	Enable the Emailnotifications module.

Embed

Field	Description
enabled	Enable the Embed module.
secureEmbed	Use secure embed. MediaSpace entitlements are enforced on media that is embedded in external sites. When embedding restricted or private media to your sites and blogs, you will be prompted to authenticate (if not already authenticated). If a user is authorized to watch the media according to the entitlements defined in MediaSpace, the media will play. Otherwise, a message will be displayed that they are not authorized to watch the media.
When secure Embed is enabled the following fields (in italics) are displayed	For additional information about this feature, see the article: Enhanced Settings for Secure Embed in KMS/KAF .
autoRedirect	Select True to automatically-redirect the user to the SSO login page in case the user is not authenticated with MediaSpace (If the user is globally authenticated, they will be auto-authenticated by MediaSpace then redirected back to the page with the video). Select False to display a message to the user so that the user can manually select when/whether to re-authenticate.
autoRedirectIframe	When autoRedirectIframe is disabled (default), the redirect for authentication will use the top browser window. When

Field	Description
	autoRedirectIframe is enabled, the redirect will occur in the iframe
autoRedirectIframe	When autoRedirectIframe is disabled (default), the redirect for authentication will use the top browser window. When autoRedirectIframe is enabled, the redirect will occur in the iframe.
autoRedirectMessageHTML	HTML text to display while the user is auto redirected to the login page.
notAuthenticatedHTML	HTML text (may include links) to display inside the iFrame if autoRedirect is set to False
notAuthorizedHTML	HTML text (may include links) to display inside the iFrame in case Kaltura Entitlement authorization fails
noCategoryEmbedAccessHTML	HTML text (may include links) to display inside the Embed tab of an entry page accessed not via a category/channel/gallery, when requireCategoryContext=Yes
noCategoryPlayAccessHTML	HTML text (may include links) to display inside the iFrame, in case category-level embed grab and play are disabled for the category/gallery from where embed was originally grabbed, and/or when requireCategoryContext=Yes and a (legacy) secured embed is missing a category context.
overrideCSSURL	URL to an alternate CSS, to allow a customer to customize the iFrame design to fit corporate style guide
categoryLevelEmbed	Allow KMS category/channel (or KAF course gallery) managers to prevent grabbing and playing embed content from a specific category. Depends on CategoryEmbed/ChannelEmbed modules. For more information see here .
requireCategoryContext	Set to Yes, in conjunction with categoryLevelEmbed=Yes, to make sure embeds are only grabbed from category/gallery contexts. Grabbing an embed from a regular (context-less) entry page will not be allowed. NOTE: Setting this to Yes will cause secured embeds that lack a category context to stop authorizing playback
showMediaURL	Show link to media page.
emailShare	Sharing by email
allowEmbedIframeShare	Allow/Restrict sharing using 'iframe'. This configuration is only supported for non v2 supported players
embedResponsiveness	Enable/Disable 'Responsive Sizing' option in the embed view.
embedAllowed	Use 'Ctrl' to select multiple roles.

Field	Description
	<p>embedAllowed</p> <ul style="list-style-type: none"> <input type="checkbox"/> Owner Only <input type="checkbox"/> Co-Editor <input type="checkbox"/> Co-Publisher <input type="checkbox"/> anonymousRole <input checked="" type="checkbox"/> viewerRole <input checked="" type="checkbox"/> privateOnlyRole <input checked="" type="checkbox"/> adminRole <input checked="" type="checkbox"/> unmoderatedAdminRole <p>Select one or more roles that can use the Embed module.</p>
embedSkins	Define skins that can be used for embedded players.
name	What is the name of the skin? The skin name is displayed when the user selects an embed skin.
imgFile	What is the relative path to the image file on the server? The image file represents how the skin looks.
uiConfId	What is the numerical value of the player ID to use in the embed code?
embedSizes	Define sizes that can be used for embedded players. Define the player size in the following format: {width}x{height}
large	608x402
medium	400x285
small	304x231

Embedplaylist

You can set the playlist embed to be secure (similar to entry secure embed). MediaSpace entitlements are enforced on a playlist that is embedded in external sites. When embedding a playlist to your sites and blogs, you will be prompted to authenticate (if not already authenticated). If a user is authorized to watch the media according to the entitlements defined in MediaSpace, the media will play. Otherwise, a message is displayed indicating that the user is not authorized to watch the media. If the playlist secureEmbed feature is not enabled, only public media is viewable in the playlist. However, when the playlist secureEmbed is enabled, you will be required to login (to display the additional media aside from the public media of the playlist). Playlist secureEmbed cannot work when anonymous MediaSpace is enabled.

Field	Description
enabled	Enable the Embedplaylist module.
secureEmbed	Use secure embed.
playlistEmbedAllowed	Select one or more roles that can use the Embedplaylist module. Use 'Ctrl' to select multiple roles.
embedSizes	Define sizes that can be used for embedded playlists.
horizontal	

Field	Description
vertical	
embedv2support	<p>Set to define V2 players for playlists embed wherever they are – Channel Playlist and My Playlist (only if embedV2SupportMyPlaylist = Yes).</p> <p>Use this option to allow a non-flash player (V2) for a playlist embed that is grabbed from "My Playlists.</p> <p>You can choose not to enable a V2 player for these embeds and no change will be forced.</p>
Embedv2supportMyPlaylist	
embedSkins	Define skins that can be used for embedded playlists.
light_horizontal	
dark_horizontal	
light_vertical	
dark_vertical	
embedV2	Set to Define V2 players for playlists embed wherever they are – Channel Playlist and My Playlist (only if embedV2SupportMyPlaylist = Yes)
V2_dark_horizontal	
V2_dark_vertical	

From this page you can:

- Enable the Embed Feature
- Enforce authentication by activating the SecureEmbed option that will force users to login to view the media.
- Define who (what Role) will be able to use the Embed feature by choosing one of the options in the PlaylistEmbedAllowed.
- Direct users to the SSO Login page by setting the value of autoRedirect to Yes.
- Define if the redirect for authentication will be in the top of the browser window (for global authentication) or in an iFrame.
- Create your own redirect message in autoRedirectMessageHTML.
- Define the HTML text (may include links) to display inside the iFrame in case a user is only allowed to a subset of the playlist content due to entitlements with authorizedForSubsetHTML.
- Define the HTML text (may include links) to display inside the iFrame if autoRedirect is set to False with notAuthenticatedHTML.
- Define the HTML text (may include links) to display inside the iFrame in case Kaltura Entitlement authorization fails with notAuthorizedHTML.
- Specify the URL to an alternate CSS, to allow a customer to customize the iFrame design to fit corporate style guide with overrideCSSURL.
- View skin colors and positions, V2 player types and player sizes.

Entrydesign

The display for Kaltura MediaSpace entries can be customized. Each entry can have its own look and feel based on the administrator's configuration settings as well as the content owner's settings. The

Entrydesign Module is used to change the elements of the UI for a specific entry and provides a great amount of flexibility to change and customize the display of your content. For more information see [Customizing the Media Entry Display for Kaltura MediaSpace Entries](#).

Field	Description
enabled	Enable the Entrydesign module.
entryDesignRole	Roles or specific users that are allowed to design entries.
players	Fill in the player ID and the player display name you want to allow users to use in the entry page. If left blank, the site's default player is used.
+Add "Players"	
playerDisplayName	Enter the Player Display Name.
playerId	Enter the Player ID.
entryType	Select an entry type from the drop-down menu.
allowedElements	Which elements should be customizable in the entry page display. <input checked="" type="checkbox"/> Header <input checked="" type="checkbox"/> Header logo <input checked="" type="checkbox"/> Sidebar <input checked="" type="checkbox"/> Entry properties <input checked="" type="checkbox"/> Entry tabs <input checked="" type="checkbox"/> Comments <input checked="" type="checkbox"/> Footer
allowCSS	Set to yes to allow the entry owner to use CSS to change the look and feel of the page.
allowLogoChange	Set to yes to allow the entry owner to set a new logo for KMS when viewing the entry.

Facebook

Add the open-graph metadata to the view media page to support embedding videos in a Facebook feed

by simply copy and pasting the URL of the media page.

To use this feature 'allowAnonymous' in 'auth' module must be enabled as well and 'Default Entitlement Enforcement' on the partner should be disabled



NOTE: The Facebook module player (embed media directly into a Facebook feed) now uses a default non-flash player (V2).

Field	Description
enabled	Enable the Facebook module.
fPlayerId	What is the player ID (uiConf ID) of the player that plays videos on Facebook?
useHighestQuality	Use the best quality flavor that can be played in Facebook.

Headermenu

Field	Description
enabled	Enable the Headermenu module.
menu	Define the items that are displayed on the top right in the header menu.
type	Type can be My Media, My Playlists, URL, Menu, or My Channels.
label	For a URL, enter the URL label. For a Menu, enter the label.
link	Enter a URL. A URL that starts with http:// opens in a new window.
items	A menu item consists of a label (text) and a link (URL).
sameWindow	Select whether link should open in new window (target = _blank) or same window. Applied only to external links (absolute URLs)
linkLoaction	Choose the location of where each added link will appear. Added links can be displayed in the header itself (as they did before) or in the user drop down menu that is part of the header (for example, "My Media", "My Playlists, etc.). To define the location of your menu items of type URL, configure the linkLocation for each menu of type URL.

History

For more information about the History Module configuration see

Field	Description
enabled	Enable the History module.
resumePlayback	Enable the "Resume Playback" feature. This feature will enable an indicator bar below the thumbnail of videos, showing the progress of the user in it.
resumeplaybackOptions	

Field	Description
videoEndPercent	Reaching this percentage of the video or higher will count as 'finished watching' the video
videoEndSeconds	Reaching this amount of seconds before the end of the video or lower will count as 'finished watching' the video
barColorBackground	The color of the progress bar background
barColorDone	The color of the finished progress bar
emptyHistory	Fill in the message the users will see when reaching an empty History page.
deleteAllText	Fill in the message the users will see when clicking on the clear all history button.
showUnlisted	Show/hide 'unlisted' entries from the users history.
supportSecureEmbed	Allow videos in a secure embed to be added to the user's history.
addToHistoryTrigger	Choose the way videos are added to the user's history. Play - videos will be added with a play click. View - videos will be added by landing on the video page. (Entries of type image will always be triggered by view event)
dateFormat	Date format. Only j, d, D, l, n, m, M, F, y, Y format characters are supported due to datepicker widget limitations

Home

Use this module to configure your MediaSpace home page/landing page.

Field	Description
enabled	Enable the Home module.
thumbnailRotator	Enable thumbnail image rotation on mouseover in homepage
carouselEnabled	Show the carousel
carouselInterval	interval (in miliseconds) between carousel transitions
carouselStyle	Select carousel style
carousel	
type	Select content for the Carousel: Most Recent, Most Viewed, Most Liked, Most Commented or Custom Playlist
carouselBg	carousel background color
playlistId	Enter a custom playlist ID
lists	To add playlists to your home page. You can use playlists that have been configured in the KMC.
type	Select content for the list: Most Recent, Most Viewed, Most Liked, Most Commented or Custom Playlist

Field	Description
Name	Enter the list name to display. Choose "custom" to enter a KMC playlistid

Example: Configure the carousel display

To configure the carousel display

1. Select an option from "type" drop down menu.
2. Click Save.

To add a custom playlist

1. Select Custom Playlist from the Type drop down menu.
2. Enter the playlistId. The playlistId can be obtained from the KMC.
3. Click Save.

Hotspots

Field	Description	Values
Enabled	Enable the Hotspots Module.	Yes/No

Importchannel


Channel/Media Gallery Managers have the ability to import content from other Channels/Media Galleries they manage.

Field	Description
enabled	Enable the Importchannel module.

Kmsapi

Use this module to enable the KMS Go application on your mobile device.

For more information about the KMS Go mobile app, see the articles about [Kaltura MediaSpace Go \(KMS Go\)](#) on the Knowledge Center.

Field	Description
enabled	Enable the Kmsapi module.
IOSAppId	The Apple Application ID that will be used when smart banners on iOS Safari will be displayed.
iOSBundleId	The Apple application id that will be used when smart banners on IOS Safari will be displayed.
AndroidAppId	The Android Application ID that will be used when smart banners on Android mobile browsers will be displayed.
deepLinkSubDomain	The iOS/Andorid branded application subdomain. Used for deep-linking
storeAppName	The name of the branded mobile application
appStoreAppId	(iOS) Your app's App Store ID, used to send users to the App Store when the app isn't installed
storeAppLogoUrl	The URL for the branded application logo. Image dimensions: 64x64 pixels. Keep empty to use default
Home Playlists	Define the playlists for the native home screen. You can add and delete playlists using this field.
DELETE or +Add Home_Playlists	
type	Select the type of playlist from the drop down menu.
name	Enter the playlist name that will be displayed.
channelId	(Channel Playlists only) Enter the custom channel id for Channel Playlists

Field	Description
playlistID	(Custom Playlists only) Enter the custom playlist id.
detailsView	(Custom Playlists only) When set to 'No', the default view of playlist (Thumbnail view) will be used.
playerAutoPlayOnLoad	When entry page loads, should the video begin playing automatically?
mobileSessionLifeTime	The length of a mobile KMS user session (in seconds). Note that every KMS SaaS version deployment will force a new session (on top of the value input here).
appColorR	The R value for RGB that is used as the custom brand color of the application. Input a number between 0-255. Note: RGB.alpha fields cannot be partially filled out.
appColorG	The G value for RGB that is used as the custom brand color of the app. Input a number between 0-255. Note: RGB alpha fields cannot be partially filled out.
appColorB	The B value for RGB that is used as the custom brand color of the app. Input a number between 0-255. Note: RGB alpha fields cannot be partially filled out.
splashImageUrl	Set an image URL for the KMS app splash screen. Use an image size of 192x131. The URL must be a secured URL (begin with https://).
downloadEnabled	Enable to allow downloading media for offline viewing.
downloadQuality	Chooses the rendition/flavor of the video to be available for users to download for offline playback. High will download the highest quality possible (in terms of dimensions and bitrate) and low the lowest.
smartBannerEnabled	Enable smart banner for Android and iOS applications
dontShowLoginInMyPage	Don't show login button in my page.
uploadEnabled	Enable displaying the upload functionality
showMySubscriptionSection	Enable displaying the list of channels the user is subscribed to, on top of the home screen.
showEntriesInMySubscriptionSection	Display list of all the entries under subscribed channels instead of subscribed channels
playlistContinuousPlay	Select whether the playlist entries should play automatically one after the other.
allowPushNotifications	Allow push notifications.
pushNotificationsDefaultToken	Use push notification default Firebase token
hideInspireMe	Selects whether to hide the inspire me section
hidePublisherName	Selects whether to hide the entry's publisher name
iosTermsOfUse	Add the terms of use that will be displayed to the user on IOS devices. Note: For translation fill this field with 'terms_of_use_ios' and translate via PO file

Field	Description
androidTermsOfUse	Add the terms of use that will be displayed to the user on Android devices. Note: For translation fill this field with 'terms_of_use_android' and translate via PO file
spotlightSearchEnabled	Enable spotlight Search from outside the application on IOS

Oembed

The oEmbed Endpoint in KMS is now able to accept the entry page URL as input and not only the copied link from the 'share / oEmbed' tab.

In addition to this type of URL:

https://[MediaSpace URL]/id/[entry ID]?width=400&height=285&playerId=12345678

this type of URL may be used:

https://[MediaSpace URL]/media/[Entry Name]/[Entry ID].

This improves the flexibility with oEmbed-supported destinations.

Field	Description
enabled	Enable the Oembed module.
type	Which type of oEmbed code should be displayed? 'Short' is the common type. For example: http://url.for.mediaspace/id/xyz , where xyz is the media asset ID (entry ID). 'Short' links are valid URLs. A 'Short' link entered in a browser loads MediaSpace with the video loaded in the player. 'Full' is much longer than 'Short.' Use 'Full' when your oEmbed 'consumer' cannot convert a link embed code to a full oEmbed request.
enableCustomization	When a user selects 'oEmbed' for the 'Select Embed Type' option, should the options for selecting a player skin and player size be displayed? Note: If you enable customization, your oEmbed must be able to accept the oEmbed link format that is created.
playerId	What player ID (uiConf ID) should be used to display the embedded video? Note: If you are not sure, enter 'default' (without quotes) or leave the playerId field empty. MediaSpace will use the value of the first embedSkin config.
height	What is the height (in pixels) of the oEmbed player? Enter only the number.
width	What is the width (in pixels) of the oEmbed player? Enter only the number.

Publish

Field	Description
Enabled	Enable the Publish module.
defaultPublishStatusOnUpload	Define the default privacy for each newly uploaded media. Prior to this

Field	Description
	change, each newly uploaded media's status was set to "Private" as the default. Now, MediaSpace administrators can configure every newly uploaded media to be set as "Unlisted" by default, and allow the media owner to change the privacy mode. To configure this option, set the required value for defaultPublishStatusOnUpload . Note that this configuration is applicable only if Unlisted mode is enabled on your MediaSpace instance. You can check if it is enabled under Application > enableUnlisted.
manPublish	Enable publish to a list of categories - from the menu, media, and upload. Disable this if you do not have access to the list of categories.

REACH

Field	Description	Values
Enabled	Enable the REACH Module.	
reachProfileId	ID of the REACH profile to use with Kaltura MediaSpace or KAF.	Sync daily Remaining credit is Correct Remaining Credit is Recurring Remaining credit is Correct Time Ranged Float REACH Profile Completed Test
orderScreenText	Text to show on the order task form: 100 characters max.	
availableServices	Allow users to select the following services.	HUMAN, CAPTIONS, THIRTY_MINUTES HUMAN, CAPTIONS, SIX_HOURS HUMAN, CAPTIONS, FORTY_EIGHT_HOURS HUMAN, CAPTIONS, BEST_EFFORT HUMAN, CAPTIONS, TWENTY_FOUR_HOURS HUMAN, TRANSLATION, TWENTY_FOUR_HOURS HUMAN, TRANSLATION, IMMEDIATE

Field	Description	Values
		HUMAN, TRANSLATION, THREE_HOURS HUMAN, TRANSLATION, SIX_HOURS MACHINE, TRANSLATION, SIX_HOURS MACHINE, TRANSLATION, BEST_EFFORT MACHINE, CAPTIONS, THREE_HOURS MACHINE, CAPTIONS, SIX_HOURS MACHINE, CAPTIONS, THIRTY_MINUTES
serviceTypeDefault	Select the default service type	Machine Human
serviceFeatureDefault	Select the default service feature	Captions Translation
turnaroundTimeDefault	Select the default turnaround time.	
orderRole	The minimal role required to order tasks.	privateOnly Role admin Role unmoderatedAdmin Role Co-Editor Owner
serviceSelectionRole	The minimal role required for service selection.	privateOnly Role admin Role unmoderatedAdmin Role
TatSelectionRole	The minimal role required for TAT selection.	privateOnly Role admin Role unmoderatedAdmin Role

Field	Description	Values
featureSelectionRole	The minimal role required for feature selection.	privateOnly Role admin Role unmoderatedAdmin Role
speakerSelectionRole	The minimal role required for speaker selection.	privateOnly Role admin Role unmoderatedAdmin Role
requestApprovalRole	The minimal role required to approve task requests.	Specific Users admin Role unmoderatedAdmin Role
notifiedUsers	Select specific users who will receive email notifications about items pending moderation. To customize notifications, go to email notifications configuration.	Enter the user name Existing users may be found using the autocomplete feature: type in the first three characters of the user's name.
dashboardAccessRole		Specific Users admin Role unmoderatedAdmin Role
viewEntryRequestsRole		privateOnly Role admin Role unmoderatedAdmin Role Co-Editor Owner
captionEditRole		privateOnly Role admin Role unmoderatedAdmin Role Co-Editor Owner
categoryRuleOrderRole		Channel Manager

Field	Description	Values
		Channel Owner

Recorder

Field	Description
enabled	Enable the Recorder Module.
allowedRole	Select the users allowed to use this tool
maxRecordingTime	Set the maximum allowed recording time in seconds. (leave empty to remove limit)
browserNotSupportedText	Select the text to display when a user reaches the tool from a none supported browser. Use HTML to add links (tag)
ConversionProfileId	Fill in a custom conversion profile ID for recordings. Leave the field empty to use the default conversion profile
playerId	Enter the id of the player that will be used to view recorded media before upload. The Player version must be v3.

Related

Field	Description
enabled	Enable the Related module.
limit	How many related videos can be displayed?

ReplaceMedia

Media owners can replace their media, while keeping metadata, URL and analytics in place. The same functionality as in the KMC is available in KMS and is configurable in the Replacemedia module.



NOTE: Only video entries may be replaced. Any time-based metadata on the entry will be kept in place and may be out of sync with the new media, The metatdata should be manually adjusted.

Field	Description
enabled	Enable the Replacemedia module.

Field	Description
replaceMediaFromUrl	When true, the Replace Media module will have the Upload from URL option
ValidateUrl	When true, the module will validate the URL before upload.

Saml

Please see the [Kaltura MediaSpace™ SAML Integration Guide](#) for the setup configuration.

Samlgroupcync

Please see the [Kaltura SAML Group Sync Administrator's Guide](#) for the setup configuration.

Scheduling

Use the Scheduling module to

- Set Entry's publish schedule to categories or channels.
- Sort and filter entries by scheduling range in my-media.

Field	Description
enabled	Enable the Scheduling module.
dateFormat	Define the date format for the time presented.

Sidemymedia

Field	Description
enabled	Enable the Sidemymedia module.
limit	How many Sidemymedia items can be displayed?

Sideplaylists

Field	Description
enabled	Enable the Sideplaylists module.
limit	How many items can be displayed in a side playlist?
items	Define playlists to display on the right side next to the player.
label	Enter the playlist label.
id	Enter the ID of the playlist to display.

Ssogroupsync

Please see the [Kaltura SSO Group Sync Administrator's Guide](#) for the setup configuration.

Staticpages

You can add static/content pages to your MediaSpace site. Static pages can be used, for example, to create help pages, privacy policies etc. From the KMS Admin, enable the *Staticpages* module. After you enable the module, you can add multiple pages to your site. Each page should include:

Field	Description
Module Info	
description	Create custom static pages in KMS.
styling	It is best to use Bootstrap css classes in the markup.
custom styling	Use inline styles, or consider using the css upload module.
enabled	Enable the Staticpages module.
title	The title of your page to display as the page header
pageSlug	What is the <i>unique</i> semantic slug for your page? (e.g. www.yourvideoportal/<slug>) The unique identifier for the page to be accessed as a URL. For example, if you provide 'privacy' as a slug, you can add links to your static page as [MediaSpace URL]/privacy. You can add these links in Navigation or Headermenu modules or anywhere you want to include links to your pages within the MediaSpace site.
permission	Select the minimum role allowed that can access this page. Set as anonymousRole to keep this page public. Use the "guest override" field to allow anonymous users to access to static pages even if anonymous is turned of in KMS.
content	What is the content of this page? You can use HTML markup and Bootstrap .

Styling

The Styling Module allows you to customize the look and feel of your site. The new style can be created from the linked page, and previewed and shared with other admins before applying the changes to the site.

Note: This module requires the [V2ui](#) module to be enabled.

Field	Description
enabled	Enable the Styling Module.
fonts	Select +Add"fonts" These fonts will be available in custom CSS and in the Font selectbox on the styling page

Field	Description
familyName	Font family name that will be used in CSS and will be appended to the Font selectbox on the styling page
fallbackFonts	Font families and font types which should be used as a fallback when desired font family is not ready or doesn't exist (comma-separated list, like in CSS specifications). Specifying generic font type (like serif or monospace) is mandatory. Example: 'Helvetica Neue',Arial,sans-serif
type	Font assets source type: <ul style="list-style-type: none"> • System font- use world-wide supported font by name • Import from URL - use external font service (like Google <i>Fonts</i>) • Upload files - upload your own font asset files
isCssApplied	Click Reset to clear. This field indicates whether a style created in this module is applied on KMS or not.

Thumbnails

Field	Description
enabled	Enable the Thumbnails Module.
thumbnailsKsuld	What is the uiConf ID of the Kaltura Simple Uploader (KSU) used for thumbnails upload? MediaSpace uses KSU to upload thumbnails files.
extensionWhitelist	define allowed extensions, example: jpg, png, jpeg, gif (one item per extension)

Twitter

The Twitting media URL enables content to be visible and playable in the Kaltura player within Twitter. To use this feature 'allowAnonymous' in 'auth' module must be enabled as well and 'Default Entitlement Enforcement' on the partner should be disabled



NOTE: Twitter requires that every domain is approved by their approval process. The Twitter approval process includes testing the experience across the various platforms, as well as re-validating it periodically.

More information and how this can be done can be found [here](#).

Field	Description
enabled	Enable the Twitter Module.

Field	Description
tPlayerId	What is the player ID (uiConf ID) of the player that plays videos on Twitter? This should be a V2 player..
siteUserName	@username of website, to be used as value for twitter:site meta tag

Userreports

Channel Managers can measure and analyze the user engagement and contribution to their channels. These contextual analytics allow channel managers to answer important questions such as: What are the most popular videos in the channel? Who are the members that watch the most videos and what is their drop off rate? Who are the members that contribute the most media to the channel?

The mediaAnalytics field should be enabled to display the Analytics page. The Analytics page is accessed from the 'Actions' drop down of the entry page. The Analytics report is identical to the analytics for the entry in the KMC.

Field	Description
enabled	Enable the Userreports Module.
mediaAnalytics	Enable media analytics for media owner
num_days	Default number of days
page_size	Default page size

V2ui

When you enable the V2ui Module the new and slick theme/UI for your KMS (or KAF) is applied. The theme is implemented as a set of CSS and JS files. Please note that some of KMS features will only be available in the new theme.

Field	Description
enabled	Enable the V2ui Module.

Configuration Management: Category Modules

Categoryembed

This module allows you to decide on the default behavior of the embed when an entry is accessed in the context of a category.

Use this module to allow category managers to block embed-grabbing from their category (useful when managing copy-righted content whose consumption should be confined to the portal). For more information read [here](#).

You can also the limit embed-grabbing to published content only.

Field	Description
enabled	Enable the Categoryembed module.

Field	Description
enableEmbedOnByDefault	What should be the default "Enable Embed" in the Channel settings page, affecting whether users can grab an embed of an entry in the context of a channel?
embedRoles	Select one or more roles that can grab an embed if enabled.
allowManagerOverride	Can a channel manager override the default behavior of Enable Embed?

Categorymembers

Field	Description
enabled	Enable the Categorymembers module.
preventAddingUsers	When Enabled, if the category is mapped to a group name - the category manager will no longer be able to add/remove users manually. The only other option is to change the role of the users that were added through the synchronization process.
preventChangingRole	Prevent the category manager from overriding users' roles, where the offline synchronization process controls both the users and their roles.
findGroupUserSuggestions	When enabled, the user suggestions in Add Member to Category also finds the groups.
enableGroupActionMenu	When enabled, the Remove and Edit group option in the category will be enabled.

Categorymoderation

This module may be used by a category manager to enable moderation for a category.

Field	Description
enabled	Enable the Categorymoderation module.
requestConfirmationPopup	Request confirmation pop-up.

Configuration Management:Channel Modules

Channelcategories

This module allows users to associate channels to categories and replaces the ChannelTopics module.

Field	Description
enabled	Enable the Channelcategories module.
channelCategoriesProfileId	The profile id of the Channel Categories metadata profile.

Channelembed

This module allows you to decide on the default behavior of the embed when an entry is accessed in the context of a channel.

Use this module to allow channel managers to block embed-grabbing from their channel (useful when managing copy-righted content whose consumption should be confined to the portal). For more information read [here](#).

You can also the limit embed-grabbing to published content only

Field	Description	
enabled	Enable the Channelcategories module.	
channelCategoriesProfileId	The profile id of the Channel Categories metadata profile.	

Channelmembers

Field	Description
enabled	Enable the Channelmembers module.
preventAddingUsers	When set to true, if the channel is mapped to a group name, the channel manager will not be able to add/remove users manually. Only alternative option would be to change the role of the users that were added through the synchronization process.
preventChangingRole	(default false). Used to support use cases where the offline synchronization process controls both the users and their role in the channel and prevent the channel manager from overriding those settings via KMS.
addMemberGuidelines	Add member guidelines text when creating/adding member to channel. Use <code>[b]foo[/b]</code> - for bold, <code>[i]foo[/i]</code> - for italic. The entire list is here
showOfflineSyncOption	Allow the channel manager to set a group name for offline sync.
detachOnlyFromGroups	Group Users - Allow detaching users only from associated groups.
displayUserGroupAs	Group Users - How should User-Groups show in members list.
findGroupUserSuggestions	When enabled, the user suggestions in "add member to channel" will also find groups.
enableGroupActionMenu	When enabled, the remove and edit group option in the channel will be enabled.

Channelmoderation

You can define whether new channels that are created should be moderated by default. In addition, MediaSpace administrators can configure if the moderation option can be disabled by channel managers, to comply with use cases where moderation must be enforced. In the *Channelmoderation* module, you can set the *moderationDefaultValue* to define if the moderation option should be enabled or not by default when channels are created. The *forceModeration* parameter, in the same module, removes the checkbox from the channel creation form, allowing the MediaSpace administrator to control the moderation

configuration centrally.

Field	Description
enabled	Enable the Channelmoderation module.
forceModeration	Force moderation on every new channel creation,
moderationDefaultValue	Default value when moderation checkbox is enabled
requestConfirmationPopup	Request confirmation pop-up

Channelsubscription

See the section on [Setting Email Notifications and Channel Subscriptions](#) for more information.

Field	Description
enabled	Enable the Channelsubscription module.
channelSubscriptionProfileId	Custom metadata profile id for storing whether channel subscription is enabled for channel

Channeltheme

Field	Description
enabled	Enable the Channelthem module.
carouselInterval	Interval (in miliseconds) between carousel transitions

Channeltopics

Field	Description
enabled	Enable the Channeltopics module.
profileId	What is the ID of the Channel Topics metadata? Copy the custom data schema ID from KMC > Settings > Custom Data (http://www.kaltura.com/index.php/kmc/kmc4#account metadata).
topicField	What field contains the available Channel Topics? Use custom data System Name from KMC > Settings > Custom Data (http://www.kaltura.com/index.php/kmc/kmc4#account metadata).
page_size	Default page size

Configuration Management:Entry Type Modules

Audioentry

Field	Description
customPlayerId	What is the player ID (uiConf ID) of the player that plays audios? Leave blank to use the default player.
playerBarHeightPixels	The height (in pixels) of the custom player ui which is not part of the actual video (for example - the bottom bar). Leave blank to use the default player value.
playerVideoRatioPercent	The ratio (in percent) of the audio inside the player. Standard values: 16:9 = 56.25 , 4:3 = 75 , 16:10 = 62.5. Leave blank to use the default player value.
embedSizes	Define sizes that can be used for embedded players. Define the player size in the following format: {width}x{height}. This setting requires a custom player. If a custom player is not specified, the audio entry uses the default video player.

Imageentry

Field	Description
imagePlayerId	What is the player ID (uiConf ID) of the player that shows images?
imageWatermarkUrl	What is the URL of the image that should be used as watermark?

Liveentry

Field	Description
enabled	Enable the Liveentry module.
multicastStreaming	Use multicast Streaming for Live Events (if DVR is enabled, it will be disabled in runtime).
dvrEnabled	Enable DVR for Live Events
recordingEnabled	Enable recording of Live Events (up to 24 hours)
transcodingProfile	Which transcoding profile will be used for Live Events? Select Cloud or Multicast.
liveBroadcasterRole	Who can create Live Events? If a role is selected, any role above it will also be able to create live events.
allowedUsers	Select users who are allowed to create Live Events.
krecordUIConfId	ID of the UIConf for KRecord used for publishing live streams.

Quiz

IVQ Localizations - To change the language for IVQ text see [IVQ Localizations](#). In addition, the IVQ player texts are now translated to all basic languages - see the list of supported languages [here](#). Changes to the KMS/KAF language will automatically change the IVQ language as well.

IVQ Customization - Find [CSS examples](#) and a [guide](#) on how to change colors, fonts, and the general theme of the quiz in the IVQ page.

Field	Description
enabled	Enable the Quiz module.
quizPlayerId	What is the player ID (uiConf ID) of the player that plays quizzes?
playerBarHeightPixels	The height (in pixels) of the player ui which is not part of the actual video (for example - the bottom bar). Leave blank to use the default player value.
playerVideoRatioPercent	The ratio (in percent) of the video inside the player. Standard values: 16:9 = 56.25 , 4:3 = 75 , 16:10 = 62.5. Leave blank to use the default player value.
BSEPlayerId	What is the player ID (uiConf ID) of the player that used to play quizzes in BSE? Uiconf should have the infoScreen plugin enabled
enableQuestionsV2	Set to Yes to allow quiz creators the use of the new question's types. To use this feature the quiz player should be set to Kaltura version 2.68 player or higher.
enableQuestionsV3	Set to Yes to allow quiz creators the use of the new Open Question type and Retake capabilities (KMS only). To use this feature, the quiz player version should be 2.75 or higher
preventForwardSeeks	Click "On" to enable the 'Do not allow seek' feature in the Kaltura Video Editing Tools Editor. Quiz creators may create a quiz restricting viewers to seek forward in the video. NOTE: After enabled, the quiz players will be enhanced with the player plugin, and you will not be able to turn off this feature. New players set for the Quiz module will also be enhanced with the plugin from that point on.
allowedRolesQuiz	Who can create a quiz? If a role is selected, any role above it will also be able to create a quiz.

For additional administration information, see the [Kaltura Interactive Video Quizzes Administrator's Guide](#) in the Knowledge Center.

Webcast



NOTE: This module is used with InterCall Webcasting only.

Field	Description
enabled	Enable the Webcast module
intercallWebcastProfileId	The profile id of the webcast metadata profile.
sortMediaBy	By default, how should media in the gallery be sorted?
embedAllowed	The webcast is an external entry and embed is not allowed.
expiryTime	The session expiration time (in seconds) sent in the entry link. Keep it as short as possible.

Youtube

MediaSpace users can add YouTube video content and metadata into MediaSpace. Hosted content on YouTube is played back on the Kaltura V2 player from version 2.13 and above. To update the player to the latest player version, re-save the player settings in the KMC Studio > Universal Studio tab.

Because the video itself still 'resides' on YouTube, a YouTube entry is treated differently in some ways from a native Kaltura entry.

- What is supported?
 - Basic and custom metadata
 - Sunrise/sunset (scheduled publishing)
 - Commenting
 - Collaboration (changing owner, adding co-editor and co-publisher)
 - Attachments
 - *Uploading caption file to Kaltura entry*
 - Replace Video (with new YouTube URL)
 - Playback analytics
- What is not supported?
 - Kaltura REACH auto-captioning
 - Change Thumbnail
 - Enable download
 - *Viewer's ability to enable/disable YouTube captions (these are the captions associated with the YouTube video)*
 - Timeline (Chapters and slides)
 - Trim/Clip
 - Playback rate selector

Field	Description
enabled	Enable the Youtube module
previewPlayer	The player uiconf to use for the YouTube entry preview when adding a new entry. Leave blank to use the default MediaSpace player.
replaceYouTubeEntryMessage	The message to display when replacing a YouTube entry.

ModulesCustom/Core

Kwebcast



NOTE: Currently the Kwebcast module uses live entries, therefore if this module is enabled the live entry module must be disabled.

Field	Description
enabled	Enable the Kwebcast module.
applicationName	Define the applicationName. This configuration value is passed to the webcast application. If left empty the default value is used.
applicationLogoUrl	Define the applicationLogoUrl. Provide the URL to a logo image which is passed to the webcast application. If left empty the default logo is used.
transcodingProfile	This list of transcoding profiles is taken from the Kaltura Management Console and is based on the available transcoding profiles there. The transcoding profile is applied to all webcast events created after this field is set (You cannot change previous entries' transcoding profiles here. See the article Adaptive Bit Rate Settings for more information.
liveBroadcasterRole	Limit Webcast Event creation to a certain user or user role. If a role is selected, any role with higher permissions than the role selected will be allowed to create Webcast Events.
WinProducerAppUiConfID	This value is automatically assigned by the system upon save. ID of the UIConf for the Windows Kwebcast application.
MacProducerAppUiConfID	This value is automatically assigned by the system upon save. This is the ID of the UIConf for the Mac Kwebcast application.
SupportSelfServe	Determine whether to allow self-serve scenario. This field is a beta

Field	Description
	feature and should be turned off to no.
PlayerUiconfId	This value is automatically assigned by the system upon save. This is the UIconf for the player used for Webcasting events.
BSEPlayerUIconfID	This value is automatically assigned by the system upon save. ID of the UIconf for the BSE Kwebcast player. This field is only relevant for KAF administrators. See the article Using the Browse Search and Embed (BSE) Feature for more information.
EnableQnA	Enable or disable running moderated Q&A sessions during live webcasts.
EnablePolls	Enable polls during webcast events.
showInSearch	Select which fields should appear in the search.

For additional information about Kaltura Webcasting, see the [Kaltura Webcasting Administrator's Guide](#) on the Knowledge Center.

Rescheduling

The Kaltura Scheduling feature enables leveraging Kaltura's media management capabilities to schedule recordings using partner capture devices. For more information about the Rescheduling module see the [Kaltura Scheduling Administrator's Guide](#).

Select or enter values for the relevant fields and click Save.

Field	Description
Enabled	Enable the Rescheduling module.
allowedUsers	Select specific users/groups who are allowed to schedule events.
exportResources	Download a resources list of resources already defined in your system
manageResources	Upload a resource definition file. See here for more information.
additionalRootCategories	Add additional root categories as a publishing destination for scheduled recordings. Note that all categories under additional root categories will be

Field	Description
	viewable by the users creating scheduled recordings. This option is only relevant to Kaltura MediaSpace publishing workflows for events.