

TM-GASTROENTERITIS WELL HYDRATED (100212)

Category: Gastrointestinal

Scheduled appt type: _____

CC _____

HPI _____

freeform ROS _____

Structured ROS

Pert: fever/chills	_____
Pert: not sleeping well	_____
Pert: whining or crankiness	_____
Denies: red eyes or eye drainage	_____
Reports: Presence of tears	_____
Denies: sore throat	_____
Denies: mouth ulcers	_____
Denies: difficulty swallowing	_____
Denies: runny nose and/or nasal congestion	_____
Denies: ear pain	_____
Denies: daytime cough	_____
Denies: nighttime cough disturbing sleep	_____
Pert: nausea	_____
Pert: vomiting	_____
Pert: diarrhea	_____
Denies: blood in stool	_____
Pert: cramping	_____
Pert: decreased appetite	_____
Denies: mucous in stool	_____
Denies: dysuria	_____
Denies: urinary frequency	_____
Reports: Adequate urine output	_____
Denies: rashes or dry skin	_____

Structured exam

NL: general appearance: alert, pleasant, not ill appearing, no distress	_____
NL: conjunctivae & lids: pink & moist	, no pallor or icterus (asked patient/parent to pull down lower eyelids to assess sclera and conjunctiva which was observed via video connection) and moist conjunctival membranes/presence of tears
NL: external ears & nose	_____
NL: nares (nasal mucosa, septum and turbinates): clear	through video connection anterior nares inspected and clear without nasal flaring
NL: oropharynx: moist mucous membranes, without pharyngeal erythema or intraoral lesions	, through video connection limited oropharynx inspection completed and normal including moist mucous membranes
NL: without meningeal signs	patient/parent asked to flex and extend neck without any difficulty on visualization or compensatory elevation of shoulders
NL: respiratory effort: no retractions, no tachypnea	, also no audible grunting or other indication for increased work of breathing
NL: extremities: no edema, brisk capillary refill	, with cooperation of patient/parent through video visualization of good perfusion with brisk capillary refill confirmed (asking patient/parent to demonstrate)
NL: Findings:	no gross abdominal distention
NL: inspection (includes subcutaneous tissue): no rash	, no rash, no petechiae or bruising or other markings of skin

Remaining template documentation elements

Counseling:	_____
Coordination of Care:	_____
Diagnosis:	Viral gastroenteritis(A08.4)
Assessment:	_____
	History reviewed and exam considered with limitations acknowledged due to nature of virtual visit through a synchronous telecommunications system Most likely diagnosis is viral gastroenteritis with no evidence of dehydration and not ill appearing Discussed pathophysiology of viral GE Treat symptoms as needed Encourage clear fluids,

Plan:	advance diet slowly, appropriate diet Discussed possibility of abdominal cramping Call for blood or mucous in stool, and/or signs or symptoms of dehydration (reviewed) Call if no better 3-4 days, sooner for concerns/worsening/severe abdominal pain Discussed under what circumstances a face-to-face office visit would be appropriate recheck prn
Patient Instructions:	

Remaining workflow elements

Procedures

Orders
