Your Baby at 2 Months

Child's Name Child's Age **Today's Date**



Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by 2 months. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What Most Babies Do by this Age:

Social/Emotional

- ☐ Begins to smile at people
- ☐ Can briefly calm himself (may bring hands to mouth and suck on hand)
- □ Tries to look at parent

Language/Communication

- □ Coos, makes gurgling sounds
- Turns head toward sounds

Cognitive (learning, thinking, problem-solving)

- □ Pays attention to faces
- ☐ Begins to follow things with eyes and recognize people at a distance
- ☐ Begins to act bored (cries, fussy) if activity doesn't change

Movement/Physical Development

- ☐ Can hold head up and begins to push up when lying on tummy
- Makes smoother movements with arms and legs

You Know Your Child Best.

Act early if you have concerns about the way your child plays, learns, speaks, acts, or moves, or if your child:

- □ Is missing milestones
- Doesn't respond to loud sounds
- Doesn't watch things as they move
- □ Doesn't smile at people
- □ Doesn't bring hands to mouth
- ☐ Can't hold head up when pushing up when on tummy

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay and ask for a developmental screening.

If you or the doctor is still concerned

- 1. Ask for a referral to a specialist and,
- 2. Call your state or territory's early intervention program to find out if your child can get services to help. Learn more and find the number at cdc.gov/FindEl.

For more information, go to cdc.gov/Concerned.

Acting early can make a real difference!




www.cdc.gov/ActEarly 1-800-CDC-INFO (1-800-232-4636)











What You Can Do for Your 2-Month-Old:

Cuddle, talk, and play with your baby during feeding, dressing, and bathing.	Place a baby-safe mirror in your baby's crib so she can look at herself.
Help your baby learn to calm herself. It's okay for her to suck on her fingers.	Look at pictures with your baby and talk about them.
Begin to help your baby get into a routine, such as sleeping at night more than in the day, and have regular schedules.	Lay your baby on his tummy when he is awake and put toys near him.
☐ Getting in tune with your baby's likes and dislikes can help you feel more comfortable and confident.	 Encourage your baby to lift his head by holding toys at eye level in front of him. Hold a toy or rattle above your baby's head and
Act excited and smile when your baby makes sounds.	encourage her to reach for it. Holdyourbaby upright with his feet on the floor.
Copy your baby's sounds sometimes, but also use clear language.	Sing or talk to your baby as he is upright.
Pay attention to your baby's different cries so that you learn to know what he wants.	
☐ Talk, read, and sing to your baby.	
☐ Play peek-a-boo. Help your baby play peek-a-boo, too.	

Milestones adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann © 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics.

This milestone checklist is not a substitute for a standardized, validated developmental screening tool.





Your Baby at 4 Months

Child's Name Child's Age Today's Date



Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by 4 months. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What Most Babies Do by this Age:

Social/Emotional

- ☐ Smiles spontaneously, especially at people
- ☐ Likes to play with people and might cry when playing stops
- ☐ Copies some movements and facial expressions, like smiling or frowning

Language/Communication

- Begins to babble
- □ Babbles with expression and copies sounds he hears
- ☐ Cries in different ways to show hunger, pain, or being tired

Cognitive (learning, thinking, problem-solving)

- □ Lets you know if she is happy or sad
- Responds to affection
- Reaches for toy with one hand
- ☐ Uses hands and eyes together, such as seeing a toy and reaching for it
- ☐ Follows moving things with eyes from side to side
- Watches faces closely
- ☐ Recognizes familiar people and things at a distance

Movement/Physical Development

- ☐ Holds head steady, unsupported
- ☐ Pushes down on legs when feet are on a hard surface
- May be able to roll over from tummy to back
- Can hold a toy and shake it and swing at dangling toys
- Brings hands to mouth
- ☐ When lying on stomach, pushes up to elbows

You Know Your Child Best.

Act early if you have concerns about the way your child plays, learns, speaks, acts, or moves, or if your child:

- □ Is missing milestones
- □ Doesn't watch things as they move
- □ Doesn't smile at people
- Can't hold head steady
- Doesn't coo or makesounds
- Doesn't bring things tomouth
- □ Doesn't push down with legs when feet are placed on a hard surface
- ☐ Has trouble moving one or both eyes in all directions

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay and ask for a developmental screening.

If you or the doctor is still concerned

- 1. Ask for a referral to a specialist and,
- 2. Call your state or territory's early intervention program to find out if your child can get services to help. Learn more and find the number at cdc.gov/FindEl.

For more information, go to cdc.gov/Concerned.

Acting early can make a real difference!






www.cdc.gov/ActEarly 1-800-CDC-INFO (1-800-232-4636)











What You Can Do for Your 4-Month-Old:

☐ Hold and talk to your baby; smile and be cheerful while you do.	Put toys near your baby so that she can reach for them or kick her feet.
□ Set steady routines for sleeping and feeding.□ Pay close attention to what your baby likes and	Put toys or rattles in your baby's hand and help him to hold them.
doesn't like; you will know how best to meet his needs and what you can do to make your baby happy.	Hold your baby upright with feet on the floor, and sing or talk to your baby as she "stands" with support.
☐ Copy your baby's sounds.	
Act excited and smile when your baby makes sounds.	
Have quiet play times when you read or sing to your baby.	
☐ Give age-appropriate toys to play with, such as rattles or colorful pictures.	
☐ Play games such as peek-a-boo.	
☐ Provide safe opportunities for your baby to reach for toys and explore his surroundings.	

Milestones adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann @ 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M.

This milestone checklist is not a substitute for a standardized, validated developmental screening tool.





Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics.

Your Baby at 6 Months

Child's Name Child's Age Today's Date



Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by 6 months. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What Most Babies Do by this Age:

Social/Emotional

- ☐ Knowsfamiliar faces and begins to know if someone is a stranger
- ☐ Likes to play with others, especially parents
- ☐ Responds to other people's emotions and often seems happy
- □ Likes to look at self in a mirror

Language/Communication

- Responds to sounds by making sounds
- ☐ Strings vowels together when babbling ("ah," "eh," "oh") and likes taking turns with parent while making sounds
- □ Responds to own name
- ☐ Makes sounds to show joy and displeasure
- ☐ Begins to say consonant sounds (jabbering with "m," "b")

Cognitive (learning, thinking, problem-solving)

- ☐ Looks around at things nearby
- ☐ Brings things to mouth
- ☐ Shows curiosity about things and tries to get things that are
- Begins to pass things from one hand to the other

Movement/Physical Development

- ☐ Rolls over in both directions (front to back, back to front)
- ☐ Begins to sit without support
- ☐ When standing, supports weight on legs and might bounce
- ☐ Rocks back and forth, sometimes crawling backward before moving forward

You Know Your Child Best.

Actearly if you have concerns about the way your child plays, learns, speaks, acts, or moves, or if your child:

- Is missing milestones
- ☐ Doesn't try to get things that are in reach
- □ Shows no affection for caregivers
- ☐ Doesn't respond to sounds around him
- ☐ Has difficulty getting things to mouth
- □ Doesn't make vowel sounds ("ah", "eh", "oh")
- □ Doesn't roll over in either direction
- Doesn't laugh or make squealing sounds
- ☐ Seems very stiff, with tight muscles
- □ Seems very floppy, like a rag doll

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay and ask for a developmental screening.

If you or the doctor is still concerned

- 1. Ask for a referral to a specialist and,
- 2. Call your state or territory's early intervention program to find out if your child can get services to help. Learn more and find the number at cdc.gov/FindEl.

For more information, go to cdc.gov/Concerned.

DON'T WAIT. Acting early can make a real difference!






www.cdc.gov/ActEarly 1-800-CDC-INFO (1-800-232-4636)











What You Can Do for Your 6-Month-Old:

 □ Play on the floor with your baby every day. □ Learn to read your baby's moods. If he's happy, keep doing what you are doing. If he's upset, take a break and comfort your baby. □ Show your baby how to comfort herself when she's upset. She may suck on her fingers to self soothe. □ Use "reciprocal" play—when he smiles, you smile; when he makes sounds, you copy them. □ Repeat your child's sounds and say simple words with those sounds. For example, if your child says "bah," say "bottle" or "book." □ Read books to your child every day. Praise her when she babbles and "reads" too. □ When your baby looks at something, point to it and talk about it. □ When he drops a toy on the floor, pick it up and give it back. This game helps him learn cause and effect. □ Read colorful picture books to your baby. 	 □ Point out new things to your baby and name them. □ Show your baby bright pictures in a magazine and name them. □ Holdyourbaby up while she sits or supporther with pillows. Let her look around and give her toys to look at while she balances. □ Put your baby on his tummy or back and put toys just out of reach. Encourage him to roll over to reach the toys.

Milestones adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann @ 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics.

This milestone checklist is not a substitute for a standardized, validated developmental screening tool.

www.cdc.gov/ActEarly







YourBabyat9Months*

Child's Name Child's Age **Today's Date**



Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by 9 months. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What Most Babies Do by this Age:

Social/Emotional

- ☐ May be afraid of strangers
- May be clingy with familiar adults
- Has favorite toys

Language/Communication

- Understands "no"
- ☐ Makes a lot of different sounds like "mamamama" and "bababababa"
- Copies sounds and gestures of others
- Uses fingers to point at things

Cognitive (learning, thinking, problem-solving)

- Watches the path of something as it falls
- Looks for things he sees you hide
- ☐ Plays peek-a-boo
- Puts things in her mouth
- Moves things smoothly from one hand to the other
- ☐ Picks up things like cereal o's between thumb and index finger

Movement/Physical Development

- ☐ Stands, holding on
- ☐ Can get into sitting position
- ☐ Sits without support
- Pulls to stand
- Crawls

You Know Your Child Best.

Actearly if you have concerns about the way your child plays, learns, speaks, acts, or moves, or if your child:

- □ Is missing milestones
- Doesn't bear weight on legs with support
- □ Doesn't sit with help
- ☐ Doesn't babble ("mama", "baba", "dada")
- ☐ Doesn't play any games involving back-and-forth play
- ☐ Doesn't respond to own name
- ☐ Doesn't seem to recognize familiar people
- ☐ Doesn't look where you point
- ☐ Doesn't transfer toys from one hand to the other

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay and ask for a developmental screening.

If you or the doctor is still concerned

- 1. Ask for a referral to a specialist and,
- 2. Call your state or territory's early intervention program to find out if your child can get services to help. Learn more and find the number at cdc.gov/FindEl.

For more information, go to cdc.gov/Concerned.

Acting early can make a real difference!



It's time for developmental screening!

At 9 months, your child is due for general developmental screening, as recommended for all children by the American Academy of Pediatrics. Ask the doctor about your child's developmental screening.






www.cdc.gov/ActEarly 1-800-CDC-INFO (1-800-232-4636)











What You Can Do for Your 9-Month-Old:

 Pay attention to the way he reacts to new situations and people; try to continue to do things that make your baby happy and comfortable. As she moves around more, stay close so she knows that you are near. Continue with routines; they are especially important now. Play games with "my turn, your turn." Say what you think your baby is feeling. For example, say, "You are so sad, let's see if we can make you feel better." Describe what your baby is looking at; for example, "red, round ball." Talkabout what your baby wants when he points at something. Copy your baby's sounds and words. 	 □ Teach cause-and-effect by rolling balls back and forth, pushing toy cars and trucks, and putting blocks in and out of a container. □ Play peek-a-boo and hide-and-seek. □ Read and talk to your baby. □ Provide lots of room for your baby to move and explore in a safe area. □ Put your baby close to things that she can pull up on safely.
 Describe what your baby is looking at; for example, "red, round ball." Talkabout what your baby wants when he points at something. Copy your baby's sounds and words. 	
Ask for behaviors that you want. For example, instead of saying "don't stand," say "time to sit."	

Milestones adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann @ 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics.

This milestone checklist is not a substitute for a standardized, validated developmental screening tool.





www.cdc.gov/ActEarly

YourChildat1Year

Child's Name Child's Age **Today's Date**



Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by age 1. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What Most Children Do by this Age:

Social/Emotional

- Is shy or nervous with strangers
- Cries when mom or dad leaves
- ☐ Has favorite things and people
- ☐ Shows fear in some situations
- ☐ Hands you a book when he wants to hear a story
- Repeats sounds or actions to get attention
- Puts out arm or leg to help with dressing
- ☐ Plays games such as "peek-a-boo" and "pat-a-cake"

Language/Communication

- ☐ Responds to simple spoken requests
- ☐ Uses simple gestures, like shaking head "no" or waving "bye-bye"
- ☐ Makes sounds with changes in tone (sounds more like speech)
- ☐ Says "mama" and "dada" and exclamations like "uh-oh!"
- ☐ Tries to say words you say

Cognitive (learning, thinking, problem-solving)

- □ Explores things in different ways, like shaking,
 - banging, throwing
- ☐ Finds hidden things easily
- □ Looks at the right picture or thing when it's named
- Copies gestures
- ☐ Starts to use things correctly; for example, drinks from a cup, brushes hair
- ☐ Bangs two things together
- ☐ Puts things in a container, takes things out of a container
- □ Lets things go without help
- □ Pokes with index (pointer) finger
- ☐ Follows simple directions like "pick up the toy"

Movement/Physical Development

- ☐ Gets to a sitting position without help
- ☐ Pulls up to stand, walks holding on to furniture ("cruising")
- May take a few steps without holding on
- May stand alone

You Know Your Child Best.

Act early if you have concerns about the way your child plays, learns, speaks, acts, or moves, or if your child:

- □ Is missing milestones
- Doesn't crawl
- □ Can't stand when supported
- ☐ Doesn't search for things that she sees you hide.
- ☐ Doesn't say single words like "mama" or "dada"
- ☐ Doesn't learn gestures like waving or shaking head
- Doesn't point to things
- Loses skills he once had

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay and ask for a developmental screening.

If you or the doctor is still concerned

- 1. Ask for a referral to a specialist and,
- 2. Call your state or territory's early intervention program to find out if your child can get services to help. Learn more and find the number at cdc.gov/FindEl.

For more information, go to cdc.gov/Concerned.

DON'T WAIT.

Acting early can make a real difference!





www.cdc.gov/ActEarly 1-800-CDC-INFO (1-800-232-4636)



Download CDC's Milestone Tracker App





Learn the Signs. Act Early.

You can help your child learn and grow. Talk, read, sing, and play together every day. Below are some activities to enjoy with your 1-year-old child today.



What You Can Do for Your 1-Year-Old:

☐ Give your child time to get to know a new caregiver. Bring a favorite toy, stuffed animal, or blanket to help comfort your child.	when she tries to copy them. Play with blocks, shape sorters, and other toys that encourage your child to use his hands.
☐ In response to unwanted behaviors, say "no" firmly. Do not yell, spank, or give long explanations. A time out for 30 seconds to 1 minute might help redirect your child.	☐ Hide small toys and other things and have your child find them.
☐ Give your child lots of hugs, kisses, and praise for good behavior.	Ask your child to label body parts or things you see while driving in the car.
☐ Spend a lot more time encouraging wanted behaviors than punishing unwanted behaviors (4 times as much	☐ Sing songs with actions, like "The Itsy Bitsy Spider" and "Wheels on the Bus." Help your child do the actions with you.
encouragement for wanted behaviors as redirection for unwanted behaviors).	☐ Give your child pots and pans or a small musical instrument like a drum or cymbals. Encourage your child to make noise.
Talkto your child about what you're doing. For example, "Mommy is washing your hands with a washcloth."	☐ Provide lots of safe places for your toddler to explore. (Toddler-proof your home. Lock away products for
Read with your child every day. Have your child turn the pages. Take turns labeling pictures with your child.	cleaning, laundry, lawn care, and car care. Use a safet gate and lock doors to the outside and the basement.)
☐ Build on what your child says or tries to say, or what he points to. If he points to a truck and says "t" or "truck," say, "Yes, that's a big, blue truck."	☐ Give your child push toys like a wagon or "kiddie push car."
Give your child crayons and paper, and let your child draw freely. Show your child how to draw lines up	

Milestones adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann © 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics.

This milestone checklist is not a substitute for a standardized, validated developmental screening tool.

www.cdc.gov/ActEarly







Your Child at 18 Months (11/2 Yrs)

Child's Name Child's Age **Today's Date**

Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by 18 months. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What Most Children Do by this Age:

Social/Emotional

- ☐ Likes to hand things to others as play
- May have temper tantrums
- ☐ May be afraid of strangers
- ☐ Shows affection to familiar people
- ☐ Plays simple pretend, such as feeding a doll
- ☐ May cling to caregivers in new situations
- □ Points to show others something interesting
- ☐ Explores alone but with parent close by

Language/Communication

- □ Says several single words
- □ Says and shakes head "no"
- Points to show someone what he wants

Cognitive (learning, thinking, problem-solving)

- ☐ Knows what ordinary things are for; for example, telephone, brush, spoon
- Points to get the attention of others
- ☐ Shows interest in a doll or stuffed animal by pretending to feed
- ☐ Points to one body part
- ☐ Scribbles on his own
- ☐ Can follow 1-step verbal commands without any gestures; for example, sits when you say "sit down"

Movement/Physical Development

- Walks alone
- ☐ May walk up steps and run
- Pulls toys while walking
- Can help undress herself
- Drinks from a cup
- Eats with aspoon

You Know Your Child Best.

Act early if you have concerns about the way your child plays, learns, speaks, acts, or moves, or if your child:

- Is missing milestones
- Doesn't point to show things to others
- Can't walk
- Doesn't know what familiar things are for
- □ Doesn't copy others
- Doesn't gain new words
- Doesn't have at least 6 words
- □ Doesn't notice or mind when a caregiver leaves or returns
- Loses skills he oncehad

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay and ask for a developmental screening.

If you or the doctor is still concerned

- 1. Ask for a referral to a specialist and,
- 2. Call your state or territory's early intervention program to find out if your child can get services to help. Learn more and find the number at cdc.gov/FindEl.

For more information, go to cdc.gov/Concerned.

Acting early can make a real difference!



It's time for developmental screening!

At 18 months, your child is due for general developmental screening and an autism screening, as recommended for all children by the American Academy of Pediatrics. Ask the doctor about your child's developmental screening.






www.cdc.gov/ActEarly 1-800-CDC-INFO (1-800-232-4636)











What You Can Do for Your 18-Month-Old:

Milestones adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann © 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics.

This milestone checklist is not a substitute for a standardized, validated developmental screening tool.

www.cdc.gov/ActEarly

1-800-CDC-INFO (1-800-232-4636)

Learn the Signs. Act Early.





Your Child at 2 Years*

Child's Name Child's Age **Today's Date**



Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by age 2. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What Most Children Do by this Age:

Social/Emotional

- ☐ Copies others, especially adults and older children
- ☐ Gets excited when with other children
- □ Shows more and more independence
- ☐ Shows defiant behavior (doing what he has been told not to)
- ☐ Plays mainly beside other children, but is beginning to include other children, such as in chase games

Language/Communication

- ☐ Points to things or pictures when they are named
- ☐ Knows names of familiar people and body parts
- ☐ Says sentences with 2 to 4 words
- □ Follows simple instructions
- □ Repeats words overheard in conversation
- ☐ Points to things in a book

Cognitive (learning, thinking, problem-solving)

- ☐ Finds things even when hidden under two or three covers
- ☐ Begins to sort shapes and colors
- Completes sentences and rhymes in familiar books
- ☐ Plays simple make-believe games
- ☐ Buildstowers of 4 or more blocks
- ☐ Might use one hand more than the other
- ☐ Follows two-step instructions such as "Pick up your shoes and put them in the closet."
- ☐ Names items in a picture book such as a cat, bird, or dog

Movement/Physical Development

- Stands on tiptoe
- □ Kicks a ball
- Begins to run
- ☐ Climbs onto and down from furniture without help
- ☐ Walks up and down stairs holding on

- Throws ball overhand
- Makes or copies straight lines and circles

You Know Your Child Best.

Act early if you have concerns about the way your child plays, learns, speaks, acts, or moves, or if your child:

- □ Is missing milestones
- □ Doesn't use 2-word phrases (for example, "drink milk")
- □ Doesn't know what to do with common things, like a brush, phone, fork, spoon
- ☐ Doesn't copy actions and words
- □ Doesn't follow simple instructions
- Doesn't walk steadily
- Loses skills she once had

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay and ask for a developmental screening.

If you or the doctor is still concerned

- 1. Ask for a referral to a specialist and,
- 2. Call your state or territory's early intervention program to find out if your child can get services to help. Learn more and find the number at cdc.gov/FindEl.

For more information, go to cdc.gov/Concerned.

DON'T WAIT.

Acting early can make a real difference!



It's time for developmental screening!

At 2 years, your child is due for general developmental screening and an autism screening, as recommended for all children by the American Academy of Pediatrics. Ask the doctor about your child's developmental screening.





www.cdc.gov/ActEarly 1-800-CDC-INFO (1-800-232-4636)




Download CDC's Milestone Tracker App





Learn the Signs. Act Early.





What You Can Do for Your 2-Year-Old:

 Encourage your child to help with simple chores at home, like sweeping and making dinner. Praise your child for being a good helper. At this age, children still play next to (not with) each other and don't share well. For play dates, give the children lots of toys to play with. Watch the children 	 Help your child do puzzles with shapes, colors, or farm animals. Name each piece when your child puts it in place. Encourage your child to play with blocks. Take turns building towers and knocking them down.
closely and step in if they fight or argue. Give your child attention and praise when he follows instructions. Limit attention for defiant behavior. Spend a lot more time praising good behaviors than punishing bad ones.	 Do art projects with your child using crayons, paint, and paper. Describe what your child makes and hang it on the wall or refrigerator. Ask your child to help you open doors and drawers and turn pages in a book or magazine.
Teach your child to identify and say body parts, animals, and other common things.	 Once your child walks well, ask her to carry small things for you.
 Do not correct your child when he says words incorrectly. Rather, say it correctly. For example, "That is a ball." Encourage your child to say a word instead of pointing. If your child can't say the whole word ("milk"), give her the first sound ("m") to help. 	 Kick a ball back and forth with your child. When your child is good at that, encourage him to run and kick. Take your child to the park to run and climb on equipment or walk on nature trails. Watch your child closely.
Over time, you can prompt your child to say the whole sentence — "I want milk." Hide your child's toys around the room and let him find them.	

Milestones adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann @ 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics.

This milestone checklist is not a substitute for a standardized, validated developmental screening tool.

www.cdc.gov/ActEarly





Your Child at 3 Years

Child's Name Child's Age Today's Date



Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by age 3. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What Most Children Do by this Age:

Social/Emotional

- □ Copies adults and friends
- □ Shows affection for friends without prompting
- □ Takes turns in games
- □ Shows concern for a crying friend
- ☐ Understands the idea of "mine" and "his" or "hers"
- □ Shows a wide range of emotions
- □ Separates easily from mom and dad
- May get upset with major changes in routine
- Dresses and undresses self

Language/Communication

- ☐ Follows instructions with 2 or 3 steps
- □ Can name most familiar things
- ☐ Understands words like "in," "on," and "under"
- Says first name, age, and sex
- Names a friend
- ☐ Says words like "I," "me," "we," and "you" and some plurals (cars, dogs, cats)
- ☐ Talks well enough for strangers to understand most of the time
- ☐ Carries on a conversation using 2 to 3 sentences

Cognitive (learning, thinking, problem-solving)

- ☐ Can work toys with buttons, levers, and moving parts
- ☐ Plays make-believe with dolls, animals, and people
- ☐ Does puzzles with 3 or 4 pieces
- Understands what "two" means
- ☐ Copies a circle with pencil or crayon
- ☐ Turns book pages one at a time
- Builds towers of more than 6 blocks
- ☐ Screws and unscrews jar lids or turns door handle

Movement/Physical Development

- □ Climbs well
- Runs easily
- ☐ Pedals a tricycle (3-wheel bike)
- ☐ Walks up and down stairs, one foot on each step

You Know Your Child Best.

Act early if you have concerns about the way your child plays, learns, speaks, acts, or moves, or if your child:

- □ Is missing milestones
- ☐ Falls down a lot or has trouble with stairs
- ☐ Drools or has very unclear speech
- ☐ Can't work simple toys (such as peg boards, simple puzzles, turning handle)
- □ Doesn't speak in sentences
- □ Doesn't understand simple instructions
- □ Doesn't play pretend or make-believe
- ☐ Doesn't want to play with other children or with toys
- ☐ Doesn't make eye contact
- Loses skills he oncehad

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay and ask for a developmental screening.

If you or the doctor is still concerned

- 1. Ask for a referral to a specialist and,
- 2. Call any local public elementary school for a free evaluation to find out if your child can get services to help.

For more information, go to cdc.gov/Concerned.

Acting early can make a real difference!





www.cdc.gov/ActEarly 1-800-CDC-INFO (1-800-232-4636)







You can help your child learn and grow. Talk, read, sing, and play together every day. Below are some activities to enjoy with your 3-year-old child today.



What You Can Do for Your 3-Year-Old:

 Go to play groups with your child or other places where there are other children, to encourage getting along with others. Work with your child to solve the problem when he is upset. Talk about your child's emotions. For example, say, "I can tell you feel mad because you threw the puzzle piece." Encourage your child to identify feelings in books. Set rules and limits for your child, and stick to them. If your child breaks a rule, give him a time out for 30 seconds to 1 minute in a chair or in his room. Praise your child for following the rules. Give yourchild instructions with 2 or 3 steps. For example, "Go to your room and get your shoes and coat." Give yourchild every day. Ask your child to point to things in the pictures and repeat words after you. 		
	where there are other children, to encourage getting along with others. Work with your child to solve the problem when he is upset. Talk about your child's emotions. For example, say, "I can tell you feel mad because you threw the puzzle piece." Encourage your child to identify feelings in books. Set rules and limits for your child, and stick to them. If your child breaks a rule, give him a time out for 30 seconds to 1 minute in a chair or in his room. Praise your child for following the rules. Give your child instructions with 2 or 3 steps. For example, "Go to your room and get your shoes and coat."	 and coloring books. Color and draw lines and shapes with your child. Play matching games. Ask your child to find objects in books or around the house that are the same. Play counting games. Count body parts, stairs, and other things you use or see every day. Hold your child's hand going up and down stairs. When she can go up and down easily, encourage her to use the railing. Play outside with your child. Go to the park or hiking trail. Allow your child to play freely and without

 $Milestones\ adapted\ from\ CARING\ FOR\ YOUR\ BABY\ AND\ YOUNG\ CHILD:\ BIRTH\ TO\ AGE\ 5, Fifth\ Edition,\ edited\ by\ Steven\ Shelov\ and\ Tanya\ Remer\ Altmann\ @\ 1991,\ 1993,\ 1998,\ 2004,\ 2009\ by\ the\ American$ Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics.

This milestone checklist is not a substitute for a standardized, validated developmental screening tool.

www.cdc.gov/ActEarly





Your Child at 4 Years

Today's Date Child's Name Child's Age



Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by age 4. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What Most Children Do by this Age:

Social/Emotional

- Enjoys doing new things
- ☐ Plays "Mom" and "Dad"
- ☐ Is more and more creative with make-believe play
- ☐ Would rather play with other children than by himself
- □ Cooperates with other children
- ☐ Often can't tell what's real and what's make-believe
- ☐ Talks about what she likes and what she is interested in

Language/Communication

- ☐ Knows some basic rules of grammar, such as correctly using "he" and "she"
- ☐ Sings a song or says a poem from memory such as the "Itsy Bitsy Spider" or the "Wheels on the Bus"
- Tells stories
- □ Can say first and last name

Cognitive (learning, thinking, problem-solving)

- Names some colors and some numbers.
- Understands the idea of counting
- ☐ Starts to understand time
- □ Remembers parts of astory
- □ Understands the idea of "same" and "different"
- ☐ Draws a person with 2 to 4 body parts
- Uses scissors
- Starts to copy some capital letters
- □ Plays board or card games
- ☐ Tells you what he thinks is going to happen next in a book

Movement/Physical Development

☐ Hops and stands on one foot up to 2 seconds

- Catches a bounced ball most of the time
- ☐ Pours, cuts with supervision, and mashes own food

You Know Your Child Best.

Act early if you have concerns about the way your child plays, learns, speaks, acts, or moves, or if your child:

- ☐ Is missing milestones
- □ Can't jump in place
- Has trouble scribbling
- ☐ Shows no interest in interactive games or make-believe
- ☐ Ignores other children or doesn't respond to people outside the family
- Resists dressing, sleeping, and using the toilet
- Can't retell a favorite story
- Doesn't follow 3-part commands
- Doesn't understand "same" and "different"
- ☐ Doesn't use "me" and "you" correctly
- Speaks unclearly
- Loses skills he once had

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay and ask for a developmental screening.

If you or the doctor is still concerned

- 1. Ask for a referral to a specialist and,
- 2. Call any local public elementary school for a free evaluation to find out if your child can get services to help.

For more information, go to cdc.gov/Concerned.

DON'T WAIT. Acting early can make a real difference!





www.cdc.gov/ActEarly 1-800-CDC-INFO (1-800-232-4636)







You can help your child learn and grow. Talk, read, sing, and play together every day. Below are some activities to enjoy with your 4-year-old child today.



What You Can Do for Your 4-Year-Old:

 □ Play make-believe with your child. Let her be the leader and copy what she is doing. □ Suggest your child pretend play an upcoming event that might make him nervous, like going to preschool or staying overnight at a grandparent's house. □ Give your child simple choices whenever you can. Let your child choose what to wear, play, or eat for a snack. Limit choices to 2 or 3. □ During play dates, let your child solve her own problems with friends, but be nearby to help out if needed. □ Encourage your child to use words, share toys, and take turns playing games of one another's choice. □ Give your child toys to build imagination, like dress-up clothes, kitchen sets, and blocks. □ Use good grammar when speaking to your child. Instead of "Mommy wants you to come here," say, 	 Use words like "first," "second," and "finally" when talking about everyday activities. This will help your child learn about sequence of events. Taketime to answer your child's "why" questions. If you don't know the answer, say "I don't know," or help your child find the answer in a book, on the Internet, or from another adult. When you read with your child, ask him to tell you what happened in the story as you go. Say colors in books, pictures, and things at home. Count common items, like the number of snack crackers, stairs, or toy trains. Teachyour child to play outdoor games like tag, follow the leader, and duck, duck, goose. Play your child's favorite music and dance with your child. Take turns copying each other's moves.
dress-up clothes, kitchen sets, and blocks. Use good grammar when speaking to your child.	☐ Play your child's favorite music and dance with your

Milestones adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann © 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics.

This milestone checklist is not a substitute for a standardized, validated developmental screening tool.





Your Child at 5 Years

Child's Name Child's Age **Today's Date**



Milestones matter! How your child plays, learns, speaks, acts, and moves offers important clues about his or her development. Check the milestones your child has reached by age 5. Take this with you and talk with your child's doctor at every well-child visit about the milestones your child has reached and what to expect next.

What Most Children Do by this Age:

Social/Emotional

- Wants to please friends
- Wants to be likefriends
- More likely to agree with rules
- ☐ Likes to sing, dance, and act
- Is aware of gender
- □ Can tell what's real and what's make-believe
- ☐ Shows more independence (for example, may visit a next-door neighbor by himself [adult supervision is still needed])
- ☐ Is sometimes demanding and sometimes very cooperative

Language/Communication

- □ Speaks very clearly
- □ Tells a simple story using full sentences
- ☐ Uses future tense; for example, "Grandma will be here."
- Says name and address

Cognitive (learning, thinking, problem-solving)

- □ Counts 10 or more things
- ☐ Can draw a person with at least 6 body parts
- ☐ Can print some letters or numbers
- ☐ Copies a triangle and other geometric shapes
- ☐ Knows about things used every day, like money and food

Movement/Physical Development

- ☐ Stands on one foot for 10 seconds or longer
- □ Hops; may be able to skip
- Can do a somersault
- ☐ Uses a fork and spoon and sometimes a table knife
- Can use the toilet on her own
- Swings and climbs

You Know Your Child Best.

Actearly if you have concerns about the way your child plays, learns, speaks, acts, or moves, or if your child:

- Is missing milestones
- □ Doesn't show a wide range of emotions
- ☐ Shows extreme behavior (unusually fearful, aggressive, shy or sad)
- Unusually withdrawn and not active
- ☐ Is easily distracted, has trouble focusing on one activity for more than 5 minutes
- □ Doesn't respond to people, or responds only superficially
- Can't tell what's real and what's make-believe
- ☐ Doesn't play a variety of games and activities
- ☐ Can't give first and last name
- ☐ Doesn't use plurals or past tense properly
- □ Doesn't talk about daily activities or experiences
- Doesn't draw pictures
- Can't brush teeth, wash and dry hands, or get undressed without help
- Loses skills he oncehad

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay and ask for a developmental screening.

If you or the doctor is still concerned

- 1. Ask for a referral to a specialist and,
- 2. Call any local public elementary school for a free evaluation to find out if your child can get services to help.

For more information, go to cdc.gov/Concerned.

DON'T WAIT. Acting early can make a real difference!





www.cdc.gov/ActEarly 1-800-CDC-INFO (1-800-232-4636)







You can help your child learn and grow. Talk, read, sing, and play together every day. Below are some activities to enjoy with your 5-year-old child today.



What You Can Do for Your 5-Year-Old:

 Continue to arrange play dates, trips to the park, or play groups. Give your child more freedom to choose activities to play with friends, and let your child work out problems on her own. Your child might start to talk back or use profanity (swear words) as a way to feel independent. Do not give a lot of attention to this talk, other than a brief time out. Instead, praise your child when he asks for things nicely and calmly takes "no" for an answer. This is a good time to talk to your child about safe touch. No one should touch "private parts" except doctors or nurses during an exam or parents when they are trying to keep the child clean. Teach your child her address and phone number. When reading to your child, ask him to predict what will happen next in the story. Encourage your child to "read" by looking at the pictures and telling the story. Teach your child time concepts like morning, afternoon, evening, today, tomorrow, and yesterday. Start teaching the days of the week. 	 Explore your child's interests in your community. For example, if your child loves animals, visit the zoo or petting farm. Go to the library or look on the Internet to learn about these topics. Keep a handy box of crayons, paper, paint, child scissors, and paste. Encourage your child to draw and make art projects with different supplies. Play with toys that encourage your child to put things together. Teach your child how to pump her legs back and forth on a swing. Help your child climb on the monkey bars. Go on walks with your child, do a scavenger hunt in your neighborhood or park, help him ride a bike with training wheels (wearing a helmet).

Milestones adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann © 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics.

This milestone checklist is not a substitute for a standardized, validated developmental screening tool.





www.cdc.gov/ActEarly