

TIC DISORDER (03/22) (101512)

Category: **TEMPLATES TO RELEASE**

Scheduled appt type: _____

CC _____

HPI Age at Onset of symptoms: Duration of time since first tic onset: Vocal tic? Motor tic? Involuntary movements? Able to suppress briefly (Y/N): Made worse with stress or excitement (Y/N): History of anxiety (Y/N): History of ADHD (Y/N): Family history of tic / tic disorder (Y/N): Current medications:

freeform _____

ROS _____

Structured ROS

Pert: high stress levels	_____
Pert: fidgety or restless	_____
Pert: impulsivity	_____
Pert: trouble concentrating	_____
Pert: headache	_____
Reports: tics	_____
Pert: tremors	_____
Pert: daytime cough	_____
Pert: throat clearing	_____

Structured exam

Pert: tics or vocalizations	_____
NL: mood & affect	_____
NL: orientation to time, place & person	_____
NL: DTRs	_____
NL: cranial nerves	_____
NL: inspection (includes subcutaneous tissue): no rash	_____
NL: auscultation of heart: regular rate & rhythm, no murmur	_____
NL: auscultation of lungs: clear & equal breath sounds without rales, rhonchi or wheeze	_____
NL: oropharynx: moist mucous membranes, without pharyngeal erythema or intraoral lesions	_____

NL: pupils & irises: PERRLA	
NL: general appearance: alert, pleasant, not ill appearing, no distress	

Remaining template documentation elements

Counseling:	_____
Coordination of Care:	_____
Diagnosis:	Tic disorder, unspecified(F95.9)
Assessment:	Tic disorder meeting DSM-5 criteria.
Plan:	Discussed tics / tic disorder and the classifications (transient / chronic / not otherwise specified) Reviewed that most tic disorders are mild and short-lived, not requiring specific treatments. If applicable, reviewed current medications and their potential to exacerbate tics Discussed, if applicable, co-morbid conditions that may be contributing Discussed treatment options for tics lasting more than several months, including medications / potential side effects and behavioral interventions Discussed potential referral to mental health specialist for tics associated with additional evidence of a mental health condition, tics clearly related to stress, chronic or discomfoting tics
Patient Instructions:	

Remaining workflow elements

Procedures

Orders

