

DE Ed-Fi Suite v3.6.2, Data Standard v4.0: Calendars

June
2024

DE Ed-Fi Suite v3.6.2, Data Standard v4.0: Calendars

Table of Contents

- [Summary](#)
 - [Object Triggering Logic](#)
- [Required Resources \(Upstream\)](#)
- [Dependent Resources \(Downstream\)](#)
- [Error Log](#)
- [Object Data Elements Logic](#)
- [Appendix](#)

Summary

A set of dates associated with an organization.

Object Triggering Logic

Action	Business Rule(s)
Post	<p>A record will be posted for each Calendar / Schedule Structure combination.</p> <ul style="list-style-type: none">• Do not report a record if the any of the following exclusions are present:<ul style="list-style-type: none">○ Calendar Exclude○ School Exclude

Delete /Post	A DELETE / POST will be performed if the data element being altered is part of the resource's natural key. A PUT will be performed otherwise.
Put	<ul style="list-style-type: none"> • When the following fields on Calendar are changed: <ul style="list-style-type: none"> ○ Calendar ID (New Calendar) ○ Schedule Structure ID (New Schedule Structure) ○ Type
Delete	<ul style="list-style-type: none"> • When a calendar is deleted. • When a schedule structure is deleted.

Required Resources (Upstream)

The following resources must be sent prior to this resource:

- Schools (Pre-populated)

Dependent Resources (Downstream)

The following resources are dependent on this resource (must be sent after this resource):

- Calendar Dates
- Student School Associations

Error Log

The following are potential Tier 1 (Ed-Fi API generated) or custom (Campus generated) errors you may receive when posting, updating, or deleting this resource. Please keep in mind that the "Error Message" below may not match your exact error message.

Error Message	Possible Causes / How to Fix

Object Data Elements Logic

Data element labels below in **BOLD** are part of the natural key of this resource and are required data elements for the record to send through Ed-Fi.

- The Mandatory / Conditional / Optional column indicates what the state requires for each data element.

	Data Element Label	Business Rule(s)	Mandatory (M) Conditional (C) Optional (O)	Data Source GUI Path	Database Field	Uses Template Logic (✓ / ✗ / EXT)
1	calendarCode (string)	<p><i>The identifier for the calendar.</i></p> <hr/> <ul style="list-style-type: none"> Report the Calendar ID <ul style="list-style-type: none"> If there are multiple schedule structures associated with the calendar, report Calendar ID - Schedule Structure ID. <ul style="list-style-type: none"> Example: Calendar ID = 70, Schedule Structure ID = 80, we would report "70-80". 	M	Calendar	Calendar. calendarID ScheduleStructure. structureID	✓

2	schoolReference (reference)	<p><i>A reference to the Schools resource associated with the Calendar being reported.</i></p> <hr/> <p>Reports the fields that are part of the natural key for the Schools resource:</p> <ul style="list-style-type: none"> • educationOrganizationId = Ed-Fi School ID 	M	School Information	School.entityID	✓
3	schoolYearTypeReference (reference)	<p><i>A reference to the School Year resource associated with the Calendar being reported.</i></p> <hr/> <p>Reports the End Year the calendar is associated with.</p>	M	N/A	N/A	✓
4	calendarTypeDescriptor (string)	<p><i>Indicates the type of calendar.</i></p> <hr/> <p>Reports the Ed-Fi Code mapped to the value selected for Type.</p>	M	Calendar	Calendar.type	✓
5	gradeLevels (array)	<p><i>An unordered collection of calendarGradeLevels. Indicates the grade levels associated with the calendar.</i></p> <hr/> <ul style="list-style-type: none"> • gradeLevelDescriptor <ul style="list-style-type: none"> ○ Reports the Ed-Fi Code mapped to ALL unique grade levels of the calendar / schedule structure. ○ Does not report if the Grade Level is marked as Exclude from State Reporting. 	M	Calendar	GradeLevel.name	✓

Appendix

