

GA Ed-Fi Suite v3.6.1, Data Standard v4.0: Class Periods

GA Ed-Fi Suite v3.6.1, Data Standard v4.0: Class Periods

Table of Contents

- Summary
- Object Triggering Logic
- Required Resources (Upstream)
- Dependent Resources (Downstream)
- Error Log
- Object Data Elements Logic
- Appendix

Summary

This entity represents the designation of a regularly scheduled series of class meetings at designated times and days of the week.

Object Triggering Logic

Action	Business Rule(s)			
Post	A record will be posted for each Period Schedule / Period Name / Schedule Structure ID combination.			
	 Do not report a record if the any of the following exclusions are present: Calendar Exclude School Exclude 			

Delete /Post	A DELETE / POST will be performed if the data element being altered is part of the resource's natural key. A PUT will be performed otherwise.					
Put	 When the following information is changed on a Period Schedule: Schedule Structure ID (New Schedule Structure) Period Schedule ID (New Period Schedule) Period ID (New Period) Period Name Start Time End Time Instructional 					
Delete	 When a Period Schedule is deleted. When a Period is deleted. When a Schedule Structure is deleted. 					

Required Resources (Upstream)

The following resources must be sent prior to this resource:

Schools (Pre-populated)

Dependent Resources (Downstream)

The following resources are dependent on this resource (must be sent after this resource):

Sections

Error Log

The following are potential Tier 1 (Ed-Fi API generated) or custom (Campus generated) errors you may receive when posting, updating, or deleting this resource. Please keep in mind that the "Error Message" below may not match your exact error message.

infinitecampus.com

Error Message	Possible Causes / How to Fix				

Object Data Elements Logic

Data element labels below in **BOLD** are part of the natural key of this resource and are required data elements for the record to send through Ed-Fi.

• The Mandatory / Conditional / Optional column indicates what the state requires for each data element.

	Data Element Label	Business Rule(s)	Mandatory (M) Conditional (C) Optional (O)	Data Source GUI Path	Database Field	Uses Template Logic (② / ② / EXT)
1	classPeriodName (string)	An indication of the portion of a typical daily session in which students receive instruction in a specified subject (e.g., morning, sixth period, block period, or AB schedules). Report the Period Schedule Name + Period Name + Schedule Structure ID Reports with a space between each value.	M	Calendar	PeriodSchedule. name Period.name ScheduleStructure. structureID	•

2	schoolReference (reference)	A reference to the Schools resource associated with the Class Period being reported. Reports the fields that are part of the Natural Key for the	M	School Information	School.entityID	•
		Schools resource. • educationOrganizationId = Ed-Fi School ID				
3	meetingTimes (array)	An unordered collection of classPeriodMeetingTimes. The meeting time(s) for a class period.	M	Calendar	Period.endTime Period.startTime	•
		Reports the below data elements in an array for all Periods that have a start and end time populated: • endTime = Reports End Time. • startTime = Reports Start Time.				
4	officialAttendancePeriod (boolean)	Indicator of whether this class period is used for official daily attendance. Alternatively, official daily attendance may be tied to a section.	M	Calendar	Period. Instructional	•
		 Reports True if Instructional on period is checked Reports False if Instructional on period is not checked 				

Appendix