

# **NM Ed-Fi Suite v3.5.4, Data Standard v3.3.1-b: Student Education Organization Associations**

October  
2024

# NM Ed-Fi Suite v3.5.4, Data Standard v3.3.1-b: Student Education Organization Associations

## Table of Contents

- [Summary](#)
- [Required Resources \(Upstream\)](#)
- [Dependent Resources \(Downstream\)](#)
- [Error Log](#)
- [Object Triggering Logic](#)
- [Object Data Elements Logic](#)
- [Appendix](#)

## Summary

This association represents the school in which a student is enrolled

---

## Required Resources (Upstream)

The following resources must be sent prior to this resource:

- Students
  - Student School Associations
  - Local Education Agencies (Pre-populated)
- 

## Dependent Resources (Downstream)

The following resources are dependent on this resource (must be sent after this resource):

- Student Assessment Registrations
-

### Error Log

The following are potential Tier 1 (Ed-Fi API generated) or custom (Campus generated) errors you may receive when posting, updating, or deleting this resource. Please keep in mind that the "Error Message" below may not match your exact error message.

Error Message	Possible Causes / How to Fix

Object Triggering Logic

Action	Business Rule(s)
Post	<p>Reports a record when an enrollment is created for a person and the enrollment overlaps the configured year.</p> <ul style="list-style-type: none"> <li>• Do not report a record if the any of the following exclusions are present:                             <ul style="list-style-type: none"> <li>○ Enrollment State Exclude</li> <li>○ Enrollment No Show</li> <li>○ Enrollment Grade Exclude from State Reporting</li> <li>○ Calendar Exclude</li> <li>○ Calendar Summer School</li> <li>○ School Exclude</li> </ul> </li> <li>• If there are multiple enrollments, use the following priority list to determine which one should report:                             <ul style="list-style-type: none"> <li>○ Primary &gt; Partial &gt; SPED</li> <li>○ Latest Enrollment ID</li> </ul> </li> </ul>
Delete /Post  Put	<p>A DELETE / POST will be performed if the data element being altered is part of the resource's natural key. A PUT will be performed otherwise.</p> <ul style="list-style-type: none"> <li>• When the following information on a student's identity record is changed:                             <ul style="list-style-type: none"> <li>○ Identity ID (New Identity record)</li> <li>○ Race/Ethnicity (checkboxes)</li> <li>○ "Is the individual Hispanic/Latino?"</li> <li>○ Birth Gender</li> <li>○ Gender Identity</li> <li>○ Tribe</li> </ul> </li> <li>• When the following information on a student's household location is changed:                             <ul style="list-style-type: none"> <li>○ Household Location ID (New Household Location)</li> <li>○ Physical</li> <li>○ Mailing</li> <li>○ Private</li> </ul> </li> </ul>

- When the following information on a student's household membership is changed:
  - Household Membership ID (New Household Membership)
  - Start Date
  - End Date
  - Private
- When the following information on an address the student is associated with is changed:
  - Address ID (New Address)
  - PO Box
  - Number
  - Prefix
  - Street
  - Tag
  - Direction
  - Apt
  - County
  - City
  - State
  - Zip
- When the following information on a student's demographics page is changed:
  - Ed-Fi ID
  - Local Student Number
  - Student State ID
  - Home Primary Language
  - FF 506

- When the following information on a student's enrollment is changed:
  - Enrollment ID (New Enrollment)
  - State Exclude
  - No Show
  - Start Date
  - End Date
  - Displaced Homemaker
  - Foreign Exchange
  - Home Schooled
  - Parental Status
  - Student Expecting
  - Section 504 Indicator
  - Military Family Code
- When the following information changes on a student's English Learners (EL) record:
  - EL ID (New EL record)
  - Program Status
  - Identified Date
  - Program Exit Date
- When the following information changes on a student's Graduation tab:
  - Date First Entered the 9th Grade
  - Most Recent Student Signature Date
- When the following information changes on a student's Special Ed Documents - NM Exceptionality (state reporting) record:
  - Plan ID (New Plan record)
  - Start Date
  - End Date
  - Primary Area of Exceptionality
  - SPED Service Level
- When the following information changes on a student's Digital Equity record:
  - Digital Equity ID (New Digital Equity record)
  - Start Date
  - End Date
  - Internet Access in Residence
  - Primary Internet Access Type in Res
  - Internet Performance
  - Primary Device Access
  - Primary Digital Device
  - Primary Learning Device Provider

	<ul style="list-style-type: none"> <li>When the following information changes on a student's Screening record:             <ul style="list-style-type: none"> <li>Screening ID (New Screening)</li> <li>Dental Waiver Date</li> <li>Dental Screening Date</li> </ul> </li> </ul>
Delete	<ul style="list-style-type: none"> <li>When all reportable enrollments are deleted for the person.</li> <li>When the enrollment is excluded in some way.</li> </ul>

Object Data Elements Logic

Data element labels below in **BOLD** are part of the natural key of this resource and are required data elements for the record to send through Ed-Fi.

- The Mandatory / Conditional / Optional column indicates what the state requires for each data element.

	Data Element Label	Business Rule(s)	Mandatory (M) Conditional (C) Optional (O)	Data Source GUI Path	Database Field	Uses Template Logic  (✓ / ✗ / EXT)
1	<b>educationOrganization Reference</b> (reference)	<p><i>A reference to the Local Education Agencies resource associated with the Student Education Organization Association being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Local Education Agencies resource.</p> <ul style="list-style-type: none"> <li>educationOrganizationId = <b>District Ed-Fi Number</b></li> </ul>	M	District Information	District .entityID	✓

2	<b>studentReference</b> (reference)	<p><i>A reference to the Students resource associated with the Student Education Organization Association being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Students resource.</p>	M	N/A	N/A	✓
3	addresses (array)	<p><i>An unordered collection of studentEducation OrganizationAssociationAddresses. The set of elements that describes an address, including the street address, city, state, and ZIP code.</i></p> <hr/> <p>Reports the below data elements in an array for the most recent address marked as "Mailing" or "Physical". If an address is marked with both types, report it separately under each type. Do not report other address types. Only report the most recent primary address of "Mailing" and "Physical." Do not consider addresses marked as "Private." Most recent is determined by:</p> <ol style="list-style-type: none"> <li>1. Most Recent Household Membership Start Date             <ol style="list-style-type: none"> <li>a. NULL Start Date is considered "most recent."</li> </ol> </li> <li>2. Highest Address ID</li> </ol>	M	Household Addresses  Household Membership	HouseholdLocation .physical HouseholdLocation .mailing HouseholdMember .startDate HouseholdLocation .startDate HouseholdLocation .endDate HouseholdLocation .private Address .state Address .apt Address .city Address .zip Address .county Address .postOfficeBox Address .number Address .street Address .tag Address .prefix	✗



- addressTypeDescriptor
  - Report **Mailing** (Mailing) if the Mailing checkbox is checked.
  - Report **Physical** (Physical) if the Physical checkbox is checked.
- stateAbbreviationDescriptor
  - Reports the **State**.
- apartmentRoomSuiteNumber
  - Reports the **Apt**
- city
  - Reports the **City**
- postalCode
  - Reports the **Zip Code**
- streetNumberName
  - Reports as: **PO Box + Number + Prefix + Street + Tag + Dir**
- periods
  - beginDate
    - Reports the **Household Location Start Date**
      - If NULL, Reports the **Household Membership Start Date**.
  - endDate
    - Reports the **Household Location End Date**
      - If NULL, does not report.
- Do not report the following data elements:
  - buildingSiteNumber
  - congressionalDistrict
  - countyFIPSCode
  - doNotPublishIndicator
  - latitude
  - localeDescriptor
  - longitude
  - nameOfCounty


Address .dir

Address .municipality

4	barrierToInternet AccessIn ResidenceDescriptor ( string)	<p><i>An indication of the barrier to having internet access in the student s primary place of residence.</i></p> <hr/> <p>Report the Ed-Fi Code mapped to the value selected for <b>Internet Access in Residence</b> on the most recent Digital Equity record that overlaps the Enrollment.</p> <ul style="list-style-type: none"> <li>• If NULL or not mapped, do not report.</li> </ul>	C	Digital Equity	DigitalEquity . internetAccessInResidence	✘
5	hispanicLatino Ethnicity ( boolean)	<p><i>An indication that the individual traces his or her origin or descent to Mexico, Puerto Rico, Cuba, Central, and South America, and other Spanish cultures, regardless of race, as last reported to the education organization. The term, "Spanish origin," can be used in addition to "Hispanic or Latino."</i></p> <hr/> <ul style="list-style-type: none"> <li>• Report <b>True</b> when "Is the individual Hispanic /Latino?" is set to Yes on the current Identity record.</li> <li>• Report <b>False</b> in all other situations.</li> </ul>	M	Identity	Identity .hispanicEthnicity	✔
6	internetAccessInResidence (boolean)	<p><i>An indication of whether the student is able to access the internet in their primary place of residence.</i></p> <hr/> <ul style="list-style-type: none"> <li>• Report <b>True</b> when Internet Access in Residence is set to value Y: Yes on the most recent Digital Equity record that overlaps the Enrollment.</li> <li>• Report <b>False</b> in all other situations.</li> </ul>	M	Digital Equity	DigitalEquity . internetAccessInResidence	✘

7	internetAccess TypeIn ResidenceDescriptor (string)	<p><i>The primary type of internet service used in the student s primary place of residence.</i></p> <hr/> <p>Report the Ed-Fi Code mapped to the value selected for <b>Primary Internet Access Type in Res</b> on the most recent Digital Equity record that overlaps the Enrollment.</p> <ul style="list-style-type: none"> <li>• If NULL or not mapped, do not report.</li> </ul>	C	Digital Equity	DigitalEquity . internetAccessType	✘
8	internetPerformance InResidenceDescriptor (string)	<p><i>An indication of whether the student can complete the full range of learning activities, including video streaming and assignment upload, without interruptions caused by poor internet performance in their primary place of residence.</i></p> <hr/> <p>Report the Ed-Fi Code mapped to the value selected for <b>Internet Performance</b> on the most recent Digital Equity record that overlaps the Enrollment.</p> <ul style="list-style-type: none"> <li>• If NULL or not mapped, do not report.</li> </ul>	C	Digital Equity	DigitalEquity . internetPerformance	✘

9	languages (array)	<p><i>An unordered collection of studentEducationOrganization AssociationLanguages. The language(s) the individual uses to communicate. It is strongly recommended that entries use only ISO 639-3 language codes.</i></p> <hr/> <ul style="list-style-type: none"> <li>• languageDescriptor             <ul style="list-style-type: none"> <li>○ Home Primary Language                 <ul style="list-style-type: none"> <li>▪ Reports the Ed-Fi Code mapped to the value selected for <b>Language</b>.                     <ul style="list-style-type: none"> <li>• Reports <b>00</b> if NULL.</li> </ul> </li> </ul> </li> </ul> </li> <li>• languageUseDescriptor             <ul style="list-style-type: none"> <li>○ Reports based on the table below:                 <table border="1" data-bbox="689 660 1211 815"> <thead> <tr> <th>Campus Field</th> <th>Report As:</th> </tr> </thead> <tbody> <tr> <td>Home Primary Language</td> <td>Home language</td> </tr> </tbody> </table> </li> <li>○ Can report as multiple languageUseDescriptors if the same language is used in different fields.</li> </ul> </li> </ul>	Campus Field	Report As:	Home Primary Language	Home language	M	Demographics	<ul style="list-style-type: none"> <li>• Home Primary Language             <ul style="list-style-type: none"> <li>○ Identity . homePrimaryLanguage</li> </ul> </li> </ul>	✘
Campus Field	Report As:									
Home Primary Language	Home language									

10	limitedEnglish ProficiencyDescriptor (string)	<p><i>An indication that the student has been identified as limited English proficient by the Language Proficiency Assessment Committee (LPAC), or English proficient.</i></p> <hr/> <ul style="list-style-type: none"> <li>• Report <b>NT</b> (Not Tested) if the student's Grade is mapped to the State Grade Level Code of <i>PK</i>.</li> <li>• Report <b>0</b> (Not EL Student) when:             <ul style="list-style-type: none"> <li>○ No EL record exists.</li> <li>○ EL record exists with a status of <i>EL</i>, but the Identified Date is after the current date (future EL student).</li> </ul> </li> <li>• Report <b>1</b> (Current EL Student) if an EL record exists with a status of <i>EL</i> and the Identified Date is <b>NOT</b> after the current date.</li> <li>• Report <b>2</b> (Exited Year 1) if an EL record exists with a status of <i>Exited EL</i> and the Program Exit Date is <math>\leq</math> 1 Year from the current date.</li> <li>• Report <b>3</b> (Exited Year 2) if an EL record exists with a status of <i>Exited EL</i> and the Program Exit Date is <math>&gt;</math> 1 Year from the current date <b>AND</b> <math>\leq</math> 2 Years from the current date.</li> <li>• Report <b>4</b> (Exited Year 3) if an EL record exists with a status of <i>Exited EL</i> and the Program Exit Date is <math>&gt;</math> 2 Years from the current date <b>AND</b> <math>\leq</math> 3 Years from the current date.</li> <li>• Report <b>5</b> (Exited Year 4) if an EL record exists with a status of <i>Exited EL</i> and the Program Exit Date is <math>&gt;</math> 3 Years from the current date <b>AND</b> <math>\leq</math> 4 Years from the current date.</li> <li>• Report <b>6</b> (Exited Year 5+) if an EL record exists with a status of <i>Exited EL</i> and the Program Exit Date is <math>&gt;</math> 4 Years from the current date.</li> </ul>	M	English Learners (EL)	<p>LEP.programStatus</p> <p>LEP.identifiedDate</p> <p>LEP.exitDate</p>	
----	---	--	---	-----------------------	--	---

11	primaryLearning DeviceAccessDescriptor (string)	<p><i>An indication of whether the primary learning device is shared or not shared with another individual.</i></p> <hr/> <p>Report the Ed-Fi Code mapped to the value selected for <b>Primary Device Access</b> on the most recent Digital Equity record that overlaps the Enrollment.</p> <ul style="list-style-type: none"> <li>• If NULL or not mapped, do not report.</li> </ul>	C	Digital Equity	DigitalEquity .deviceAccess	✘
12	primaryLearning DeviceAwayFrom SchoolDescriptor (string)	<p><i>The type of device the student uses most often to complete learning activities away from school.</i></p> <hr/> <p>Report the Ed-Fi Code mapped to the value selected for <b>Primary Digital Device</b> on the most recent Digital Equity record that overlaps the Enrollment.</p> <ul style="list-style-type: none"> <li>• If NULL or not mapped, report <b>No Device</b>.</li> </ul>	M	Digital Equity	DigitalEquity .digitalDevice	✘
13	primaryLearning DeviceProvider Descriptor (string)	<p><i>The provider of the primary learning device.</i></p> <hr/> <p>Report the Ed-Fi Code mapped to the value selected for <b>Primary Learning Device Provider</b> on the most recent Digital Equity record that overlaps the Enrollment.</p> <ul style="list-style-type: none"> <li>• If NULL or not mapped, do not report.</li> </ul>	C	Digital Equity	DigitalEquity . learningDeviceProvider	✘

14	races (array)	<p><i>An unordered collection of studentEducation OrganizationAssociationRaces. The general racial category which most clearly reflects the individual's recognition of his or her community or with which the individual most identifies as last reported to the education organization. The data model allows for multiple entries so that each individual can specify all appropriate races.</i></p> <hr/> <p>Reports the below data elements in an array:</p> <ul style="list-style-type: none"> <li>• raceDescriptor             <ul style="list-style-type: none"> <li>○ Reports the Ed-Fi Code mapped to each race checkbox that is checked in the current Identity record.</li> <li>○ <table border="1" data-bbox="689 689 1211 1145"> <thead> <tr> <th>Race Checkbox</th> <th>Report As:</th> </tr> </thead> <tbody> <tr> <td>American Indian or Alaska Native</td> <td>I</td> </tr> <tr> <td>Asian</td> <td>A</td> </tr> <tr> <td>Black or African American</td> <td>B</td> </tr> <tr> <td>Native Hawaiian or Other Pacific Islander</td> <td>P</td> </tr> <tr> <td>White</td> <td>C</td> </tr> </tbody> </table> </li> </ul> </li> </ul>	Race Checkbox	Report As:	American Indian or Alaska Native	I	Asian	A	Black or African American	B	Native Hawaiian or Other Pacific Islander	P	White	C	M	Identity	Identity .raceEthnicity  RaceEthnicity .raceID	✘
Race Checkbox	Report As:																	
American Indian or Alaska Native	I																	
Asian	A																	
Black or African American	B																	
Native Hawaiian or Other Pacific Islander	P																	
White	C																	

15	sexDescriptor (string)	<p><i>The student's gender as last reported to the education organization.</i></p> <hr/> <p>Report the following based on the value selected in <b>Birth Gender</b> on the active Identity record.</p> <ul style="list-style-type: none"> <li>• Female report <b>Female</b></li> <li>• Male report <b>Male</b></li> </ul>	M	Identity	Identity .birthGender	✘						
16	studentCharacteristics (array)	<p><i>An unordered collection of studentEducationOrganization AssociationStudentCharacteristics. Reflects important characteristics of a student. If a student has a characteristic present, that characteristic is considered true or active for that student. If a characteristic is not present, no assumption is made as to the applicability of the characteristic, but local policy may dictate otherwise.</i></p> <hr/> <p>Report a <i>studentCharacteristicDescriptor</i> for <b>every area that satisfies reporting logic</b> in the table below:</p> <table border="1" data-bbox="602 970 1209 1281"> <thead> <tr> <th>Characteristic</th> <th>Logic</th> </tr> </thead> <tbody> <tr> <td><b>Displaced Homemaker</b></td> <td>Reports when the <b>Displaced Homemaker</b> checkbox is checked on Enrollment.</td> </tr> <tr> <td><b>Foreign Exchange</b></td> <td>Reports when the <b>Foreign Exchange Student</b> checkbox is checked on Enrollment.</td> </tr> </tbody> </table>	Characteristic	Logic	<b>Displaced Homemaker</b>	Reports when the <b>Displaced Homemaker</b> checkbox is checked on Enrollment.	<b>Foreign Exchange</b>	Reports when the <b>Foreign Exchange Student</b> checkbox is checked on Enrollment.	C	<p><b>Displaced Homemaker</b> Enrollment</p> <p><b>Foreign Exchange</b> Enrollment</p> <p><b>Form 506</b> Demographics</p> <p><b>Gifted</b> Special Ed Documents</p> <p><b>Home Schooled</b> Enrollment</p> <p><b>NP</b> Enrollment</p> <p><b>NS</b> Enrollment</p> <p><b>Pregnant</b> Enrollment</p>	<p><b>Displaced Homemaker</b> Enrollment .displacedHomemaker</p> <p><b>Foreign Exchange</b> EnrollmentNM .foreignExchangeStudent</p> <p><b>Form 506</b> CustomStudent .value <a href="#">CampusAttribute.name</a> = 'FF 506'</p> <p><b>Gifted</b> SEPlan .programCode (Primary Area of Exceptionality) SEPlan .amountSpedServices (SPED Service Level)</p> <p><b>Home Schooled</b> Enrollment .homeSchooled</p> <p><b>NP</b> EnrollmentNM .parentalStatus</p>	✘
Characteristic	Logic											
<b>Displaced Homemaker</b>	Reports when the <b>Displaced Homemaker</b> checkbox is checked on Enrollment.											
<b>Foreign Exchange</b>	Reports when the <b>Foreign Exchange Student</b> checkbox is checked on Enrollment.											



<b>Form 506</b>	<p>Reports when the <b>FF 506</b> checkbox is checked on Demographics.</p> <ul style="list-style-type: none"> <li>Do not report if <b>Tribe</b> on Demographics is set to <i>00: Not Applicable</i> or is NULL, regardless of if the FF 506 checkbox is checked or not.</li> </ul>
<b>Gifted</b>	<p>Reports when the student has a Plan with a print format of <i>NM Exceptionality (state reporting)</i> in Special Ed Documents that overlaps the enrollment and has a <b>Primary Area of Exceptionality</b> set to one of the following values:</p> <ul style="list-style-type: none"> <li><i>2: Disability as Primary and Gifted as Secondary</i></li> <li><i>3: Gifted Only</i></li> <li><i>4: Gifted as Primary and Disability as Secondary</i></li> </ul>
<b>Home Schooled</b>	<p>Reports when the <b>Home Schooled</b> checkbox is checked on Enrollment.</p>
<b>NP (Not a Parent)</b>	<p>Reports when the value selected for <b>Parental Status</b> is NULL, Not Mapped, or Mapped to the Ed-Fi Code <i>NP</i>.</p>

**S**  
Enrollment

**Section 504**  
Enrollment

**NS**  
EnrollmentNM .parentalStatus

**Pregnant**  
EnrollmentNM .  
studentExpecting


**S**  
EnrollmentNM .parentalStatus

**Section 504**  
Enrollment .section504

<b>NS</b> (Student is a Parent, but Not Single)	Reports when the value selected for <b>Parental Status</b> is mapped to the Ed-Fi Code <i>NS</i> .
<b>Pregnant</b>	Reports when the <b>Student Expecting</b> checkbox is checked on Enrollment.
<b>S</b> (Student is a Single Parent)	Reports when the value selected for <b>Parental Status</b> is mapped to the Ed-Fi Code <i>S</i> .
<b>Section 504</b>	Reports when the <b>Section 504 Indicator</b> checkbox is checked on Enrollment.

For the **Gifted** studentCharacteristic only, also report the following data elements:

- giftedLevelOfIntegrationDescriptor
  - Report the Ed-Fi Code mapped to the value selected for **SPED Service Level** in a Plan with a print format of *NM Exceptionality (state reporting)* in Special Ed Documents that overlaps the enrollment.

17	student IdentificationCodes (array)	<p>An unordered collection of <i>studentEducationOrganization AssociationStudent IdentificationCodes</i>. A coding scheme that is used for identification and record-keeping purposes by schools, social services, or other agencies to refer to a student.</p> <hr/> <p>Report a <i>studentIdentification SystemDescriptor</i>, <i>identificationCode</i>, and <i>assigningOrganization IdentificationCode</i> for all rows of the table below.</p> <table border="1" data-bbox="595 555 1209 922"> <thead> <tr> <th>Identification Descriptor</th> <th>Identification Code</th> <th>Assigning Org Iden. Code</th> </tr> </thead> <tbody> <tr> <td>State</td> <td>Student State ID</td> <td>"State" (Hard-Coded)</td> </tr> <tr> <td>Student Number</td> <td>Local Student Number</td> <td>Ed-Fi District Number</td> </tr> </tbody> </table>	Identification Descriptor	Identification Code	Assigning Org Iden. Code	State	Student State ID	"State" (Hard-Coded)	Student Number	Local Student Number	Ed-Fi District Number	M	Demographics    District Information	Person .additionalID  Person .stateID   District .entityID	
Identification Descriptor	Identification Code	Assigning Org Iden. Code													
State	Student State ID	"State" (Hard-Coded)													
Student Number	Local Student Number	Ed-Fi District Number													

18	tribalAffiliations (array)	<p><i>An unordered collection of studentEducationOrganization AssociationTribalAffiliations. An American Indian tribe with which the student is affiliated as last reported to the education organization.</i></p> <hr/> <p>Reports the below data elements in an array:</p> <ul style="list-style-type: none"> <li>• tribalAffiliationDescriptor             <ul style="list-style-type: none"> <li>○ Reports the Ed-Fi Code mapped to the value selected for <b>Tribe</b> in the current Identity record.</li> <li>○ If a default value is entered, report the Ed-Fi Code mapped to the default value.</li> <li>○ Do not report if NULL or not mapped.</li> </ul> </li> </ul>	M	Identity	Identity .tribe	✘
19	dentalEamination VerificationCode Descriptor (string)	<p><i>This code for the dental examination performed.</i></p> <hr/> <p>Reports based on the most recent Dental Screening that overlaps the earliest enrollment for the student. The earliest enrollment must be within the current configuration year to report this data element.</p> <ul style="list-style-type: none"> <li>• Report <b>WAIVER</b> if the Dental Waiver Date is within one year prior to the earliest enrollment start date <b>OR</b> within the same configuration year as the earliest enrollment start date.</li> <li>• Report <b>EXAM</b> if the Dental Waiver Date is NULL and Dental Screening Date is within one year prior to the earliest enrollment start date <b>OR</b> within the same configuration year as the earliest enrollment start date.</li> <li>• Do not report in all other situations.</li> </ul>	C	Enrollments Screenings	Enrollment .startDate  HealthScreeningDental .dentalWaiverDate  HealthScreeningDental .dentalDate	EXT

20	genderIdentityDescriptor (string)	<p><i>Indicates the gender the student identifies with.</i></p> <hr/> <p>Reports the Ed-Fi Code mapped to the value selected for <b>Gender Identity</b>.</p> <ul style="list-style-type: none"> <li>• This will only report if the Gender Identity value is different from the Birth Gender value.</li> </ul>	C	Identities	Identity .gender Identity .birthGender	EXT
21	militaryFamilyDescriptor (string)	<p><i>Indicator to identify the military status of the student's family</i></p> <hr/> <p>Reports the Ed-Fi Code mapped to the value selected for <b>Military Family Code</b>.</p> <ul style="list-style-type: none"> <li>• Does not report if NULL or not mapped.</li> </ul>	C	Enrollment	EnrollmentNM .militaryFamily	EXT
22	grade09Entry (date)	<p><i>This field holds the date when a student entered the ninth grade.</i></p> <hr/> <p>Reports the <b>Date First Entered the 9th Grade</b>.</p> <ul style="list-style-type: none"> <li>• Does not report if NULL.</li> </ul>	C	Graduation	Graduation .grade9Date	EXT
23	postSecondarySignedPlanDate (date)	<p><i>The postsecondary plans' most recent update and signature date.</i></p> <hr/> <p>Reports the <b>Most Recent Student Signature Date</b>.</p> <ul style="list-style-type: none"> <li>• Does not report if NULL.</li> </ul>	C	Graduation	Graduation .postSecondarySignedPlanDate	EXT
24	ancestryEthnicOrigins	This is optional, do not report.	O	N/A	N/A	N/A

25	cohortYears	This is optional, do not report.	<input type="radio"/>	N/A	N/A	N/A
26	disabilities	This is optional, do not report.	<input type="radio"/>	N/A	N/A	N/A
27	electronicMails	This is optional, do not report.	<input type="radio"/>	N/A	N/A	N/A
28	internationalAddresses	This is optional, do not report.	<input type="radio"/>	N/A	N/A	N/A
29	loginId	This is optional, do not report.	<input type="radio"/>	N/A	N/A	N/A
30	oldEthnicityDescriptor	This is optional, do not report.	<input type="radio"/>	N/A	N/A	N/A
31	profileThumbnail	This is optional, do not report.	<input type="radio"/>	N/A	N/A	N/A
32	programParticipations	This is optional, do not report.	<input type="radio"/>	N/A	N/A	N/A
33	studentIndicators	This is optional, do not report.	<input type="radio"/>	N/A	N/A	N/A
34	telephones	This is optional, do not report.	<input type="radio"/>	N/A	N/A	N/A

Appendix