

DE Ed-Fi Suite v3.6.2, Data Standard v4.0: Student Education Organization Associations

January
2025

DE Ed-Fi Suite v3.6.2, Data Standard v4.0: Student Education Organization Associations

Table of Contents

- [Summary](#)
- [Required Resources \(Upstream\)](#)
- [Dependent Resources \(Downstream\)](#)
- [Error Log](#)
- [Normal Student Education Organization Associations Record](#)
 - [Object Triggering Logic](#)
 - [Object Data Elements Logic](#)
- [Pre-K Student Education Organization Associations Record](#)
 - [Object Triggering Logic](#)
 - [Object Data Elements Logic](#)
- [Appendix](#)

Summary

This association represents the school in which a student is enrolled

Required Resources (Upstream)

The following resources must be sent prior to this resource:

- Students
 - Student School Associations
 - Local Education Agencies (Pre-populated)
-

Dependent Resources (Downstream)

The following resources are dependent on this resource (must be sent after this resource):

- Student Assessment Registrations

Error Log

The following are potential Tier 1 (Ed-Fi API generated) or custom (Campus generated) errors you may receive when posting, updating, or deleting this resource. Please keep in mind that the "Error Message" below may not match your exact error message.

Error Message	Possible Causes / How to Fix

Normal Student Education Organization Associations Record

Object Triggering Logic

Action	Business Rule(s)
Post	<p>Reports a record when an enrollment is created for a person and the enrollment overlaps the configured year OR when the student has a pre-registered enrollment.</p> <ul style="list-style-type: none"> • Pre-registered enrollments are defined as being in the immediate future (n+1) configuration year. <ul style="list-style-type: none"> ◦ E.g. If the current configuration year is 24-25, the immediate future configuration year would be 25-26. An enrollment in 25-26 should receive a SEOA record if they are reporting an SSA. • Do not report a record if the any of the following exclusions are present: <ul style="list-style-type: none"> ◦ Enrollment State Exclude ◦ Enrollment Grade Exclude from State Reporting ◦ Calendar Exclude ◦ School Exclude
Delete /Post Put	<p>A DELETE / POST will be performed if the data element being altered is part of the resource's natural key. A PUT will be performed otherwise.</p> <ul style="list-style-type: none"> • When the following information on a student's identity record is changed: <ul style="list-style-type: none"> ◦ Identity ID (New Identity record) ◦ Race/Ethnicity (checkboxes) ◦ "Is the individual Hispanic/Latino?" ◦ Legal Gender ◦ Gender • When the following information on a student's household location is changed: <ul style="list-style-type: none"> ◦ Household Location ID (New Household Location) ◦ Physical ◦ Mailing ◦ Private

- When the following information on a student's household membership is changed:
 - Household Membership ID (New Household Membership)
 - Start Date
 - End Date
 - Private
- When the following information on an address the student is associated with is changed:
 - Address ID (New Address)
 - PO Box
 - Number
 - Prefix
 - Street
 - Tag
 - Direction
 - Apt
 - County
 - City
 - State
 - Zip
 - Municipality
- When the following information on a student's demographics page is changed:
 - Student State ID
 - Native Language - Q1
 - Home Language - Q2
 - Dominant Language - Q3
 - Other Spoken Languages - Q4
 - Correspondence Language - Q5
 - Email
 - Email Private
 - Other Phone
 - Other Phone Private
 - Cell Phone
 - Cell Phone Private
 - Work Phone
 - Work Phone Private
 - Pager
 - Pager Private
 - MCI Number

- When the following information on a student's Enrollment is changed:
 - Enrollment ID (New Enrollment)
 - State Exclude
 - Start Date
 - End Date
 - Choice Basis Reason
 - Funding School
 - Accountability School
 - Resident School
- When the following information changes on a student's English Learners (EL) record:
 - EL ID (New EL record)
 - Program Status
 - Identified Date
 - Program Exit Date
- When the following information changes on a student's Graduation tab:
 - State Seal Information
 - Certificate Category
 - Assessment Title
 - Language
 - Certificate Issue Confirm (DOE Only)
- When the following information changes on a student's related party's Military Connections tab:
 - Military Connections ID (New Military Connection record)
 - Start Date
 - End Date
 - Status
- When the following information changes on a student's Special Education Summary record:
 - SPED Summary ID (New SPED Summary record)
 - Start Date
 - End Date
 - Other Calendar Programs
- When the following information changes on a student's Homeless record:
 - Homeless ID (New Homeless record)
 - Start Date
 - End Date
 - Primary Night Time Residence
 - Unaccompanied Youth

	<ul style="list-style-type: none"> • When the following information changes on a student's Foster Care record: <ul style="list-style-type: none"> ◦ Foster Care ID (New Foster Care record) ◦ Start Date ◦ End Date • When the following information changes on a student's Career & Technical Education (CTE) record: <ul style="list-style-type: none"> ◦ CTE ID (New CTE record) ◦ Start Date ◦ End Date ◦ Special Population • When the following information changes on a student's FERPA record: <ul style="list-style-type: none"> ◦ FERPA ID (New FERPA record) ◦ Start Date ◦ End Date ◦ Data Opt Out ◦ Question 1 ◦ Question 2
Delete	<ul style="list-style-type: none"> • IMPORTANT: Infinite Campus will only attempt to delete records that originated from the Infinite Campus site. These records are identified through the Identity Mapping Report. • When all reportable enrollments are deleted for the person. • When the enrollment is excluded in some way.

Object Data Elements Logic

Data element labels below in **BOLD** are part of the natural key of this resource and are required data elements for the record to send through Ed-Fi.

- The Mandatory / Conditional / Optional column indicates what the state requires for each data element.

	Data Element Label	Business Rule(s)	Mandatory (M) Conditional (C) Optional (O)	Data Source GUI Path	Database Field	Uses Template Logic (✓ / ✗ / EXT)
--	---------------------------	-------------------------	---	-----------------------------	-----------------------	---

1	educationOrganizationReference (reference)	<p><i>A reference to the Local Education Agencies resource associated with the Student Education Organization Association being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Local Education Agencies resource.</p> <ul style="list-style-type: none"> educationOrganizationId = District Ed-Fi Number 	M	District Information	District.entityID	✓
2	studentReference (reference)	<p><i>A reference to the Students resource associated with the Student Education Organization Association being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Students resource.</p>	M	N/A	N/A	✓
3	addresses (array)	<p><i>An unordered collection of studentEducationOrganizationAssociationAddresses. The set of elements that describes an address, including the street address, city, state, and ZIP code.</i></p> <hr/> <p>Reports the below data elements in an array for the address marked as "Mailing" or "Physical". If an address is marked with both types, report them separately under each type. Do not report other address types.</p> <ul style="list-style-type: none"> addressTypeDescriptor <ul style="list-style-type: none"> Report M (Mailing) if the Mailing checkbox is checked. Report P (Physical) if the Physical checkbox is checked. stateAbbreviationDescriptor <ul style="list-style-type: none"> Reports the Ed-Fi Code mapped to the value being reported for State. 	M	Household Addresses Household Membership	HouseholdLocation .physical HouseholdLocation .mailing HouseholdMember .startDate HouseholdLocation .startDate HouseholdLocation .private Address .state Address .apt Address .city Address .zip Address .county	✗

		<ul style="list-style-type: none"> • apartmentRoomSuiteNumber <ul style="list-style-type: none"> ◦ Reports the Apt • city <ul style="list-style-type: none"> ◦ Reports the City • postalCode <ul style="list-style-type: none"> ◦ Reports the Zip Code • nameOfCounty <ul style="list-style-type: none"> ◦ Reports the County • streetNumberName <ul style="list-style-type: none"> ◦ Reports as: PO Box + Number + Street + Tag + Prefix + Dir • doNotPublishIndicator <ul style="list-style-type: none"> ◦ Reports True if checked Private. ◦ Reports False in all other situations. • localeDescriptor <ul style="list-style-type: none"> ◦ Report Wilmington if the Municipality field is exactly "Wilmington" ◦ Do not report in all other situations. • Do not report the following data elements: <ul style="list-style-type: none"> ◦ buildingSiteNumber ◦ congressionalDistrict ◦ countyFIPSCode ◦ latitude ◦ longitude ◦ complex ◦ development ◦ periods <ul style="list-style-type: none"> ▪ beginDate ▪ endDate 			<p>Address .postOfficeBox</p> <p>Address .number</p> <p>Address .street</p> <p>Address .tag</p> <p>Address .prefix</p> <p>Address .dir</p> <p>Address .municipality</p>
--	--	---	--	--	---

4	electronicMails (array)	<p><i>An unordered collection of studentEducationOrganization AssociationElectronicMails. The numbers, letters, and symbols used to identify an electronic mail (e-mail) user within the network to which the individual or organization belongs.</i></p> <hr/> <p>Reports the following data elements in an array for only the Primary Email:</p> <ul style="list-style-type: none"> • electronicMailTypeDescriptor <ul style="list-style-type: none"> ◦ Reports Home/Personal (Hard-Coded). • electronicMailAddress <ul style="list-style-type: none"> ◦ Reports the Email Address being reported. • doNotPublishIndicator <ul style="list-style-type: none"> ◦ Reports True if checked Private. ◦ Reports False in all other situations. • Does not report the following data elements: <ul style="list-style-type: none"> ◦ primaryEmailAddressIndicator 	M	Demographics	Contact .email	✘
5	hispanicLatino Ethnicity (boolean)	<p><i>An indication that the individual traces his or her origin or descent to Mexico, Puerto Rico, Cuba, Central, and South America, and other Spanish cultures, regardless of race, as last reported to the education organization. The term, "Spanish origin," can be used in addition to "Hispanic or Latino."</i></p> <hr/> <ul style="list-style-type: none"> • Report True when "Is the individual Hispanic /Latino?" is set to Yes on the current Identity record. • Report False in all other situations. 	M	Identity	Identity .hispanicEthnicity	✔

6	languages (array)	<p><i>An unordered collection of studentEducationOrganization AssociationLanguages. The language(s) the individual uses to communicate. It is strongly recommended that entries use only ISO 639-3 language codes.</i></p> <ul style="list-style-type: none"> languageDescriptor <ul style="list-style-type: none"> Reports the Ed-Fi Code mapped to the value selected for Language. languageUseDescriptor <ul style="list-style-type: none"> Reports based on the table below: <table border="1" data-bbox="689 568 1254 1023"> <thead> <tr> <th>Campus Field</th> <th>Report As:</th> </tr> </thead> <tbody> <tr> <td>Native Language - Q1</td> <td>Native language</td> </tr> <tr> <td>Home Language - Q2</td> <td>Home language</td> </tr> <tr> <td>Dominant Language - Q3</td> <td>Dominant language</td> </tr> <tr> <td>Other Spoken Languages - Q4</td> <td>Spoken language</td> </tr> <tr> <td>Correspondence Language - Q5</td> <td>Correspondence language</td> </tr> </tbody> </table> Can report as multiple languageUseDescriptors if the same language is used in different fields. 	Campus Field	Report As:	Native Language - Q1	Native language	Home Language - Q2	Home language	Dominant Language - Q3	Dominant language	Other Spoken Languages - Q4	Spoken language	Correspondence Language - Q5	Correspondence language	M	Demographics	<ul style="list-style-type: none"> Q1 <ul style="list-style-type: none"> Identity .languageAlt3 Q2 <ul style="list-style-type: none"> Identity .homePrimaryLanguage Q3 <ul style="list-style-type: none"> Identity .languageAlt Q4 <ul style="list-style-type: none"> CustomLanguage .value Q5 <ul style="list-style-type: none"> Identity .languageAlt4 	✘
Campus Field	Report As:																	
Native Language - Q1	Native language																	
Home Language - Q2	Home language																	
Dominant Language - Q3	Dominant language																	
Other Spoken Languages - Q4	Spoken language																	
Correspondence Language - Q5	Correspondence language																	

7	limitedEnglish ProficiencyDescriptor (string)	<p><i>An indication that the student has been identified as limited English proficient by the Language Proficiency Assessment Committee (LPAC), or English proficient.</i></p> <hr/> <ul style="list-style-type: none"> • Report Y if the student has a status of "EL." • Report Y if the student has a status of "Exited EL" with an Exit Date in the current configuration year. • Report N in all other situations. 	M	English Learners (EL)	LEP .programStatus LEP .exitDate	
8	programParticipations (array)	<p><i>An unordered collection of studentEducationOrganization AssociationProgramParticipations. Key programs the student is participating in or receives services from.</i></p> <hr/> <p>Reports the below data elements in an array from the most recent SPED Summary tab record that overlaps the config year:</p> <ul style="list-style-type: none"> • programTypeDescriptor <ul style="list-style-type: none"> ◦ Reports Special Education (Hard-Coded). • programCharacteristics <ul style="list-style-type: none"> ◦ programCharacteristicDescriptor <ul style="list-style-type: none"> ▪ Reports the Ed-Fi Code mapped to the value selected for Other Calendar Programs. • The following data elements are not reported: <ul style="list-style-type: none"> ◦ beginDate ◦ designatedBy ◦ endDate 	M	Special Education Summary	SpecialEDState . otherCalendarPrograms	

9	races (array)	<p><i>An unordered collection of studentEducation OrganizationAssociationRaces. The general racial category which most clearly reflects the individual's recognition of his or her community or with which the individual most identifies as last reported to the education organization. The data model allows for multiple entries so that each individual can specify all appropriate races.</i></p> <hr/> <p>Reports the below data elements in an array:</p> <ul style="list-style-type: none"> • raceDescriptor <ul style="list-style-type: none"> ○ Reports the Ed-Fi Code mapped to each race checkbox that is checked in the current Identity record. ○ <table border="1" data-bbox="689 689 1254 1145"> <thead> <tr> <th>Race Checkbox</th> <th>Report As:</th> </tr> </thead> <tbody> <tr> <td>American Indian or Alaska Native</td> <td>1</td> </tr> <tr> <td>Asian</td> <td>6</td> </tr> <tr> <td>Black or African American</td> <td>2</td> </tr> <tr> <td>Native Hawaiian or Other Pacific Islander</td> <td>7</td> </tr> <tr> <td>White</td> <td>5</td> </tr> </tbody> </table> 	Race Checkbox	Report As:	American Indian or Alaska Native	1	Asian	6	Black or African American	2	Native Hawaiian or Other Pacific Islander	7	White	5	M	Identity	Identity .raceEthnicity RaceEthnicity .raceID	✖
Race Checkbox	Report As:																	
American Indian or Alaska Native	1																	
Asian	6																	
Black or African American	2																	
Native Hawaiian or Other Pacific Islander	7																	
White	5																	

10	sexDescriptor (string)	<p><i>The student's gender as last reported to the education organization.</i></p> <hr/> <p>Report the following based on the value selected in Legal Gender on the active Identity record. If Legal Gender is NULL, use Gender.</p> <ul style="list-style-type: none"> • Female report Female • Male report Male • All other values, report Not Selected <ul style="list-style-type: none"> ◦ This is not a valid value at the state-level and is used as a "catch-all" for errors related to the sexDescriptor. 	M	Identity	<p>Identity .legalGender</p> <p>Identity .gender</p>	✘				
11	studentCharacteristics (array)	<p><i>An unordered collection of studentEducationOrganization AssociationStudentCharacteristics. Reflects important characteristics of a student. If a student has a characteristic present, that characteristic is considered true or active for that student. If a characteristic is not present, no assumption is made as to the applicability of the characteristic, but local policy may dictate otherwise.</i></p> <hr/> <p>Report a <i>studentCharacteristicDescriptor</i> for every area that satisfies reporting logic in the table below:</p> <table border="1" data-bbox="602 1098 1254 1283"> <thead> <tr> <th>Characteristic</th> <th>Logic</th> </tr> </thead> <tbody> <tr> <td>Homeless</td> <td>Reports when the student has a Homeless record that overlaps the configuration year.</td> </tr> </tbody> </table>	Characteristic	Logic	Homeless	Reports when the student has a Homeless record that overlaps the configuration year.	C	<p>Homeless: Homeless</p> <p>Foster Care: Foster Care</p> <p>Displaced Homemaker: Career & Technical Education (CTE)</p> <p>Single Parent: Career & Technical Education (CTE)</p> <p>Unaccompanied Youth: Homeless</p>	<p>Homeless: Homeless . primaryNightTimeResidence Homeless .startDate Homeless.endDate</p> <p>Foster Care: FosterCare.startDate FosterCare.endDate</p> <p>Displaced Homemaker: CareerTechnicalEducation . specialPopulation CareerTechnicalEducation . startDate CareerTechnicalEducation . endDate</p>	✘
Characteristic	Logic									
Homeless	Reports when the student has a Homeless record that overlaps the configuration year.									

Foster Care	<p>Reports when the student has a Foster Care record that overlaps the configuration year.</p> <ul style="list-style-type: none"> The <i>periods</i> array will also report for Foster Care. It will report the Start Date and End Date of all Foster Care records that overlap the configuration year.
Displaced Homemaker	<p>Reports when the student has a Career & Technical Education (CTE) record that overlaps the configuration year where Special Population contains "03: Displaced Homemaker."</p>
Single Parent	<p>Reports when the student has a Career & Technical Education (CTE) record that overlaps the configuration year where Special Population contains "02: Single Parent."</p>
Unaccompanied Youth	<p>Reports when the student has a Homeless record that overlaps the configuration year where Unaccompanied Youth is set to "Yes."</p>
Active/Retired /Reserves (State)	<p>Reports when a related person to the student has a Military Connections record where the Status is Active Duty/Recently Retired/Reserves/Disabled Veteran/Killed in Action (State).</p>

Active/Retired /Reserves (State):
Military Connections

Active Duty (Federal):
Military Connections

Single Parent:
CareerTechnicalEducation .specialPopulation
CareerTechnicalEducation .startDate
CareerTechnicalEducation .endDate

Unaccompanied Youth:
Homeless .unaccompaniedYouth
Homeless .startDate
Homeless .endDate

Active/Retired/Reserves (State):
ImpactAidEmployment .startDate
ImpactAidEmployment .endDate
ImpactAidEmployment .status

Active Duty (Federal):
ImpactAidEmployment .startDate
ImpactAidEmployment .endDate
ImpactAidEmployment .status


		<table border="1"> <tr> <td>Active Duty (Federal)</td> <td>Reports when a related person to the student has a Military Connections record where the Status is Active Duty (Federal).</td> </tr> </table>	Active Duty (Federal)	Reports when a related person to the student has a Military Connections record where the Status is Active Duty (Federal).								
Active Duty (Federal)	Reports when a related person to the student has a Military Connections record where the Status is Active Duty (Federal).											
12	student IdentificationCodes (array)	<p>An unordered collection of studentEducationOrganization AssociationStudentIdentificationCodes. A coding scheme that is used for identification and record-keeping purposes by schools, social services, or other agencies to refer to a student.</p> <hr/> <p>Report a studentIdentification SystemDescriptor and identificationCode for all rows of the table below. The assigningOrganization IdentificationCode will always report as the Ed-Fi District Number:</p> <table border="1"> <thead> <tr> <th>Identification Descriptor</th> <th>Identification Code</th> </tr> </thead> <tbody> <tr> <td>MCI</td> <td>MCI Number</td> </tr> <tr> <td>State Report Id</td> <td>Student State ID</td> </tr> </tbody> </table>	Identification Descriptor	Identification Code	MCI	MCI Number	State Report Id	Student State ID	M	Demographics District Information	Person.additionalID Person.stateID District.entityID	
Identification Descriptor	Identification Code											
MCI	MCI Number											
State Report Id	Student State ID											
13	studentIndicators (array)	<p>An unordered collection of studentEducationOrganization AssociationStudentIndicators. An indicator or metric computed for the student (e.g., at risk).</p> <hr/> <p>Report an indicatorName, indicatorGroup, and indicator for all rows of the table below. All data elements not mentioned do not report.:</p> <table border="1"> <thead> <tr> <th>indicator Name</th> <th>indicator Group</th> <th>indicator Logic</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>	indicator Name	indicator Group	indicator Logic				M	Transportation Eligible: Transportation Choice Student: Enrollment Funding Building: Enrollment Resident Building: Enrollment	Transportation Eligible: TransportationStudentDetail . value Choice Student: Enrollment . choiceBasisReason Funding Building: EnrollmentDE. fundingSchool Resident Building: Enrollment. residentSchool	
indicator Name	indicator Group	indicator Logic										

Transportation Eligible	Does not report.	<ul style="list-style-type: none"> • Report Y if the student has a Transportation Eligibility record that overlaps the configured year and has Transportation Eligible checked. • Report N in all other situations.
Choice Student	Does not report.	<ul style="list-style-type: none"> • Report Y if the student has a value entered for Choice Basis Reason. • Report N in all other situations.

Accountability Building:
Enrollment

Accountability Building:
EnrollmentDE.
accountabilitySchool

Funding Building	Responsibility Building	<p>Report the Code of the value selected for Funding School.</p> <ul style="list-style-type: none"> • Report the Ed-Fi School ID associated with the Enrollment if NULL.
Resident Building	Responsibility Building	<p>Report the Code of the value selected for Resident School.</p> <ul style="list-style-type: none"> • Report the Ed-Fi School ID associated with the Enrollment if NULL.

		<table border="1"> <tr> <td>Accountability Building</td> <td>Responsibility Building</td> <td> <p>Report the Code of the value selected for Accountability School.</p> <ul style="list-style-type: none"> Report the Ed-Fi School ID associated with the Enrollment if NULL. </td> </tr> </table>	Accountability Building	Responsibility Building	<p>Report the Code of the value selected for Accountability School.</p> <ul style="list-style-type: none"> Report the Ed-Fi School ID associated with the Enrollment if NULL. 				
Accountability Building	Responsibility Building	<p>Report the Code of the value selected for Accountability School.</p> <ul style="list-style-type: none"> Report the Ed-Fi School ID associated with the Enrollment if NULL. 							
14	telephones (array)	<p><i>An unordered collection of studentEducationOrganization AssociationTelephones. The 10-digit telephone number, including the area code, for the person.</i></p> <hr/> <p>Reports the below data elements in an array for all telephones entered:</p> <ul style="list-style-type: none"> telephoneNumberTypeDescriptor <ul style="list-style-type: none"> Reports Cell (Hard-Coded) for Cell Phone. Reports Home (Hard-Coded) for Other Phone. Reports Work (Hard-Coded) for Work Phone. Reports Pager (Hard-Coded) for Pager. telephoneNumber <ul style="list-style-type: none"> Reports the Telephone Number. doNotPublishIndicator <ul style="list-style-type: none"> Reports True if Private is checked. Reports False in all other situations. Does not report the following data elements: <ul style="list-style-type: none"> orderOfPriority textMessageCapabilityIndicator 	M	Demographics	<p>Contact .cellPhone</p> <p>Contact .homePhone</p> <p>Contact .workPhone</p> <p>Contact .pager</p> <p>Contact .cellPhonePrivate</p> <p>Contact .homePhonePrivate</p> <p>Contact .workPhonePrivate</p> <p>Contact .pagerPrivate</p>				

15	ferpaOpt OutDescriptor (string)	<p><i>Indicates code for opting out of the FERPA privacy.</i></p> <hr/> <ul style="list-style-type: none"> • Report in the following priority order: <ul style="list-style-type: none"> ○ Report B (Both) if Question 1 and Question 2 have values of Yes. ○ Report D (Directory Only) if Question 1 has a value of Yes. ○ Report M (Military Only) if Question 2 has a value of Yes. • Do not report in all other situations. 	C	FERPA	FERPA .directoryQuestion FERPA .militaryQuestion	EXT
16	ferpaAddress (boolean)	<p><i>Indicates the FERPA privacy flag for student's address.</i></p> <hr/> <ul style="list-style-type: none"> • Report True if Data Opt Out has code <i>01: Address</i> selected. • Report False in all other situations. 	M	FERPA	FERPAValue .dataOptOut	EXT
17	ferpaName (boolean)	<p><i>Indicates the FERPA privacy flag for student's name.</i></p> <hr/> <ul style="list-style-type: none"> • Report True if Data Opt Out has code <i>02: Name</i> selected. • Report False in all other situations. 	M	FERPA	FERPAValue .dataOptOut	EXT

18	ferpaPhone (<i>boolean</i>)	<p><i>Indicates the FERPA privacy flag for student's phone number.</i></p> <hr/> <ul style="list-style-type: none"> • Report True if Data Opt Out has code <i>03: Phone</i> selected. • Report False in all other situations. 	M	FERPA	FERPAValue .dataOptOut	EXT
19	ferpaPhoto (<i>boolean</i>)	<p><i>Indicates the FERPA privacy flag for student's photo.</i></p> <hr/> <ul style="list-style-type: none"> • Report True if Data Opt Out has code <i>04: Photo</i> selected. • Report False in all other situations. 	M	FERPA	FERPAValue .dataOptOut	EXT

20	multiliteracies (array)	<p>An unordered collection of studentEducationOrganization AssociationMultiliteracies. Indicates if the student received a multiliteracy award.</p> <hr/> <ul style="list-style-type: none"> • certificateCategoryDescriptor <ul style="list-style-type: none"> ◦ Reports the Ed-Fi Code mapped to the value selected for Certificate Category. • languageDescriptor <ul style="list-style-type: none"> ◦ Reports the Ed-Fi Code mapped to the value selected for Language. • assessmentTitle <ul style="list-style-type: none"> ◦ Reports the Name of the code selected for Assessment Title. • certificateIssueConfirm <ul style="list-style-type: none"> ◦ Reports True if Certificate Issue Confirm (DOE Only) is checked. ◦ Reports False in all other situations. 	C	Graduation	GraduationSeal .stateSeal GraduationSeal .language GraduationSeal .assessmentTitle GraduationSeal .certificationIssueConfirm	EXT
21	priorIds (array)	<p>An unordered collection of studentEducationOrganization AssociationPriorIds. A unique prior alphanumeric code assigned to a student.</p> <hr/> <p>Reports the following data elements in an array:</p> <ul style="list-style-type: none"> • priorId <ul style="list-style-type: none"> ◦ Reports all prior IDs the student had for the Student State ID field. 	C	ID History	StateIDHistory .stateID (WHERE active = '0')	EXT
22	ancestryEthnic Origins	This is optional, do not report.	O	N/A	N/A	N/A
23	barrierToInternet AccessIn ResidenceDescriptor	This is optional, do not report.	O	N/A	N/A	N/A

24	cohortYears	This is optional, do not report.	O	N/A	N/A	N/A
25	disabilities	This is optional, do not report.	O	N/A	N/A	N/A
26	internationalAddresses	This is optional, do not report.	O	N/A	N/A	N/A
27	internetAccessInResidence	This is optional, do not report.	O	N/A	N/A	N/A
28	internetAccess TypeIn ResidenceDescriptor	This is optional, do not report.	O	N/A	N/A	N/A
29	internetPerformance InResidenceDescriptor	This is optional, do not report.	O	N/A	N/A	N/A
30	loginId	This is optional, do not report.	O	N/A	N/A	N/A
31	oldEthnicityDescriptor	This is optional, do not report.	O	N/A	N/A	N/A
32	primaryLearning DeviceAccessDescriptor	This is optional, do not report.	O	N/A	N/A	N/A
33	primaryLearning DeviceAwayFrom SchoolDescriptor	This is optional, do not report.	O	N/A	N/A	N/A
34	primaryLearning DeviceProvider Descriptor	This is optional, do not report.	O	N/A	N/A	N/A
35	profileThumbnail	This is optional, do not report.	O	N/A	N/A	N/A
36	tribalAffiliations	This is optional, do not report.	O	N/A	N/A	N/A

Pre-K Student Education Organization Associations Record

Object Triggering Logic

Action	Business Rule(s)
Post	<p>Reports a record when an enrollment is created for a person AND the enrollment overlaps the configured year or the immediate future year (pre-registered enrollment) AND the grade level on the enrollment is mapped to an Ed-Fi Code of KN (Kindergarten) or PK (Pre-K).</p> <ul style="list-style-type: none"> • Pre-registered enrollments are defined as being in the immediate future (n+1) configuration year. <ul style="list-style-type: none"> ◦ E.g. If the current configuration year is 24-25, the immediate future configuration year would be 25-26. An enrollment in 25-26 should receive a SEOA record if they are reporting an SSA. • Do not report a record if the any of the following exclusions are present: <ul style="list-style-type: none"> ◦ Enrollment State Exclude ◦ Enrollment Grade Exclude from State Reporting ◦ Calendar Exclude ◦ School Exclude ◦ Licensed Childcare is NULL on the Early Learning record ◦ Year PreK Attended is NULL on the Early Learning record

<p>Delete /Post</p> <p>Put</p>	<p>A DELETE / POST will be performed if the data element being altered is part of the resource's natural key. A PUT will be performed otherwise.</p> <ul style="list-style-type: none"> • When the following information on a student's identity record is changed: <ul style="list-style-type: none"> ○ Identity ID (New Identity record) ○ Legal Gender ○ Gender • When the following information on a student's demographics page is changed: <ul style="list-style-type: none"> ○ Student State ID • When the following information on a student's enrollment is changed: <ul style="list-style-type: none"> ○ Enrollment ID (New Enrollment) ○ State Exclude ○ Start Date ○ End Date ○ Grade Level • When the following information changes on a student's Early Learning record: <ul style="list-style-type: none"> ○ Early Learning ID (New Early Learning record) ○ Licensed Childcare ○ Year PreK Attended
<p>Delete</p>	<ul style="list-style-type: none"> • IMPORTANT: Infinite Campus will only attempt to delete records that originated from the Infinite Campus site. These records are identified through the Identity Mapping Report. • When all reportable enrollments are deleted for the person. • When the enrollment is excluded in some way.

Object Data Elements Logic

Data element labels below in **BOLD** are part of the natural key of this resource and are required data elements for the record to send through Ed-Fi.

- The Mandatory / Conditional / Optional column indicates what the state requires for each data element.

	Data Element Label	Business Rule(s)	Mandatory (M) Conditional (C) Optional (O)	Data Source GUI Path	Database Field	Uses Template Logic (✓ / ✗ / EXT)
--	--------------------	------------------	--	----------------------------	----------------	--

1	<p>educationOrganizationReference (<i>reference</i>)</p>	<p><i>A reference to the Community Providers/Community Organizations resource associated with the Student Education Organization Association being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Community Providers/Community Organizations resource.</p> <ul style="list-style-type: none"> • educationOrganizationId <ul style="list-style-type: none"> ○ Report in the format of 100000000. Use the ID of the code selected in Licensed Childcare and replace the ending digits of the format with the code. If the selected code is negative, report a negative number. ○ Examples: <ul style="list-style-type: none"> ▪ Licensed Childcare code selected is -51. We would report -1000000051. ▪ Licensed Childcare code selected is 27922. We would report 1000027922. 	M	Early Learning	EarlyLearning.location	✘
---	---	---	---	----------------	------------------------	---

2	studentReference (<i>reference</i>)	<p><i>A reference to the Students resource associated with the Student Education Organization Association being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Students resource.</p>	M	N/A	N/A	✔
3	sexDescriptor (<i>string</i>)	<p><i>The student's gender as last reported to the education organization.</i></p> <hr/> <p>Report the following based on the value selected in Legal Gender on the active Identity record. If Legal Gender is NULL, use Gender.</p> <ul style="list-style-type: none"> • Female report F • Male report M • All other values, report Not Selected <ul style="list-style-type: none"> ○ This is not a valid value at the state-level and is used as a "catch-all" for errors related to the sexDescriptor. 	M	Identity	Identity. legalGender Identity.gender	✘

4	schoolYearTypeReference (reference)	<i>A reference to the School Years resource associated with the Student Education Organization Association being reported.</i> Report the year entered into Year PreK Attended .	M	Early Learning	EarlyLearning.yrPreKAttended	EXT
5	addresses	This is optional, do not report.	O	N/A	N/A	N/A
6	ancestryEthnicOrigins	This is optional, do not report.	O	N/A	N/A	N/A
7	barrierToInternetAccessInResidenceDescriptor	This is optional, do not report.	O	N/A	N/A	N/A
8	cohortYears	This is optional, do not report.	O	N/A	N/A	N/A
9	disabilities	This is optional, do not report.	O	N/A	N/A	N/A
10	electronicMails	This is optional, do not report.	O	N/A	N/A	N/A
11	hispanicLatinoEthnicity	This is optional, do not report.	O	N/A	N/A	N/A
12	internationalAddresses	This is optional, do not report.	O	N/A	N/A	N/A
13	internetAccessInResidence	This is optional, do not report.	O	N/A	N/A	N/A
14	internetAccessTypeInResidenceDescriptor	This is optional, do not report.	O	N/A	N/A	N/A
15	internetPerformanceInResidenceDescriptor	This is optional, do not report.	O	N/A	N/A	N/A
16	languages	This is optional, do not report.	O	N/A	N/A	N/A
17	limitedEnglishProficiencyDescriptor	This is optional, do not report.	O	N/A	N/A	N/A
18	loginId	This is optional, do not report.	O	N/A	N/A	N/A
19	oldEthnicityDescriptor	This is optional, do not report.	O	N/A	N/A	N/A

20	primaryLearningDeviceAccessDescriptor	This is optional, do not report.	O	N/A	N/A	N/A
21	primaryLearningDeviceAwayFromSchoolDescriptor	This is optional, do not report.	O	N/A	N/A	N/A
22	primaryLearningDeviceProviderDescriptor	This is optional, do not report.	O	N/A	N/A	N/A
23	profileThumbnail	This is optional, do not report.	O	N/A	N/A	N/A
24	programParticipations	This is optional, do not report.	O	N/A	N/A	N/A
25	races	This is optional, do not report.	O	N/A	N/A	N/A
26	studentCharacteristics	This is optional, do not report.	O	N/A	N/A	N/A
27	studentIdentificationCodes	This is optional, do not report.	O	N/A	N/A	N/A
28	studentIndicators	This is optional, do not report.	O	N/A	N/A	N/A
29	telephones	This is optional, do not report.	O	N/A	N/A	N/A
30	tribalAffiliations	This is optional, do not report.	O	N/A	N/A	N/A
31	ferpaOptOutDescriptor	This is optional, do not report.	O	N/A	N/A	N/A
32	ferpaAddress	This is optional, do not report.	O	N/A	N/A	N/A
33	ferpaName	This is optional, do not report.	O	N/A	N/A	N/A
34	ferpaPhone	This is optional, do not report.	O	N/A	N/A	N/A
35	ferpaPhoto	This is optional, do not report.	O	N/A	N/A	N/A
36	multiliteracies	This is optional, do not report.	O	N/A	N/A	N/A
37	priorIds	This is optional, do not report.	O	N/A	N/A	N/A

Appendix

