

DE Ed-Fi Suite v3.6.2, Data Standard v4.0: Parents

February
2025

DE Ed-Fi Suite v3.6.2, Data Standard v4.0: Parents

Table of Contents

- [Summary](#)
- [Object Triggering Logic](#)
- [Required Resources \(Upstream\)](#)
- [Dependent Resources \(Downstream\)](#)
- [Error Log](#)
- [Object Data Elements Logic](#)
- [Appendix](#)

Summary

This entity represents a parent or guardian of a student, such as mother, father, or caretaker.

Object Triggering Logic

Action	Business Rule(s)
Post	<p>Reports a record when at least one related person is a student.</p> <ul style="list-style-type: none"> • Do not report a record if the any of the following exclusions are present: <ul style="list-style-type: none"> ◦ Relationship Start Date must be on or before 07/01/EndYear ◦ Relationship End Date must be on or after 06/30/StartYear ◦ Enrollment State Exclude - All related students must be excluded ◦ Enrollment Grade Exclude from State Reporting - All related students must be excluded ◦ Private Relationship • If a relationship is started anytime within a school year, the record will be reported for that year. • If the student is a guardian of themselves (emancipated), then report the student as both the Parent (Contact) and the Student. • Delaware does NOT provide Ed-Fi IDs to parents/contacts. The Contact Ed-Fi ID will be generated as District ID-Person ID if it is NULL when the Parents (Contacts) record is sent.
	A DELETE / POST will be performed if the data element being altered is part of the resource's natural key. A PUT will be performed otherwise.

Delete
/Post

Put

- When the parent's address information changes on any of the following fields:
 - Apt
 - City
 - County
 - Dir
 - Number
 - Prefix
 - State
 - Street
 - Tag
 - Zip
 - Municipality
- When a parent's contact information changes on any of the following fields:
 - Cell Phone
 - Cell Phone Private
 - Email
 - Email Private
 - Home Phone
 - Home Phone Private
 - Pager
 - Pager Private
 - Work Phone
 - Work Phone Private
 - Other Phone
 - Other Phone Private
- When a parent's household location information changes on any of the following fields:
 - End Date
 - Private
 - Start Date
 - Physical
 - Mailing
- When a parent's household membership information changes on any of the following fields:
 - End Date
 - Private
 - Start Date

	<ul style="list-style-type: none"> • When a parent's identity information changes on any of the following fields: <ul style="list-style-type: none"> ○ First Name ○ Last Name ○ Middle Name ○ Suffix ○ Legal First Name ○ Legal Last Name ○ Legal Middle Name ○ Legal Suffix • When a parent's Related Pair information changes on any of the following fields: <ul style="list-style-type: none"> ○ End Date ○ Guardian ○ Person ID #1 ○ Person ID #2 ○ Start Date ○ Private
Delete	<ul style="list-style-type: none"> • Parent (Contact) records are a shared resource among all districts, this record will not delete.

Required Resources (Upstream)

The following resources must be sent prior to this resource:

- N/A
-

Dependent Resources (Downstream)

The following resources are dependent on this resource (must be sent after this resource):

- Student Parent Associations
-

Error Log

The following are potential Tier 1 (Ed-Fi API generated) or custom (Campus generated) errors you may receive when posting, updating, or deleting this resource. Please keep in mind that the "Error Message" below may not match your exact error message.

Error Message	Possible Causes / How to Fix

Object Data Elements Logic

Data element labels below in **BOLD** are part of the natural key of this resource and are required data elements for the record to send through Ed-Fi.

- The Mandatory / Conditional / Optional column indicates what the state requires for each data element.

	Data Element Label	Business Rule(s)	Mandatory (M) Conditional (C) Optional (O)	Data Source GUI Path	Database Field	Uses Template Logic (✓ / ✗ / EXT)
1	parentUniqueid (<i>string</i>)	<p><i>A unique alphanumeric code assigned to a parent.</i></p> <hr/> <p>Reports the Contact Ed-Fi ID.</p> <ul style="list-style-type: none"> If the Contact Ed-Fi ID is NULL when the Parent/Contacts record is attempting to report, a Contact Ed-Fi ID of State District Number-Person ID is generated, used for the record reporting, and placed in the Contact Ed-Fi ID field. 	M	Demographics	Person.edFiID	✗
2	addresses (<i>array</i>)	<p><i>An unordered collection of parentAddresses. Parent's address, if different from the student address.</i></p> <hr/>	M	Household Addresses Household Membership Address Information	HouseholdLocation.mailing HouseholdMember.startDate HouseholdLocation.startDate	✗

Reports the below data element in an array for the address marked as "Mailing" and/or "Physical." If an address is marked as both types, it is reported twice (once under "Mailing" and once under "Physical"). Do not report any address that is not marked as "Mailing" and/or "Physical."

- addressTypeDescriptor
 - Report **Mailing** if the Mailing checkbox is checked.
 - Report **Physical** if the Physical checkbox is checked.
- stateAbbreviationDescriptor
 - Reports the Ed-Fi Code mapped to the value entered in **State**.
- apartmentRoomSuiteNumber
 - Report the **Apt**.
- city
 - Report the **City**.
- postalCode
 - Report the **Zip Code**.
- streetNumberName
 - Report as: **PO Box + Number + Street + Tag + Prefix + Dir**.
- doNotPublishIndicator
 - Report **True** if the Private checkbox is checked.
 - Report **False** in all other situations.
- localeDescriptor
 - Report **Wilmington** if the Municipality field is exactly "Wilmington"
 - Do not report in all other situations.

Address.state
 Address.apt
 Address.city
 Address.zip
 Address.postOfficeBox
 Address.number
 Address.street
 Address.tag
 Address.prefix
 Address.dir
 Address.municipality

		<ul style="list-style-type: none"> Do not report the following data elements: <ul style="list-style-type: none"> localeDescriptor buildingSiteNumber congressionalDistrict countyFIPSCode latitude longitude complex development periods <ul style="list-style-type: none"> beginDate endDate 				
3	electronicMails (array)	<p><i>An unordered collection of parentElectronicMails. The numbers, letters, and symbols used to identify an electronic mail (e-mail) user within the network to which the individual or organization belongs.</i></p> <hr/> <p>Reports the following data elements in an array:</p> <ul style="list-style-type: none"> electronicMailTypeDescriptor <ul style="list-style-type: none"> Reports Home/Personal (Hard-Coded). electronicMailAddress <ul style="list-style-type: none"> Reports the Email Address being reported. doNotPublishIndicator <ul style="list-style-type: none"> Reports True if Private is checked. Reports False in all other situations. 	C	Demographics	Contact.email Contact.secondaryEmail Contact.emailPrivate Contact.secondaryEmailPrivate	✘

4	firstName (<i>string</i>)	<p><i>A name given to an individual at birth, baptism, or during another naming ceremony, or through legal change.</i></p> <hr/> <p>Report the Legal First Name from the current Identity record.</p> <ul style="list-style-type: none"> • If NULL, report First Name instead. 	M	Identities	<p>Identity.legalFirstName</p> <p>Identity.firstName</p>	✘
5	generationCodeSuffix (<i>string</i>)	<p><i>An appendage, if any, used to denote an individual's generation in his family (e.g., Jr., Sr., III).</i></p> <hr/> <p>Report the Legal Suffix from the current Identity record.</p> <ul style="list-style-type: none"> • If NULL, report Suffix instead. 	C	Identities	<p>Identity.legalSuffix</p> <p>Identity.suffix</p>	✘
6	lastSurname (<i>string</i>)	<p><i>The name borne in common by members of a family.</i></p> <hr/> <p>Report the Legal Last Name from the current Identity record.</p> <ul style="list-style-type: none"> • If NULL, report Last Name instead. 	M	Identities	<p>Identity.legalLastName</p> <p>Identity.lastName</p>	✘

7	middleName (string)	<p><i>A secondary name given to an individual at birth, baptism, or during another naming ceremony.</i></p> <hr/> <p>Report the Legal Middle Name from the current Identity record.</p> <ul style="list-style-type: none"> • If NULL, report Middle Name instead. 	C	Identities	Identity.legalMiddleName Identity.middleName	✘
8	telephones (array)	<p><i>An unordered collection of parentTelephones. The 10-digit telephone number, including the area code, for the person.</i></p> <hr/> <p>Reports the below data elements in an array for all telephones entered:</p> <ul style="list-style-type: none"> • telephoneNumberTypeDescriptor <ul style="list-style-type: none"> ◦ Reports Cell (Hard-Coded) for Cell Phone. ◦ Reports Home (Hard-Coded) for Other Phone. ◦ Reports Work (Hard-Coded) for Work Phone. ◦ Reports Pager (Hard-Coded) for Pager. • telephoneNumber <ul style="list-style-type: none"> ◦ Reports the Telephone Number. • doNotPublishIndicator <ul style="list-style-type: none"> ◦ Reports True if Private is checked. ◦ Reports False in all other situations. 	C	Demographics	Contact.cellPhone Contact.homePhone Contact.workPhone Contact.pager Contact.cellPhonePrivate Contact.homePhonePrivate Contact.workPhonePrivate Contact.pagerPrivate	✘
9	personReference	This is optional, does not report.	O	N/A	N/A	N/A

10	highestCompletedLevelOfEducationDescriptor	This is optional, does not report.	<input type="radio"/>	N/A	N/A	N/A
11	internationalAddresses	This is optional, does not report.	<input type="radio"/>	N/A	N/A	N/A
12	languages	This is optional, does not report.	<input type="radio"/>	N/A	N/A	N/A
13	loginId	This is optional, does not report.	<input type="radio"/>	N/A	N/A	N/A
14	maidenName	This is optional, does not report.	<input type="radio"/>	N/A	N/A	N/A
15	otherNames	This is optional, does not report.	<input type="radio"/>	N/A	N/A	N/A
16	personalIdentificationDocuments	This is optional, does not report.	<input type="radio"/>	N/A	N/A	N/A
17	personalTitlePrefix	This is optional, does not report.	<input type="radio"/>	N/A	N/A	N/A
18	sexDescriptor	This is optional, does not report.	<input type="radio"/>	N/A	N/A	N/A

Appendix