KS Ed-Fi Suite v3.6.2, Data Standard v4.0: Calendars

# KS Ed-Fi Suite v3.6.2, Data Standard v4.0: Calendars

#### **Table of Contents**

- Summary
- Object Triggering Logic
- Required Resources (Upstream)
- Dependent Resources (Downstream)
- Error Log
- Object Data Elements Logic
- Appendix

#### Summary

A set of dates associated with an organization.

## **Object Triggering Logic**

Action	Business Rule(s)					
Post	A record will be posted for each Calendar / Schedule Structure combination					
	<ul> <li>When a new Calendar and Schedule Structure is created and saved via the Calendar Wizard</li> <li>When a new Schedule Structure in an existing Calendar is created and saved</li> </ul>					
	Do not report a record if the any of the following exclusions are present:					
	<ul> <li>Calendar Exclude</li> <li>School Exclude</li> </ul>					

Put	<ul> <li>When fields that are not part of the natural key are changed</li> <li>Type</li> <li>Grade Levels</li> </ul>
Delete/Post	Delete if a 2nd Schedule Structure is added after 1st Calendar is sent
Delete	When a calendar and/or schedule structure is deleted

### Required Resources (Upstream)

The following resources must be sent prior to this resource:

• Schools (Pre-populated)

### Dependent Resources (Downstream)

The following resources are dependent on this resource (must be sent after this resource):

- Calendar Dates
- Student School Associations

### **Error Log**

The following are potential Tier 1 (Ed-Fi API generated) or custom (Campus generated) errors you may receive when posting, updating, or deleting this resource. Please keep in mind that the "Error Message" below may not match your exact error message.

Error Message	Possible Causes / How to Fix				

# Object Data Elements Logic

Data element labels below in **BOLD** are part of the natural key of this resource and are required data elements for the record to send through Ed-Fi.

• The Mandatory / Conditional / Optional column indicates what the state requires for each data element.

1	Data Element Label	Business Rule(s)	Mandatory (M) Conditional (C) Optional (O)	Data Source GUI Path	Database Field	Uses Template Logic  (② / ② / EXT)
2	calendarCode (string)	Report the Calendar ID  If there are multiple schedule structures associated with the calendar, report Calendar ID - Schedule Structure ID.  Example: Calendar ID = 70, Schedule Structure ID = 80, reports "70-80".	M	Calendar	Calendar . calendarID  ScheduleStructure .structureID	•
3	schoolReference (reference)	A reference to the Schools resource associated with the Calendar being reported.  Reports the fields that are part of the natural key for the Schools resource:  • educationOrganizationId = Ed-Fi School ID		N/A	N/A	•

4	schoolYearTypeReference (reference)	A reference to the related School Year resource  Reports the <b>End Year</b> the Calendar is associated with	N/A	N/A	<b>⊘</b>
5	calendarTypeDescriptor (string)	1. Reports the Ed-Fi Code mapped to the value selected for <b>Type</b> in the Calendar Resource Preferences  • If the Type is not selected on the Calendar or not mapped, report hard coded value of: uri://ed-fi.org/CalendarTypeDescriptor#Student Specific	Calendar	calendar.type	
6	gradeLevels / gradelevelDescriptor (array / string)	An unordered collection of calendarGradeLevels. Indicates the grade levels associated with the calendar.  Report all unique Grade Levels for the Calendar /Schedule Structure that are mapped to an Ed-Fi Grade Level  Do not report if the Grade Level is in a Calendar marked as Exclude  If a grade level is not mapped, do not report	Grade Level	gradeLevel.name	•



CAMPUS SIS CORE PRODUCT - KS ED-FI SUITE V3.6.2, DATA STANDARD V4.0: CALENDARS

Appendix