

DE Ed-Fi Suite v3.6.2, Data Standard v4.0: Student Discipline Incident Non Offender Associations

April
2025

DE Ed-Fi Suite v3.6.2, Data Standard v4.0: Student Discipline Incident Non Offender Associations

Table of Contents

- [Summary](#)
- [Object Triggering Logic](#)
- [Required Resources \(Upstream\)](#)
- [Dependent Resources \(Downstream\)](#)
- [Error Log](#)
- [Object Data Elements Logic](#)
- [Appendix](#)

Summary

This association indicates those students who were involved and not perpetrators for a discipline incident.

Object Triggering Logic

Action	Business Rule(s)
Post	<p>Reports a record when a student is associated to an event on a behavior incident that is marked as "Complete" AND has a Role mapped to the Ed-Fi Code of <i>V: Victim</i> or <i>W: Witness</i>.</p> <ul style="list-style-type: none">• Do not report a record if the any of the following exclusions are present:<ul style="list-style-type: none">◦ Enrollment State Exclude◦ Enrollment Grade Exclude from State Reporting◦ Calendar Exclude◦ School Exclude• Local event behavior codes must be mapped to a State Event Code in Behavior > Admin > Event Types > State Event Code (Mapping). The State Event Code must be mapped to an Ed-Fi Code in Resource Preferences.

Delete /Post Put	<p>A DELETE / POST will be performed if the data element being altered is part of the resource's natural key. A PUT will be performed otherwise.</p> <ul style="list-style-type: none"> When the following information changes on the Event: <ul style="list-style-type: none"> Event ID (New Event) Event Type Student Participant(s) When the following information changes on Enrollment: <ul style="list-style-type: none"> State Exclude
Delete	<ul style="list-style-type: none"> When an incident's status is changed to a value that is not "Completed." When the associated student's enrollment is deleted. When the incident is deleted. When the associated event on the incident is deleted.

Required Resources (Upstream)

The following resources must be sent prior to this resource:

- Discipline Incidents
- Students
- Student School Associations

Dependent Resources (Downstream)

The following resources are dependent on this resource (must be sent after this resource):

- N/A

Error Log

The following are potential Tier 1 (Ed-Fi API generated) or custom (Campus generated) errors you may receive when posting, updating, or deleting this resource. Please keep in mind that the "Error Message" below may not match your exact error message.

Error Message	Possible Causes / How to Fix

Object Data Elements Logic

Data element labels below in **BOLD** are part of the natural key of this resource and are required data elements for the record to send through Ed-Fi.

- The Mandatory / Conditional / Optional column indicates what the state requires for each data element.

	Data Element Label	Business Rule(s)	Mandatory (M) Conditional (C) Optional (O)	Data Source GUI Path	Database Field	Uses Template Logic (✓ / ✗ / EXT)
1	disciplineIncidentReference (reference)	<p><i>A reference to the Discipline Incident associated with the Student Discipline Incident Non Offender Association being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Discipline Incidents resource.</p>	M	N/A	N/A	✓

2	studentReference (reference)	<p><i>A reference to the Students associated with the Student Discipline Incident Non Offender Association being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Students resource.</p>	M	N/A	N/A	✓
3	disciplineIncidentParticipationCodes (array)	<p><i>An unordered collection of studentDiscipline IncidentNon OffenderAssociation DisciplineIncident ParticipationCodes. The role or type of participation of a student in a discipline incident.</i></p> <hr/> <ul style="list-style-type: none"> disciplineIncidentParticipationCodeDescriptor <ul style="list-style-type: none"> Reports the Ed-Fi Code mapped to the Role selected for the student. If the student has multiple Roles for the same behaviorDescriptor on the same Discipline Incident, each unique role will report. 	M	Behavior	BehaviorRole. role	✓

Appendix