

MN Ed-Fi Suite v3.5.2, Data Standard v3.3.0-a: Calendars

June
2025

MN Ed-Fi Suite v3.5.2, Data Standard v3.3.0-a: Calendars

Table of Contents

- [Summary](#)
- [Object Triggering Logic](#)
- [Required Resources \(Upstream\)](#)
- [Dependent Resources \(Downstream\)](#)
- [Error Log](#)
- [Object Data Elements Logic](#)
- [Appendix](#)

Summary

A set of dates associated with an organization.

Object Triggering Logic

Action	Business Rule(s)
Post	<p>Reports a record when a Calendar/Schedule Structure/Grade Level combination is created and saved.</p> <ul style="list-style-type: none">• A record is only reported for Calendars in the same School Year as the Ed-Fi Connection sending the record.<ul style="list-style-type: none">◦ School Year dates are defined in School Year Setup.<ul style="list-style-type: none">▪ If Start Date is NULL, 07/01/StartYear will be used.▪ If End Date is NULL, 06/30/EndYear will be used.• Do not report a record if the any of the following exclusions are present:<ul style="list-style-type: none">◦ Calendar Exclude◦ Grade Level Exclude from State Reporting◦ School Exclude◦ Calendar is mapped to a different Calendar in the Resource Preferences of the Calendars resource - Calendar Override Mapping Tool

Delete /Post	A DELETE / POST will be performed if the data element being altered is part of the resource's natural key. A PUT will be performed otherwise.
Put	<ul style="list-style-type: none"> • When any of the following information is changed on Calendar Information: <ul style="list-style-type: none"> ◦ Calendar ID (New Calendar) ◦ Type ◦ Student Day ◦ Exclude • When any of the following information is changed on Calendar Grade Level Setup: <ul style="list-style-type: none"> ◦ Grade Level ID (New Grade Level) ◦ Name ◦ Standard Day ◦ Instructional Days Override ◦ Kindergarten Schedule • When any of the following information is changed on Schedule Structures: <ul style="list-style-type: none"> ◦ Schedule Structure ID (New Schedule Structure) • When any of the following information is changed on Day Setup: <ul style="list-style-type: none"> ◦ Day ID (New Day) ◦ Instruction • Changes to Resource Preferences mappings do NOT trigger. A manual resync must be performed on the resource if mappings are changed.
Delete	<ul style="list-style-type: none"> • When a Calendar is deleted. • When a Schedule Structure is deleted. • When a Grade Level is deleted. • When the Calendar is now excluded in some way. • When a record is in the Ed-Fi Identity Mapping Report but cannot be found on the Campus site.

Required Resources (Upstream)

The following resources must be sent prior to this resource:

- Schools

Dependent Resources (Downstream)

The following resources are dependent on this resource (must be sent after this resource):

- Student School Associations

Error Log

The following are potential Tier 1 (Ed-Fi API generated) or custom (Campus generated) errors you may receive when posting, updating, or deleting this resource. Please keep in mind that the "Error Message" below may not match your exact error message.

Error Message	Possible Causes / How to Fix
400: Validation of ' RESOURCE ' failed. FIELD is required.	An element of the JSON that is required is missing and needs to be added. <ul style="list-style-type: none">• Double check that all bolded data elements below are reporting a valid value and no data elements below are reporting an invalid value.
400: ' RESOURCE ' failed. RESOURCE reference could not be resolved.	A resource that was referenced from a difference resource does not yet exist. <ul style="list-style-type: none">• Resync the resource being mentioned in the error, then resync the errored resource. Alternatively, the resource being referenced may be incorrect. This can happen with Schools and the Ed-Fi School ID being used as an example. Double check the referenced values being sent are valid.

<p>403: Authorization denied. The claim does not have any established relationships with the requested resource.</p>	<p>The key/secret being used does not have permission to send a record for the resource / referenced resource.</p> <ul style="list-style-type: none"> • Double check your API credentials (key/secret). Sometimes specific keys/secrets cannot report specific resources. • The referenced person (student, staff, parent, contact, etc.) has not yet been associated to the key /secret. Resync their "linking" resource (Students Student School Associations, Staffs Staff Education Organization Assignment Associations, etc.) then resync the errored resource. • The referenced person (student, staff, parent, contact, etc.) may not exist in the ODS yet. Resync the "person" resource and the "linking" resource (Students Student School Associations, Staffs Staff Education Organization Assignment Associations, etc.) then resync the errored resource.
<p>404: Failed to delete 'RESOURCE'. Record does not exist.</p>	<p>The attempt to delete a specific Ed-Fi record ID in the ODS failed because it did not exist.</p> <ul style="list-style-type: none"> • This error can be ignored. The ID was cleared from the Ed-Fi Identity Mapping Report and will not attempt to delete again.
<p>409: A natural key conflict occurred when attempting to create a new resource 'RESOURCE' with a duplicate key.</p>	<p>The Ed-Fi API has a natural key system alongside a standard REST ID system. This error is often protecting against the erroneous creation of a duplicate record in the API. However, it may also indicate that the natural key requirements of the Ed-Fi API have not been satisfied, and the key needs to be modified.</p> <ul style="list-style-type: none"> • Check for duplicate data in your Campus site. If no duplicate data can be found, report the issue to Campus Support. <ul style="list-style-type: none"> ◦ This can be caused by numerous issues. Our code may be attempting to send duplicate records when it should not. The natural key (bolded fields below) may not be unique enough to satisfy Ed-Fi requirements in all cases. Most times this error will require a code change to fix.
<p>409: The resource (or a subordinate entity of the resource) cannot be deleted because it is a dependency of the 'RESOURCE' entity.</p>	<p>The resource that the application is attempting to delete is referenced from another entity.</p> <ul style="list-style-type: none"> • Use the Delete Tool to delete the referenced resource in the error message. Then retry the delete on the original resource that errored.

500: Internal Server Error.	<p>Something unexpected happened and no specific error message could be returned.</p> <ul style="list-style-type: none"> • This issue usually occurs when the ODS is having issues. Confirm that there are no issues with the ODS the data is being sent to and then attempt to retry the errored record. • Contact Campus Support if 500 errors continue to occur, can be replicated consistently, and the ODS the data is being sent to has no ongoing issues. <ul style="list-style-type: none"> ◦ There is a chance that Campus Ed-Fi code is sending an invalid JSON request resulting in the 500 error. ◦ There is a chance that an Ed-Fi Data Standard / API bug is causing the issue. ◦ Investigation is needed in these cases as there are many different potential causes.
-----------------------------	--

Object Data Elements Logic

Data element labels below in **BOLD** are part of the natural key of this resource and are required data elements for the record to send through Ed-Fi.

- The Mandatory / Conditional / Optional column indicates what the state requires for each data element. For Core Ed-Fi connections, it indicates what the data standard requires for each data element.

	Data Element Label	Business Rule(s)	Mandatory (M) Conditional (C) Optional (O)	Data Source GUI Path	Database Field	Uses Template Logic (✓ / ✗ / EXT)
1	calendarCode (string)	<p><i>The identifier for the calendar.</i></p> <hr/> <p>Report the Calendar ID</p> <ul style="list-style-type: none"> If there are multiple schedule structures associated with the calendar, report Calendar ID - Schedule Structure ID - Grade Level Name. <ul style="list-style-type: none"> Example: Calendar ID = 70, Schedule Structure ID = 80, Grade Level Name = 9, we would report "70-80-9". 	M	Calendar Information Schedule Structure Setup Grade Level Setup	Calendar .calendarID ScheduleStructure . structureID GradeLevel .name	✗
2	schoolReference (reference)	<p><i>A reference to the Schools resource associated with the Calendar being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Schools resource.</p>	M	N/A	N/A	✓

3	schoolYearTypeReference (reference)	<p><i>A reference to the School Year associated with the Calendar being reported.</i></p> <hr/> <p>Reports the End Year the calendar is associated with.</p>	M	Calendar Information	Calendar .endYear	✓
4	calendarTypeDescriptor (string)	<p><i>Indicates the type of calendar.</i></p> <hr/> <p>Reports the Ed-Fi Code mapped to the value selected for Type.</p> <ul style="list-style-type: none"> This mapping can be found in the Resource Preferences of the Ed-Fi Connection under the Calendars resource. 	M	Calendar Information	Calendar .type	✓

5	gradeLevels (array)	<p><i>An unordered collection of calendarGradeLevels. Indicates the grade level associated with the calendar.</i></p> <hr/> <p>Reports the following data elements in an array:</p> <ul style="list-style-type: none"> gradeLevelDescriptor <ul style="list-style-type: none"> Reports the Ed-Fi Code mapped to the value selected for each unique Grade Level associated with the Schedule Structure. <ul style="list-style-type: none"> This mapping can be found in the Resource Preferences of the Ed-Fi Connection under the Grade Levels resource. A maximum of one grade level should report per Calendar in Minnesota. 	C	Grade Level Setup	GradeLevel .name	✓
6	kindergartenScheduleDescriptor (string)	<p><i>Kindergarten Schedule.</i></p> <hr/> <p>Reports the Ed-Fi Code mapped to the value selected for Kindergarten Schedule.</p> <ul style="list-style-type: none"> Does not report if the Kindergarten Schedule is NULL or not mapped to an Ed-Fi Code. This mapping can be found in the Resource Preferences of the Ed-Fi Connection under the Calendars resource. 	O	Grade Level Setup	GradeLevel . kindergartenCode	EXT

7	instructionalDays (<i>number</i>)	<p><i>The total number of Instructional days during the current school year.</i></p> <hr/> <ul style="list-style-type: none"> • Reports the Instructional Days Override of the associated Grade Level. <ul style="list-style-type: none"> ◦ If Instructional Days Override is NULL, counts the number of Days in the Calendar with Instruction checked. 	O	Grade Level Setup Day Setup	GradeLevel . maxMembershipDays Day .instruction	EXT
8	lengthOfDay (<i>number</i>)	<p><i>Length of Day.</i></p> <hr/> <p>Report the Grade Level Standard Day.</p> <ul style="list-style-type: none"> • When Grade Level Standard Day is NULL, report the Calendar Student Day. • Does not report when both fields are NULL. 	O	Calendar Information Grade Level Setup	Calendar . studentDay GradeLevel . standardDay	EXT

Appendix