

SchoolInfo - OK

July
2025

SchoolInfo - OK

Table of Contents

- [Summary](#)
- [Batch Condition](#)
- [Object Triggering Logic](#)
- [Object Population and Business Rules](#)
- [Object Data Elements Logic](#)
- [JSON Sample](#)
- [Appendix](#)

Summary

SchoolInfo: This object contains information about the school.

SIF_Events are reported for this object.

v3.6 - <http://specification.sifassociation.org/Implementation/NA/4.3/StudentInformationSystemsWorkingGroup.html#31615SchoolInfo>

Batch Condition

1. Existing SIF_Condition elements to support:
 - a. @RefId
-

Object Triggering Logic

Action	Business Rule(s)
Add	<p>When a new School is created and gets its first calendar in the zone scope</p> <p>OR school Number or State School Number Changes</p> <ul style="list-style-type: none">• Do not send if the Exclude from SIF Exchange checkbox on all calendars in the zone scope is checked• Do not send if the general Exclude checkbox is checked• Do not send if the SchoolInfo Object is checked off in Object Rights
Change	<p>Any reported field/s on System Administration> Resources > School > School Detail is changed and saved</p> <p>Any change to School History (SchoolAttribute)</p> <p>When Grade Levels in the school are modified</p>
Delete	<p>The reporting school is deleted</p> <p>When all the calendars for that school is deleted in the zone scope</p>

Object Population and Business Rules

#	Requirement
R1	The SIF Configuration must have access rights assigned to SchoolInfo The school must have an action calendar in the SIF Zone Year that does not have "Exclude from SIF Exchange" or "Exclude" - Checked

Object Data Elements Logic

	Data Element Label	Business Rule(s)	M/ C/ O	Data Source GUI Path	Database Field	Uses Localized Logic (✓ / ✗ / EXT)
1	@RefId	<i>The GUID that identifies this school.</i> <hr/> Generated by Infinite Campus.	M		school.schoolId	
2	LocalId	<i>The locally-assigned identifier for this school.</i> <hr/>	O		school.schoolId	
3	StateProvinceId	<i>The state-assigned identifier for this school.</i> <hr/> When "Standard Code (SIF StatePrId" NOT = Null, reports School.standardCode. Otherwise, reports from "State School Number"	O	System Administration > Resources > School > School Detail > Standard Code (SIF StatePrId), State School Number	school. standardCode school.number	
4	StateProvinceIdSystem	<i>Optional do not report</i>				
5	NCESId	<i>The NCES-assigned identifier for this school.</i> <hr/> Reports the NCES School Number	O	System Administration > Resources > School > School Detail > NCES School Number	district. ncesDistrictID school. ncesSchoolID	✓

6	SchoolName	<i>Name of school.</i> Reports the School Name	M	System Administration > Resources > School > School Detail > School Name	school.name	
7	LEAInfoRefId	<i>The Id (GUID) that references the school district of which this school is a member.</i> Reports the District Id	O		school.districtId	
8	OtherLEA	<i>Optional do not report</i>	O			
9	SchoolType	<i>An indication of the level of the educational institution.</i> 1. When the SIF Dictionary Mapping value exists in 2.7 for the code selected in School Level: a. Reports the 2.7 Value mapped to the code selected 2. When the SIF Dictionary Mapping value in 2.7 IS NULL for the code selected in School Level: a. Reports this element as null: <SchoolType/> 3. Otherwise, reports "Regular". (unable to be tested)	O	> Resources > School > School Detail > School level	School.schoolLevel	✓
10	SchoolFocusList	<i>Optional do not report</i>	O			
11	SchoolURL	<i>URL for the school.</i> Reports the URL	O	System Administration > Resources > School > School Detail > URL	school.url	

12	PrincipallInfo (List)	Information about the school's principal.	O			
13	PrincipallInfo/ ContactName	The name of the principal. <hr/> Reports the Principal Name	M	System Administration > Resources > School > School Detail > Principal Name	school.principalName	
14	PrincipallInfo/ ContactTitle	The principal's title. <hr/> Reports the Principal Title	O	System Administration > Resources > School > School Detail > Principal Title	school.principalTitle	
15	SchoolContactList (List)	A list of contact persons associated with a school.	O			
16	SchoolContactList/ SchoolContact (List)	Information on contact persons for this school.	MR			
17	SchoolContactList/ SchoolContact/ PublishInDirectory	Indicates whether or not this school contact's information should be published in a directory of school information. <hr/> Reports "Yes".	O			
18	SchoolContactList/ SchoolContact/ ContactInfo (List)	Common element used to supply information for a contact person at a school, LEA, or other institution.	M			
19	SchoolContactList/ SchoolContact/ ContactInfo/ Name	The name of the contact person. Note that Name is redefined here to allow for LastName and FirstName to be omitted if they cannot be provided; when omitted, FullName must have a value.	M			

20	SchoolContactList/ SchoolContact/ ContactInfo/ Name/ @Type	<i>Code that specifies what type of name this is.</i> <hr/> Name Type="FullName"	M			
21	SchoolContactList/ SchoolContact/ ContactInfo/ Name/ LastName	<i>The last name.</i> <hr/> Reports the Last name	M	System Administration > Resources > School> Principal Name	School. principalName, parse from LEFT	
22	SchoolContactList/ SchoolContact/ ContactInfo/ Name/ FirstName	<i>The first name.</i> <hr/> Reports the First name	M	System Administration > Resources > School> Principal Name	School. principalName, parse from RIGHT	
23	SchoolContactList/ SchoolContact/ ContactInfo/ Name/ FullName	<i>The full name.</i> <hr/> Reports the Full Name	O	System Administration > Resources > School> Principal Name	School. principalName	
24	SchoolContactList/ SchoolContact/ ContactInfo/ PositionTitle	<i>The contact person's position title.</i> <hr/> Reports the Principal Title	O	System Administration > Resources > School> Principal Title	School. principalTitle	
25	SchoolContactList/ SchoolContact/ ContactInfo/ EmailList (List)	<i>List of Email elements.</i> <hr/>	O			
26	SchoolContactList/ SchoolContact/ ContactInfo/ EmailList/ @Type	<i>This attribute specifies the type of e-mail address.</i> <hr/> Type="Work"	M			

27	SchoolContactList/ SchoolContact/ ContactInfo/ EmailList/ Email (string)	<i>This element represents an e-mail address of one of a number of types and occurs in objects such as StudentPersonal, StaffPersonal, StudentContact, etc.</i> Reports that Principal Email	MR	System Administration > Resources > School> Principal Email	School.principalEmail	
28	SchoolContactList/ SchoolContact/ ContactInfo/ PhoneNumberList (List)	<i>Lists phone numbers associated with an entity.</i>	O			
29	SchoolContactList/ SchoolContact/ ContactInfo/ PhoneNumberList/ PhoneNumber	<i>This element represents a phone number and occurs within objects such as StudentPersonal, StaffPersonal, etc.</i>	MR			
30	SchoolContactList/ SchoolContact/ ContactInfo/ PhoneNumberList/ PhoneNumber/ @Type	<i>Code that specifies what type of phone number this is.</i> Reports Type "Work", when School Phone Number populated Reports Type "Fax", when School Fax Number populated	M	System Administration > Resources > School>	School.phone School.fax	
31	SchoolContactList/ SchoolContact/ ContactInfo/ PhoneNumberList/ PhoneNumber/ Number	<i>Phone number.</i> When System Administration > Resources > School > School Phone Number NOT = Null When System Administration > Resources > School > School Fax Number NOT = Null	M		School.phone School.fax	
32	AddressList (List)	<i>The school's addresses.</i>	MR			
33	AddressList/ Address	<i>This element contains address data.</i>	M			

34	AddressList/ Address/ @Type	<p><i>Code that defines the location of the address.</i></p> <p>ceds: https://ceds.ed.gov/element/000010</p> <hr/> <p>When Address NOT = Null, Type="Mailing"</p> <p>When Physical Address NOT = NULL, Type="Physical"</p> <p>When Other Home NOT = NULL, Type="OffCampus" (Other Home/Off Campus used when the Mailing address is a PO Box)</p>	M			
35	AddressList/ Address/ Street (List)	<p><i>The street element is a complex element and breaks the street down into several parts.</i></p> <hr/>	M			
36	AddressList/Address/Street/Line1	<p><i>Address line 1.</i></p> <hr/> <p>Reports the Physical Address</p>	M	System Administration > Resources > School>Physical Address	School.address School. physicalAddress	
37	AddressList/ Address/ City	<p><i>The city part of the address.</i></p> <hr/> <p>Reports the Physical City</p>	M	System Administration > Resources > School>Physical City	School.city School. PhysicalCity	
38	AddressList/ Address/ StateProvince	<p><i>The state or province code.</i></p> <hr/> <p>Reports the Physical State</p>	M	System Administration > Resources > School>Physical State	School.state School. physicalState	
39	AddressList/ Address/ Country	<p><i>The country code.</i></p> <hr/> <p>Reports "US"</p>	M			

40	AddressList/ Address/ PostalCode	<i>The ZIP/postal code.</i> <hr/> Reports the Physical Zip	M	System Administration > Resources > School>Physical Zip	School.zip School. physicalzip	
41	PhoneNumberList (<i>List</i>)	<i>The school's phone numbers.</i> <hr/> When School Phone Number NOT = Null, reports the PhoneNumberList	M			
42	PhoneNumberList/ PhoneNumber	<i>This element represents a phone number and occurs within objects such as StudentPersonal, StaffPersonal, etc.</i>	MR			
43	PhoneNumberList/ PhoneNumber/ @Type	<i>Code that specifies what type of phone number this is. Note: A subset of valid values may be specified in data objects.</i> <hr/> Type="Work"	M			
44	PhoneNumberList/ PhoneNumber/ Number	<i>Phone number.</i> <hr/> Reports the phone number	M	System Administration > Resources > School> Phone	School.phone	
45	IdentificationInfoList	<i>This is Optional. Does not Report.</i>				

46	SessionType	<p><i>Code that specifies the session type.</i></p> <hr/> <p>Reports the session type if the value is populated</p> <p>FullSchoolYear Interession LongSession MiniTerm Quarter Quinmester Semester SummerTerm Trimester TwelveMonth Other</p>	O	System Administration > Resources > School> Session Type	School. sessionType	
47	GradeLevels (List)	<i>Collection of grade levels offered in this school.</i>	O			✓
48	GradeLevels/ GradeLevel	<i>Grade or academic level.</i>	MR			✓
49	GradeLevels/ GradeLevel/ Code	<p><i>Code representing the grade level.</i></p> <p><i>ceds: https://ceds.ed.gov/element/000100</i></p> <hr/> <p>1. Reports one instance of <GradeLevel> and <Code> per unique value in (System Admin > Calendar > Calendar > Grade Levels > Grade Level Detail > Standard Code (SIF code)) from among the calendars tied to the school.</p> <p>Reports the gradelevels active in the Zone Year.</p>	M	<p>System Administration > Resources > Grade Level Definitions</p> <p>System Administration > Calendar > Calendar > Grade Levels</p>	<p>GradeLevel. standardCode</p> <p>GradeLevel. name</p>	✓
50	GradeLevels/ GradeLevel/ OtherCodeList/ OtherCode		M			✓

1. Reports the following when Kindergarten Schedule is not null:

a. Kindergarten Schedule Selection	Reported Other Code
E3F	PK3 Full Day
E3H	PK3 Half Day
E4F	PK Full Day
E4H	PK Half Day
KGF	KG Full Day
KGH	KG Half Day

2. When Kindergarten Schedule = null, reports based on the State Grade Level Code:


a. State Grade Level Code Selection	Reported Other Code
IT	IT
PR	PK3 Full Day
PK3F	PK3 Full Day
PK3H	PK3 Half Day
PK4F	PK Full Day
PK4H	PK Half Day
TK	TK Transition KG

KG	KG Full Day
KG/H	KG Half Day
01	01
02	02
03	03
04	04
05	05
06	06
07	07
08	08
09	09
10	10
11	11
12	12
13	13 Alternate Diploma
AE	AE
UG	UG

3. When none of the above apply, reports "Other"

51	Title1Status	<p><i>Status of the school's Title I eligibility. Certain schools are designated under appropriate state and federal regulations as being eligible for participation in programs authorized by Title I of Public Law 103-382.</i></p> <p>ceds: https://ceds.ed.gov/element/000284</p> <hr/> <ol style="list-style-type: none"> 1. Reports TGELGBNOPROG when: <ol style="list-style-type: none"> a. Title 1 = Targeted Assistance Eligible - No Program 2. Reports TGELGBTGPROG when: <ol style="list-style-type: none"> a. Title 1 = Targeted Assistance Program 3. Reports SWELIGTGPROG when: <ol style="list-style-type: none"> a. Title 1 = Schoolwide Eligible - Target Assistance 4. Reports SWELIGNOPROG when: <ol style="list-style-type: none"> a. Schoolwide Eligible - No Program 5. Reports SWELIGSWPROG when: <ol style="list-style-type: none"> a. Title 1 = Schoolwide Program 6. Reports NOTITLE1ELIG when: <ol style="list-style-type: none"> a. Title 1 = Null or Not a Title 1 School 	M	System Administration > Resources > School > School History > Title 1	SchoolAttribute.title1	✓
----	--------------	--	---	---	------------------------	---

52	TitleIProgramType	<hr/> <ol style="list-style-type: none"> 1. Reports TargetedAssistanceProgram when: <ol style="list-style-type: none"> a. Title 1 = Targeted Assistance Program 2. Reports SchoolwideProgram when: <ol style="list-style-type: none"> a. Title 1 = Schoolwide Program 3. Reports PrivateSchoolsStudent when: <ol style="list-style-type: none"> a. Title 1 = Private School Students 4. Reports LocalNeglectedProgram when: <ol style="list-style-type: none"> a. Title 1 = Local Neglected Program 5. Otherwise, reports null <TitleIProgramType /> 				✓
53	OperationalStatus	<ol style="list-style-type: none"> 1. Reports "New" when the school has no prior year calendars with: <ol style="list-style-type: none"> a. Exclude from State Reporting NOT = checked AND b. Exclude from SIF Reporting NOT = checked 2. Reports "Open" when: <ol style="list-style-type: none"> a. At least 1 calendar tied to the school exists with: <ol style="list-style-type: none"> i. Exclude from State Reporting does NOT = checked AND ii. Exclude from SIF Reporting does NOT = checked iii. The calendar exists in the Active year 3. Otherwise, reports "Closed" 				✓

54	OperationalStatusDate	<hr/> <ol style="list-style-type: none"> 1. When OperationalStatus = "New": <ol style="list-style-type: none"> a. Reports the earliest calendar Start Date tied to the school with: <ol style="list-style-type: none"> i. Exclude from State Reporting NOT = checked AND ii. Exclude from SIF Reporting NOT = checked 2. When OperationalStatus = "Open": <ol style="list-style-type: none"> a. Reports the earliest calendar Start Date tied to the school in the 2nd year that a calendar exists, where the calendar has: <ol style="list-style-type: none"> i. Exclude from State Reporting NOT = checked AND ii. Exclude from SIF Reporting NOT = checked 3. When "OperationalStatus = "Closed": <ol style="list-style-type: none"> a. Reports the most recent Calendar End Date tied to the school where: <ol style="list-style-type: none"> i. Exclude from State Reporting NOT = checked AND ii. Exclude from SIF Reporting NOT = checked 	M			
55	NationalSchoolLunchProgramStatus	<hr/>	M	System Administration > Resources > School > School History		

1. Reports "**NSLPCEO**" when:
 - a. The most recent School History record with an Effective Date \leq current date has:
 - i. National School Lunch Program (NSLP)" = checked
 - ii. Provision = 5: CEP
 - iii. NSLP = checked
 - iv. Active Start Year \geq Provision Base Year, AND Active End Year \leq Provision End Year
2. Reports "**NSLPNO**" when:
 - a. The most recent School History record with an Effective Date \leq current date has:
 - i. National School Lunch Program (NSLP)" NOT = checked
3. Reports "**NSLPWOPRO**" when:
 - a. The most recent School History record with an Effective Date \leq current date has:
 - i. National School Lunch Program (NSLP)" = checked
 - ii. Provision = blank
OR
 - iii. NSLP = blank
OR
 - iv. Active Year NOT \geq Provision Base Year, AND Active End Year NOT \leq Provision End Year

		<p>4. Reports "NSLPPRO1" when:</p> <ul style="list-style-type: none"> a. The most recent School History record with an Effective Date \leq current date has: <ul style="list-style-type: none"> i. National School Lunch Program (NSLP)" = checked ii. Provision = 1: Provision 1 iii. NSLP = checked iv. Active Start Year \geq Provision Base Year, AND Active End Year \leq Provision End Year <p>5. Reports "NSLPPRO2" when:</p> <ul style="list-style-type: none"> a. The most recent School History record with an Effective Date \leq current date has: <ul style="list-style-type: none"> i. National School Lunch Program (NSLP)" = checked ii. Provision = 2: Provision 2 iii. NSLP = checked iv. Active Start Year \geq Provision Base Year, AND Active End Year \leq Provision End Year <p>6. Reports "NSLPPRO3" when:</p> <ul style="list-style-type: none"> a. The most recent School History record with an Effective Date \leq current date has: <ul style="list-style-type: none"> i. National School Lunch Program (NSLP)" = checked ii. Provision = 3: Provision 3 iii. NSLP = checked iv. Active Start Year \geq Provision Base Year, AND Active End Year \leq Provision End Year 			
--	--	---	--	--	--

56	VirtualSchoolStatus	<hr/> 1. Report the standard code map to the code selected in Virtual School Status				✓
57	CongressionalDistrict	<i>This is Optional. Does not Report.</i>				
58	ActiveSchoolYear	Report the end year of the current school year	M			✓
59	SIF_ExtendedElements/ SIF_ExtendedElementName= "DailyPeriodCount"	<hr/> 1. Reports the average number of <u>instructional periods</u> from across the calendars associated with the school in the Active Year that have: <ol style="list-style-type: none"> Exclude From State Reporting NOT = checked Exclude From SIF Reporting NOT = checked Summer School NOT = checked Calendar Sequence is null or NOT = null and <99 2. Rounds to the nearest whole number 3. Period schedules with a Sequence NOT = null and >= 99 must not be included in the averaging calculation. 4. When no calendar exists with Sequence of null or NOT = null and <99, reports blank.	M			EXT

JSON Sample

```
<SchoolInfo RefId="D3E34B359D75101A8C3D00AA001A1652">
  <LocalId>946379881</LocalId>
  <StateProvinceId>C2345681</StateProvinceId>
  <NCESId>421575003045</NCESId>
  <SchoolName>Lincoln High School</SchoolName>
  <LEAInfoRefId>73648462888624AA5294BC6380173276</LEAInfoRefId>
  <OtherLEA SIF_RefObject="LEAInfo">AA648462888624AA5294BC638017320B</OtherLEA>
  <SchoolFocusList>
    <SchoolFocus>Regular</SchoolFocus>
  </SchoolFocusList>
  <SchoolURL>http://www.lincolnhhs.edu</SchoolURL>
  <PrincipalInfo>
    <ContactName>Richard Knudson</ContactName>
    <ContactTitle>Dr.</ContactTitle>
  </PrincipalInfo>
  <SchoolContactList>
    <SchoolContact>
      <PublishInDirectory>Yes</PublishInDirectory>
      <ContactInfo>
        <Name Type="04">
          <LastName>Miller</LastName>
          <FirstName>James</FirstName>
        </Name>
        <PositionTitle>Office Assistant</PositionTitle>
        <EmailList>
          <Email Type="Primary">jmiller@lhs.k12.state.us</Email>
        </EmailList>
        <PhoneNumberList>
          <PhoneNumber Type="0096">
            <Number>(555) 555-1235</Number>
          </PhoneNumber>
        </PhoneNumberList>
      </ContactInfo>
    </SchoolContact>
  </SchoolContactList>
</SchoolInfo>
```

```
</PhoneNumberList>
</ContactInfo>
</SchoolContact>
</SchoolContactList>
<PhoneNumberList>
  <PhoneNumber Type="0096">
    <Number>(555) 555-1234</Number>
  </PhoneNumber>
</PhoneNumberList>
<IdentificationInfoList>
  <IdentificationInfo Code="0175">00123</IdentificationInfo>
</IdentificationInfoList>
<SessionType>0830</SessionType>
<GradeLevels>
  <GradeLevel>
    <Code>09</Code>
  </GradeLevel>
  <GradeLevel>
    <Code>10</Code>
  </GradeLevel>
  <GradeLevel>
    <Code>11</Code>
  </GradeLevel>
  <GradeLevel>
    <Code>12</Code>
  </GradeLevel>
</GradeLevels>
<Title1Status>Targeted</Title1Status>
<OperationalStatus>0820</OperationalStatus>
<CongressionalDistrict>3</CongressionalDistrict>
<ActiveSchoolYear>2012</ActiveSchoolYear>
</SchoolInfo>
```

Appendix