# StudentContactPersonal - OK

### StudentContactPersonal - OK

#### Summary

OK - SIF Unity StudentContactPersonal requirements

#### **Batch Condition**

- 1. Existing SIF\_Condition elements to support:
  - a. @Refld
  - b. Name/LastName
  - c. Name/MiddleName
  - d. Name/FirstName

## **Object Triggering Logic**

Action	Business Rules
Add	When a Relationship is created for the student
	<ul> <li>When the relationship previously did not overlap today's date, and it is changed so that it overlaps today's date.</li> <li>When a student was previously Excluded and when it's changed to Not Excluded</li> <li>When two people have relationship and one of them get enrolled</li> </ul>
Change	When Contact's address is changed
	When Contact's information in demographics is changed
	When the household, household location &/or household membership are changed
	When the identity is changed

#### Delete

When the contact is deleted

When a relationship is ended before today's date, the record will be deleted for that year

- When all of the students non Enrollments are deleted
- When the Student is changed to Excluded
- When the relationship previously overlapped today's date, and it is changed so that it does not overlap today's date

### Object Population and Business Rules

#	Requirements						
R1	The Student must have a StudentPersonal Record						
StudentContact exists when a relationship is created							
<ul> <li>The relationship must overlap today's date</li> <li>The contact person must not have an enrollment in the zone year</li> <li>Do Not Report when the Calendar &gt; 'Exclude from SIF Exchange' is selected</li> </ul>							
R2	Follow SIF Zone Options Rules for Zones:  Exclude:						
	No Show Enrollments 😵 Secondary Enrollments 😵 State Exclude Enrollments 😵 State Exclude District Assignments 😵						
	Publish:						
Social Security Numbers in StaffPersonal Social Security Numbers in StudentPersonal							
	Demographics:						
	Use Legal Gender 😵 Use Legal Name 😵						

# Object Data Elements Logic

The Mandatory (M)/ Conditional (C)/ Optional (O) column indicates what the state requires for each data element.

#	Data Element Label (format)	Business Rules	M /C /O	Data Source GUI Path	Database Field
1	@Refld	The Id (GUID) that uniquely identifies the instance of the object.  CATs	M		
2	PersonInfo (List)	Common element containing person demographic information.	М	Census> Identity	
3	PersonInfo/LocalId	The locally-assigned identifier for this person. Note: Localld may be used as a unique person identifier rather than a unique contact identifier. In this case there may be more than one object instance with the same Localld.  Reports the Person Id	0		Person.personID
4	PersonInfo/ OtherIdList	Optional. Do Not Report.	0		
5	PersonInfo/ Name ( <i>List</i> )	The name of the person. Note: Type attribute value of 04 must be used here.	М		
6	PersonInfo/ Name/ @Type	Code that specifies what type of name this is.  Reports "FullName"	М		

7	PersonInfo/ Name/ LastName	The Last name	М		identity.lastName
	Lastivanie	Reports the Last Name			
8	PersonInfo/ Name/ FirstName	The First name	M		identity.firstName
		Reports the First Name			
9	PersonInfo/ Name/ MiddleName	The Middle Name	0		identity. middleName
		Reports the Middle Name			
10	PersonInfo/ Name/ Suffix	Generation of suffix like II, Jr., etc.	0		identity.suffix
		Reports the Suffix			
11	PersonInfo/ Name/ PreferredName	This is a name that the person prefers to be called by	0		identity.alias
		Reports the Alias			
12	PersonInfo/ Name/ SortName	This is the name to be used for sorting purposes	0		identity.lastName, identity.firstName,
	Continante	Last Name, First Name (space) Middle Initial			identity. middleName
13	PersonInfo/ Name/ FullName	A free text field for the complete name	0		identity.firstName, identity.
	rumante	First Name + Middle Name + Last Name		middleN	middleName, aidentity.lastName
14	PersonInfo/ OtherNames ( <i>List</i> )	Previous, alternate or other names or aliases associated with the Person.	0		

15	PersonInfo/ OtherNames/ Name	Name of the person. Note: Type value of 04 may not occur here.	MR		
16	PersonInfo/ OtherNames/ Name/ @Type	Code that specifies what type of name this is, excluding "name of record."  Reports "OtherName" for the earliest prior identity name record (previous 01)	M		
		Reports "PreviousLegalName" for the second most recent identity name record, only if there are 3 or more identity records			
17	PersonInfo/ OtherNames/ Name/ LastName	The last name  Reports the contact's Last Name	М		identity.lastName
18	PersonInfo/ OtherNames/ Name/	The first name	M		identity.firstName
	FirstName	Reports the contact's First Name			
19	PersonInfo/ Demographics	Optional. Does Not Report	0		
20	PersonInfo/ AddressList ( <i>List</i> )	The person's address(es).	0	Census > Households > Addresses	
21	PersonInfo/ AddressList/ Address	A collection of the addresses that exist for the student.	MR		
	AddiessList/ Addiess	Order address by: 1. Non-secondary 2. Most recent Start Date.			

22	AddressList/ Address/@Type	Code that defines the location of the address. Note: A subset of specific valid values for each instance in a data object may be listed in that object.  1. Report Addresses in the following hierarchy a. Report Primary Household before Secondary Household i. If more than 1 Primary Households address then report in order of start date b. If above is tied, then report in order of MemberID i. When a student does not have a HouseholdMembership that overlaps today's date, then report the address for the student's HouseholdMembership with latest end date before today's date. ii. If the student has no past HouseholdMemberships, report blank. iii. Do not report addresses where Private is checked c. The AddressType should be unique for a student d. Do not report more than 5 addresses for a student e. For each reported address: i. Reports "Mailing" when address.postOfficeBox = checked on the student's household. ii. Reports "OffCampus" for the first non-secondary address. iiv. Subsequent addresses report "Billing", then "Shipping", then "PermanentStudent", and then "PermanentAdmission" for the remaining addresses f. Do not report more than one P.O.Box. i. In multiple Primary Household start date 2. If above is tied, then report in order of MemberID	M	householdlocation. private householdmember. private
23	PersonInfo/ AddressList/ Address/ Street ( <i>List</i> )	The street element is a complex element and breaks the street down into several parts.	M	

24	PersonInfo/ AddressList/ Address/ Street/ Line1	Address line 1.  When address.postOfficeBox = checked, reports "P.O. Box " followed by address.number (e.g. "P.O. Box 1234"  When address.postOfficeBox = not checked, reports address.number, prefix, street, tag, and dir separated by spaces	M	Address.number, . prefix, .street, . tag, .dir
25	PersonInfo/ AddressList/ Address/ Street/ Line2	Address line 2.	0	Address.apt
26	PersonInfo/ AddressList/ Address/ Street/ Line3	Address line 3.  Reports in format: City, ST ZIP	0	Address.city, . state, .zip
27	PersonInfo/ AddressList/ Address/ Street/ StreetNumber	The address number assigned to the building.  Reports the Street Number	0	Address.number
28	PersonInfo/ AddressList/ Address/ Street/ StreetPrefix	Street prefix like NE  Reports the Prefix	0	Address.prefix
29	PersonInfo/ AddressList/ Address/ Street/ StreetName	The name of the street.  Reports the Street Name	0	Address.street
30	PersonInfo/ AddressList/ Address/ Street/ StreetType	The type of street. For example, Lane, Blvd., Ave., etc.  Reports the Street Type	0	Address.tag

31	PersonInfo/ AddressList/ Address/	Street suffix like SW.	0		Address.dir
	Street/StreetSuffix	Reports the Street Suffix			
32	PersonInfo/ AddressList/ Address/	The number of the apartment.	0		Address.apt
	Street /ApartmentNumber	Reports the Apartment			
33	PersonInfo/ AddressList/ Address/	The city part of the address.	М		Address.city
	City	Reports the City			
34	PersonInfo/ AddressList/ Address/	The county part of the address.	0		Address.county
	County	Reports the County			
35	PersonInfo/ AddressList/ Address/	The state or province code.	М		Address.state
	StateProvince	Reports the State			
36	PersonInfo/ AddressList/ Address/	The country code.	М		
	Country	default			
37	PersonInfo/ AddressList/ Address/	The ZIP/postal code.	М		Address.zip
	PostalCode	Reports the Zip			
38	PersonInfo/ PhoneNumberList ( <i>List</i> )	The contact's phone number(s).	0	Census > People > Demographics >	
	i nonenumberlist (List)	Reports twice: one for household phone and one for contact phone		Demographics /	

39	PersonInfo/ PhoneNumberList/ PhoneNumber ( <i>List</i> )	Reports twice: one for household phone and one for contact phone	MR		
40	PersonInfo/ PhoneNumberList/ PhoneNumber/ @Type	Code that specifies what type of phone number this is. Note: A subset of valid values may be specified in data objects.  Report Home for household Report Other for contact Report Work for work Phone Report Mobile for cellPhone	M		
41	PersonInfo/ PhoneNumberList/ PhoneNumber/ Number	Phone number. Free-form, but typical U.S. formats include: (###) ###-##### or ###-#####  When reporting for household, report the household phone number for the household that the student is a member of today.  When reporting for contact, if the student's Cell Phone is provided, report Cell Phone; otherwise report Work Phone.	M	Census > People > Demographics > Personal Contact Information	Household.phone Contact.cellPhone Contact. workPhone
42	PersonInfo/ EmailList ( List)	The contact's e-mail address(es).	0		
43	PersonInfo/ EmailList/ Email	The staff member's e-mail address(es).  Reports the email address	MR	Census > People > Demographics > Personal Contact Information	Contact.email

#### STUDENT ADMINISTRATION - STUDENTCONTACTPERSONAL - OK

44	PersonInfo/ EmailList/ Email/ @Type	Type of e-mail	М	
		Report "Home"		
45	EmployerType	Optional. Does Not Report.	0	
46	EducationalLevel		0	
		Optional. Does Not Report.		
47	OptOutEmail		0	
		Optional. Does Not Report.		
48	SIF_Metadata		0	
49	SIF_ExtendedElements		0	

Considerations/Assumptions

Testing

Preconditions/Setup

uirement Description Testing Step	Expected outcome	Testing Complete	Notes	Tester	
-----------------------------------	------------------	------------------	-------	--------	--

1

STUDEN	NT ADMINISTRA	ATION - STUDENT	CONTACTPERSONAL	- OK	
				☐ Issue ☐ Integration	
QA Testing					
SPA Links					
Attribute Updates	<u> </u>				

Activate Existing Tab

New Tab Creation