StudentPersonal - OK

StudentPersonal - OK

Table of Contents

- Summary
- Batch Condition
- Object Triggering Logic
- Object Population and Business Rules
- Object Data Elements Logic
- JSON Sample
- Appendix

Summary

This object contains all the personal information related to the student SIF_Events are reported for this object.

v4.3 - http://specification.sifassociation.org/Implementation/NA/4.3/StudentInformationSystemsWorkingGroup.html#31630StudentPersonal

Batch Condition

- 1. Existing SIF_Condition elements to support:
 - a. @Refld
 - b. Localld
 - c. StatePrld
 - d. Name/LastName
 - e. Name/MiddleName
 - f. Name/FirstName
 - g. Demographics/Gender
 - h. Demographics/Birthdate
 - i. @SchoolYear

Object Triggering Logic

Action	Business Rule(s)
Add	 When creating an enrollment and the enrollment is not excluded by the zone Note: If there are multiple enrollments created for a student, then multiple Add events will be sent with the same Refld. The last event should overwrite previous events on the receiving end.
Change	 When any of the fields reported in Object Data Elements change on the following tables: Address, Contact, Enrollment, Graduation, Household, HouseholdLocation, HouseholdMember, Identity, IdentityRaceEthnicity, Academic Planning, LEP, Person, POSEligibility, Migrant tab, Gifted and Talented tab, TItle 1 tab, Homeless tab, Section 504 tab, IEP Plans and IEPs State Reporting tab When the student has multiple Enrollments in the zone scope and one is deleted When an Enrollment's noShow, serviceType, or stateExclude fields are changed and the student has an Enrollment in the zone scope that is not excluded based on the zone options
Delete	 When all of the student's enrollments in the zone scope are deleted When an Enrollment's noShow, serviceType, or stateExclude fields are changed and all of the student's Enrollments in the zone scope are excluded based on the zone options

Object Population and Business Rules

#	Requirement
R1	An enrollment in the Zone Scope.
R2	Calendar SIF Exclude Grade Level > Exclude from SIF Reporting Exclude No Show Enrollments Exclude All State Exclude Enrollments Exclude All Secondary Enrollments
R3	Use Legal Name 1. When the "Use Legal Name" option is selected in the zone options and Legal First and Last Name fields are populated in the person's current Identity, then report from the legal name fields for all of the elements under the Name element. 2. When the "Use Legal Name" option is not selected, or Legal First or Last Name fields are blank in the person's current Identity, then report from the regular name fields for all of the elements under the Name element. 3. When the "Use Legal Gender" option is selected in the zone options and Legal Gender is populated in the person's current Identity, then report the Gender element from the Legal Gender field. 4. When the "Use Legal Gender" option is not selected, or Legal Gender is blank in the person's current Identity, then report the Gender element from the Gender field.

STUDENT ADMINISTRATION - STUDENTPERSONAL - OK

R4	Follow SIF Unity Zone	Options Rules for Zo	nes:	
	Exclude:			
	No Show Enrollments 😵	Secondary Enrollments	State Exclude Enrollments 😵	State Exclude District Assignments 😵
	Publish:			
	Social Security Numbers in	n StaffPersonal 😵 🛮 Socia	al Security Numbers in StudentPerson	al 😵
	Demographics:			
	Use Legal Gender 😵 🗍 U	se Legal Name 🔞		

Object Data Elements Logic

	Data Element Label	Business Rule(s)	M/ C/ O	Data Source GUI Path	Database Field	Uses Localized Logic (②/②/ EXT)
1	@Refld	The GUID of the student. Calculated	М		person.personId	
2	AlertMessages	Optional. Does Not Report.				
3	MedicalAlertMessages	Optional. Does Not Report.				
4	Localld	The locally-assigned identifier for this student.	М		person.studentNumber	
5	StateProvinceId	The state-assigned identifier for this student.	0		person.stateId	
6	ElectronicIdList	Optional. Does Not Report.				
7	OtherIdList (List)	Lists all "other" identifiers associated with the student. Reports when Social Secutrity Number is entered and Zone Options > Publish Social Security Number = Checked. Else, do not report	0			

8	OtherIdList/ OtherId	Lists an "other" identifier associated with the student.	MR		identity.ssn	
		Reports the ssn				
9	OtherIdList/ OtherId/ Type	herldList/ Otherld/ Type Code that defines the type of this other ld. M	М			
		Reports "0004"				
10	Name	Name of the student. Note: Type value of 04 must be used here.	М			
11	Name/@Type	Code that specifies what type of name this is. If unsure, use 04.	М			
		Reports "04"				
12	Name/ LastName	Last name of student	М	Census> People>	identity.lastName	
		Reports the Last Name		Identities		
13	Name/ FirstName	First name of student	М	Census> People>	identity.firstName	
		Reports the First Name		Identities		
14	Name/ MiddleName	Middle name of the student	0	Census> People>	identity.middleName	
		Reports the Middle Name		Identities		
15	Name/ Suffix	Name suffix of student	0	Census> People>	identity.suffix	
		Reports the Suffix Name		Identities		

16	Name/ PreferredName	Preferred name of student	0	Census> People>	identity.alias
		Reports the Alias		Identities	
17	Name/ SortName	This is the name to be used for sorting purposes	0	Census> People>	identity.lastName, identity.firstName,
		Last Name, First Name (space) Middle Initial		Identities	identity.middleName
18	Name/ FullName	A free text field for the complete name	0	Census> People>	identity.firstName, identity.middleName,
		First Name + Middle Name + Last Name		Identities	identity.lastName
19	OtherNames (List)	Previous, alternate or other names or aliases associated with the student.	0		
		Reports when student has different name in a prior Identity record			
20	OtherNames/ Name	Name of the person. Note: Type value of 04 may not occur here.	MR		
21	OtherNames/ Name/ @Type	Code that specifies what type of name this is, excluding "name of record."	М		
		 Reports "OtherName" for the earliest prior identity name record (previous 01) Reports "PreviousLegalName" for the second most recent identity name record, only if there are 3 or more identity records 			
22	OtherNames/ Name/ LastName	The last name	М	Census> People>	identity.lastName
		Reports the student's Last Name		Identities	

23	OtherNames/ Name/ FirstName	The first name	М			
		Reports the student's First Name				
24	Demographics (List)	This element contains information related to student demographics.	0			
25	Demographics/ RaceList (List)		0			
26	Demographics/ RaceList/	Reports for each of the races in the person's current identity record	MR			
27	Demographics/ RaceList/ Race/ Code	The general racial category which reflects the individual's recognition of his or her community or with which the individual most identifies. In a given SIF implementation Agents must have alignment on the use of the NCES and deprecated SPEEDE code sets. Agents are not required to translate between the code sets https://ceds.ed.gov/element/001943 Reports the SIF race code mapped to the race: • When American Indian or Alaska Native, report AmericanIndianOrAlaskaNative (Previous: 0998) • When Asian, report Asian (Previous: 0999) • When Black or African American, report BlackOrAfricanAmerican (Previous: 1000) • When Native Hawaiian or Other Pacific Islander, report NativeHawaiianOrOtherPacificIslander (Previous: 1001) • When White, report White (Previous: 1002)	M	Census> People> Identities	sifRaceEthnicity.code	

28	Demographics/ RaceList/ Race/ OtherCodeList (List)		0		
29	Demographics/ RaceList/ Race/ OtherCodeList/ OtherCode	A state/province code, local code, other code or a text string that crosswalks to or serves as a translation of an associated Code element.	MR	Census> People> Identities	identity.raceEthnicity
30	Demographics/ RaceList/ Race/ OtherCodeList/ @Codeset	Describes the OtherCode element content as either a state/province code, a local code, other code, or text string. Reports "StateProvince"	М		
31	Demographics/ HispanicLatino	When Yes, reports - Yes When No, reports- No When None selected, reports- NotSelected	0	Census> People> Identities	identity.hispanicEthnicity
32	Demographics/ Gender	Person's Gender Must report Male, Female or NotSelected	0	Census> People> Identities	identity.gender
33	Demographics/ BirthDate	The person's date of birth	0	Census> People> Identities	identity.birthDate
34	Demographics/ PlaceOfBirth	The person's place of birth—like village, town, city etc.	0	Census> People> Identities	identity.birthCity
		Reports the birth city			
		When Birth City = Null, reports null.			

35	Demographics/ StateOfBirth	The person's state of birth Reports the SIF-mapped code aligned with the selection in Birth State. If SIF codes are not mapped for Birth State in this district's state, reports Birth State.	0	Census> People> Identities	identity.birthState	
36	Demographics/ CountryOfBirth	The person's country of birth When Birth Country = Null, reports US.	0	Census> People> Identities	identity.birthCountry	
37	CitizenshipStatus	 The person's citizenship status. Reports the Standard Code mapped to the code selected in (Census > People > Demographics > Citizenship Status) when Citizenship Status is not null. When Citizenship Status field is null, reports based on the attribute Default Value if it exists and is an entry matching a code in the dictionary. Otherwise, reports "USCitizen". 	M	Census > People > Demographics > Citizenship Status		
38	Demographics/ LanguageList (List)	List of languages an individual uses to communicate. Requires an entry in Home Primary Language.	0			
39	Demographics/ LanguageList/ Language (List)		MR			

40	Demographics/ LanguageList/ Language/ Code		М	Census> People> Identities>	identity. homePrimaryLanguage	
		Reports the SIF-mapped code for the selection made in Census > Home Primary Language		Home Primary Language		
41	Demographics/ LanguageList/ Language / OtherCodeList (List)	List of other codes or strings that crosswalk to or serve as translations of the Code element paired with this common element	0			
42	Demographics/ LanguageList/ Language/ OtherCodeList/ @Codeset	Describes the OtherCode element content as either a state/province code, a local code, other code, or text string.	M			
		Reports "StateProvince"				
43	Demographics/ LanguageList/ Language/ OtherCodeList/ OtherCode	A state/province code, local code, other code or a text string that crosswalks to or serves as a translation of an associated Code element.	MR	Census> People> Identities	identity. homePrimaryLanguage	
		Report the Code selected in Census > Home Primary Language				
44	Demographics/ LanguageList/ Language / LanguageType	An indication of the function and context in which an individual uses a language to communicate	0			
	3 3 71	https://ceds.ed.gov/element/000316				
		When Home Primary Language, report "Home" (Previous -"1037")				
45	Demographics/ DwellingArrangement (List)	Setting/environment in which the person resides.	0			
	3 3: 3 (13)	Reports the entry from the student's most recent enrollment.				

46	Demographics/ DwellingArrangement/ Code	Code representing the setting/environment in which the person resides 1. When calendar.type = residential, 1673 2. When the enrollment End Status contains "jail", "prison", or "incarcerated", then 1677 3. When student has a Homeless field = checked on their enrollment, 1680 4. When student has a household location (active), 1674 5. Otherwise, 9999.	M	enrollment. dwellingCode	
47	Demographics /MilitaryConnectedStudent	An indication that the student's parent or guardian is on Active Duty, in the National Guard, or in the Reserve components of the United States military services	M	impactAid	

1. Reports ActiveDuty when: a. Student has a Military Connections record on any of their guardian relationships (Guardian = Checked) with: i. Start Date <= the current date ii. End Date >= the current date or is null iii. Status = Active Duty, Deployed OR Active Duty, Not Deployed iv. Branch with a Standard Code = Armed Forces or National Guard 2. Reports NationalGuardOrReserve when: a. Student has a Military Connections record on any of their guardian relationships (Guardian = Checked) with: i. Part-time National Guard; 1. Start Date <= the current date 2. End Date >= the current date or is null 3. Status = Part-time 4. Branch with a Standard Code = National Guard ii. Reserve Forces: 1. Start Date <= the current date 2. End Date >= the current date 3. Status = Active Duty, Deployed OR Active Duty, Not Deployed, OR Part-time 4. Branch with a Standard Code = Reserve 3. Otherwise, NotMilitaryConnected reports.	it-
48 AddressList (List) The student's address(es)	0

49	AddressList/ Address	A collection of the addresses that exist for the student. Order address by: 1. Non-secondary 2. Most recent Start Date	MR		
50	AddressList/ Address/ @Type	Code that defines the location of the address. Note: A subset of specific valid values for each instance in a data object may be listed in that object. https://ceds.ed.gov/element/000010 1. Report Addresses in the following hierarchy	_ M	householdlocation. private householdmember. private	

- a. Report Primary Household before Secondary Household
 - i. If more than 1 Primary Households address then report in order of start date
- b. If above is tied, then report in order of MemberID
 - When a student does not have a HouseholdMembership that overlaps today's date, then report the address for the student's HouseholdMembership with latest end date before today's date.
 - ii. If the student has no past HouseholdMemberships, report blank.
 - iii. Do not report addresses where Private is checked
- c. The AddressType should be unique for a student
- d. Do not report more than 5 addresses for a student
- e. For each reported address:
 - i. Reports "Mailing" when address. postOfficeBox = checked on the student's household.
 - ii. Reports "Physical" for the first nonsecondary address.
 - iii. Reports "GuardianAddress" for the first secondary address.
 - iv. Subsequent addresses report "Billing", then "Shipping", then "PermanentStudent", and then "PermanentAdmission" for the remaining addresses
- f. Do not report more than one P.O.Box.
 - i. In multiple Primary Household scenarios
 - Report in order of Household start date
 - 2. If above is tied, then report in order of MemberID

51	AddressList/ Address/ Street	The street element is a complex element and breaks the street down into several parts.	М			
52	AddressList/ Address/ Street/ Line1	Address line 1.	М		Address.number, . prefix, .street, .tag, .dir	
		When address.postOfficeBox = checked, reports "P.O. Box " followed by address.number (e.g. "P. O. Box 1234"				
		When address.postOfficeBox = not checked, reports address.number, prefix, street, tag, and dir separated by spaces				
53	AddressList/ Address/ Street/ Line2	Address line 2.	0	Census > Households > Addresses	Address.apt	
54	AddressList/ Address/ Street/ Line3	Address line 3.	0	0	Census > Households >	Address.city, .state, .zip
		Reports in format: City, ST ZIP		Addresses		
55	AddressList/ Address/ Street/ StreetNumber	The address number assigned to the building.	0	Census > Households >	Address.number	
	on our variable	Reports the Street Number		Addresses		
56	AddressList/ Address/ Street/ StreetPrefix	Street prefix like NE	0	Census > Households >	Address.prefix	
		Reports the Prefix	0	Addresses		
57	AddressList/ Address/ Street/ StreetName	The name of the street.		Census > Households >	Address.street	
	2	Reports the Street Name		Addresses		

58	AddressList/ Address/ Street/ StreetType	The type of street. For example, Lane, Blvd., Ave., etc. Reports the Street Type	0	Census > Households > Addresses	Address.tag	
59	AddressList/ Address/ Street/ StreetSuffix	Street suffix like SW.	0	Census > Households > Addresses	Address.dir	
		Reports the Street Suffix		Addresses		
60	AddressList/ Address/ Street/ ApartmentNumber	Type of apartment, for example, Suite.	0	Census > Households > Addresses	Address.apt	
		Reports the Apartment				
61	AddressList/ Address/ City	The city part of the address.	М	Census > Households >		Address.city
		Reports the City		Addresses		
62	AddressList/ Address/ County	The county part of the address.	0	Census > Households >	Address.county	
		Reports the County		Addresses		
63	AddressList/ Address/ StateProvince	The state or province code.	М	Census > Households >	Address.state	
		Reports the State		Addresses		
64	AddressList/ Address/ Country	The country code.	М	N/A	default	
65	AddressList/ Address/ PostalCode	The ZIP/postal code.	М	Census > Households >	Address.zip	
		Reports the Zip		Addresses		
66	PhoneNumberList (List)	The student's phone number(s).	0			

67	PhoneNumberList/ PhoneNumber (List)	Reports twice: one for household phone and one for contact phone	MR		
68	PhoneNumberList/ PhoneNumber/ @Type	Code that specifies what type of phone number this is. Note: A subset of valid values may be specified in data objects https://ceds.ed.gov/element/000280 1. Report Home for household 2. Report Other for contact 3. Report Work for work Phone 4. Report Mobile for cellPhone	M	Census > Households >	Household.phone Contact.cellPhone Contact.workPhone
69	PhoneNumberList/ PhoneNumber/ Number	Phone number. Free-form, but typical U.S. formats include: (###) ###-#### or ###-#### When reporting for household, report the household phone number for the household that the student is a member of today. When reporting for contact, if the student's Cell Phone is provided, report Cell Phone; otherwise report Work Phone.	M	Household Census > People > Demographics > Personal Contact Information	Household.phone Contact.cellPhone Contact.workPhone
70	EmailList (List)	The student's e-mail address(es).	0		
71	EmailList/ Email	The student's e-mail address(es). Reports the Email Address	MR	Census > People > Demographics > Personal Contact Information	Contact.email

STUDENT ADMINISTRATION - STUDENTPERSONAL - OK	infinitecampus.com	\
STUDENT ADMINISTRATION - STUDENTPERSONAL - OK		

72	EmailList/ Email/ @Type	Type of e-mail	М		
		Report "Home"			

20

73	ProjectedGraduationYear	1. When Graduation > NGA Cohort End Year is not null, report NGA Cohort End Year. 2. When NGA Cohort End Year is null and Graduation > Date First Entered the 9th Grade is not null, report the year portion of Date First Entered the 9th Grade plus 4. 3. Otherwise, report the sum of the student's latest enrollment end year and the number of years to graduate based on the grade level. The number of years to graduate is based off the standardCode tied to the enrollment's grade level, or if this is null, then the enrollment's local grade, as follows: When PK then 13 When KG then 12 When 01 then 11 When 02 then 10 When 03 then 9 When 04 then 8 When 05 then 7 When 06 then 6 When 07 then 5 When 08 then 4 When 09 then 3 When 10 then 2 When 11 then 1 When 12 then 0 Otherwise do not report Example: if graduation fields are null, enrollment end year is 2021, and enrollment local grade is 9 with standard code 09, then report 2024 (since this is 2021 + 3).	M	Graduation Enrollment	graduation. cohortYearNGA graduation.grade9date enrollment.grade gradeLevel. standardCode	
----	-------------------------	---	---	-----------------------	--	--

74	OnTimeGraduationYear	 First projected graduation year, usually determined when student is accepted into 9th grade. When Graduation NCLB Cohort End Year is not null, report NCLB Cohort End Year. When NCLB Cohort End Year is null and Graduation > Date First Entered the 9th Grade is not null, report the year portion of Date First Entered the 9th Grade plus 4. When the above fields on Graduation are null, then: When the student's latest enrollment local grade is 09, report the enrollment end year plus 3 When the student's latest enrollment local grade is 10, report the enrollment end year plus 2 When the student's latest enrollment local grade is 11, report the enrollment end year plus 1 When the student's latest enrollment local grade is 12, report the enrollment end year e. Otherwise do not report. 	C	Student Information> General> Graduation Student Information> General> Enrollments	graduation. cohortYearNCLB graduation.grade9date enrollment.grade	
75	GraduationDate	Date student officially graduated from secondary education. Reports only when graduation.diplomaDate is not	<u>C</u>	Student Information> General> Graduation	graduation.diplomaDate	•
	N 15 1 4: 1)	null.				
76	MostRecent (List)	Container for elements reflecting the most recent enrollment of a student. If the student is currently enrolled in the district, the elements contain current information.	0			

77	MostRecent/ SchoolLocalId	Local identifier representing the school in which the student is or was most recently enrolled in the district. The school.number associated with the student's most recent enrollment ordered first by primary enrollment, and then non-primary.	0		school.number	
78	AcceptableUsePolicy	Optional. Does Not Report				
79	IDEA	The value for this element must align with the StudentParticipation record for the IDEA Program. StudentParticipation is the only qualifying values used for all funding sources. 1. Reports "Yes" when:	M	Student Information > Special Ed	plan.startDate SpecialEDState. startDate SpecialEDState. endDate	•
		 a. Start Date <= the latest calendar End Date in the Zone Year with Exclude from SIF reporting NOT = checked b. Start Date <= current date c. End Date is null or >= the earliest calendar Start Date in the Zone Year with Exclude from SIF reporting NOT = checked 2. Otherwise, reports "No" 		Information > Special Ed > State Reporting	Enrollment. specialEdStatus	

80	Migrant	The value for this element must align with the StudentParticipation record for the Migrant Program. StudentParticipation is the only qualifying values used for all funding sources.	М	Student Information> Program Participation> Migrant	enrollment.migrant migrant. lastQualifyingArrivalDate	•
		 Reports "Yes" when: a. Student has a Migrant program participation record with:		Student Information> General> Enrollments		
		Student Info > Program Participation > Migrant				

81	Title1	 Report Yes if: The latest School History record for this school with an effective date on or before today's date has Title 1 = "Schoolwide Program" The Title 1 tab is active When the student has a Title1 record where the Start Date is <= today's date, and the End Date is null or >= today's date Otherwise, when enrollment.title1 is null, "N", "", "0", or "00", report "No". Note: There will be no triggers on schoolAttribute table. Needs to be sent via batch 	M	Student Information> Program Participation> Title1 Student Information> General> Enrollments System Administration> Resources> School> Title 1	enrollment.title1 title1.startDate title1.endDate schoolAttribute.title1	
82	GiftedTalented	The value for this element must align with the StudentParticipation record for the Gifted & Talented Program. StudentParticipation is the only qualifying values used for all funding sources.	M	Student Information> Program Participation> Gifted &	gifted.startDate	•
		1. Reports "Yes" when: a. Student has a Gifted & Talented program participation record with: i. Start Date <= the latest calendar End Date in the Zone Year with Exclude from SIF reporting NOT = checked ii. Start Date <= current date iii. End Date is null or >= the earliest calendar Start Date in the Zone Year with Exclude from SIF reporting NOT = checked 2. Otherwise, reports "No" Student Info > Program Participation > Gifted &		Talented		
		Student Info > Program Participation > Gifted & Talented				

83	EconomicDisadvantage	The value for this element must align with the EconomicDisadvantage Program. StudentParticipation is the only qualifying values used for all funding sources. 1. Reports "Yes" when: a. Student has a FRAM record with Start Date <= current Date and End Date >= current date that meets at least one of the following criteria i. Student qualifies as Free or Reduced through FRAM: 1. Eligibility Type = Meal 2. Eligibility = Free or Reduced AND 3. Certified Type is NOT mapped to FRNA ii. Student qualifies only as Economic Disadvantaged status: 1. Eligibility Type = SES 2. Eligibility = Paid, or Non-Reimbursable AND 3. Certified Type is mapped to FR20 iii. Alternative option to receive EconDis record and no FreeReduced record: 1. Eligibility Type = Meal 2. Eligibility Type = Meal 2. Eligibility = Paid AND 3. Certified Type = Declined	0	posEligibility.eligibility	
		2. Eligibility = Paid			

84	ELL	The value for this element must align with the StudentParticipation record for the Gifted & Talented Program. StudentParticipation is the only indicator used as sources for funding and reporting.	M	Student Information> Program Participation> ELL	lep.identifiedDate lep.exitDate	Ø
		 Reports Yes when the following are true: The EL "Identified Date" is NOT Null and current date and <= the latest calendar End Date of the Zone Calendar and Year with Exclude from SIF Reporting NOT = checked. The "Program Exit Date" is Null or >= the earliest calendar Start Date of the Zone Calendar and Year with Exclude from SIF Reporting NOT = checked. Else, No 				

85	Homeless	The value for this element must align with the StudentParticipation record for the Homeless Program. StudentParticipation is the only qualifying values used for all funding sources. 1. Reports "Yes" when: a. Student has a Homeless program participation record with: i. Program Placement Date <= the latest calendar End Date in the Zone Year with Exclude from SIF reporting NOT = checked ii. Program Placement Date <= current date iii. Program Exit Date is null or >= the earliest calendar Start Date in the Zone Year with Exclude from SIF reporting NOT = checked 2. Else, No	0	Student Information> Program Participation> Homeless	homeless.startDate homeless.endDate		
----	----------	--	---	--	-------------------------------------	--	--

86	HomelessServicedIndicator	An indication of whether homeless children and youth were served by a McKinney-Vento program in the state. The value for this element must align with the StudentParticipation record for the HomelessServicedIndicator Program . StudentParticipation is the only qualifying values used for all funding sources. 1. Reports Yes when: a. Student has a Homeless program participation record with: i. Program Placement Date <= the latest calendar End Date in the Zone Year with Exclude from SIF reporting NOT = checked	C		•
		with Exclude from SIF reporting NOT =			

87	Section504	The value for this element must align with the StudentParticipation record for the Section504 Program. StudentParticipation is the only qualifying values used for all funding and reporting sources	O Student Information> Program Participation> Section504.startDate Section504.endDate	Information> Program Participation>	•	
		1. Reports Yes when: a. Student has a Section 504 program participation record with: i. Program Placement Date <= the latest calendar End Date in the Zone Year with Exclude from SIF reporting NOT = checked ii. Program Placement Date <= current date iii. Program Exit Date is null or >= the earliest calendar Start Date in the Zone Year with Exclude from SIF reporting NOT = checked 2. Else, No				

88	VocationalConcentrator	OSDE would expect to see this provided at the completion of a CTE program at the end of the school year. 1. Reports Yes when: a. Vocational Concentrator = checked in the student's most recent enrollment in the Zone Year with Start Date <= current date where: i. No Show NOT = checked (and excluded on Zone Options) ii. State Exclude NOT = checked (and excluded on Zone Options) iii. Calendar Exclude NOT = checked 2. Else, No	M	Student Information> General> Enrollments	Enrollment. vocationalCode	
89	Immigrant	Immigrant status is determined by a StudentParticipation record with qualifying ProgramType, ProgramType_OtherCode, and ProgramPlacementReason. 1. Reports "Yes" when both: a. Date Entered US School <= 3 calculated years (See Immigrant StudentParticipation logic) from the current year's (selected Zone Year) first instructional school day date. 2. Otherwise, reports "No"	0		Identity. dateEnteredUSSchool	

90	NeglectedDelinquent	1. Reports Yes when: a. Neglected/Delinquent = checked in the student's most recent enrollment in the Zone Year with Start Date <= current date where: i. No Show NOT = checked (and excluded on Zone Options) ii. State Exclude NOT = checked (and excluded on Zone Options) iii. Calendar Exclude NOT = checked 2. Else, No	M	Student Information > General > Enrollments > Neglected /Delinqunt	Enrollment. neglectedDelinquent	
91	FirstUSEnrollment	The date on which the student was first enrolled in the US school system.	0	Census> People> Identities	identity. dateEnteredUSSchool	
		When version 2.4 +, and identity. dateEnteredUSSchool is not null, reports the date entered in Date Entered US School.				

92	SIF_ExtendedElementName= "CoreInd"	The pathways the student is currently enrolled Reports the code selected in Core Indicator (from the student's most recent enrollment with a Start Date <= current date) Report CPW if: The student is enrolled in College, Preparatory, or Work Ready curriculum. Report CORE if: The student is NOT enrolled in College, Preparatory, or Work Ready curriculum. Report AltStd if: The student is enrolled in Alternate Standards curriculum.	M	Student Info > General > Enrollments > State Reporting Fields > Core Indicator	Enrollment. coreCurriculum	EXT
93	SIF_ExtendedElementName= "NDAtRisk"	Was this student served in an LEA Title I, Part D, Subpart 2 At-Risk program or facility during this current school year? Definition: Programs operated (through LEAs) that target students who are at risk of academic failure, have a drug or alcohol problem, are pregnant or parenting, have been in contact with the juvenile justice system in the past, are at least 1 year behind the expected age/grade level, have limited English proficiency, are gang members, have dropped out of school in the past, or have a high absenteeism rate at school. Refer to 3.16.30.14 - NDAtRisk (Extended Element) Reports Yes when ND At Risk = checked Otherwise reports No	M	Student Info > General > Enrollments > State Reporting Field "ND AtRisk"	Enrollment.ndAtRisk	EXT

94	SIF_ExtendedElements/ SIF_ExtendedElementName= "NDNeglected"	Was this student served in an LEA Title I, Part D, Subpart 2 Neglected program or facility during this current school year? Definition: An institution for neglected children and youth is a public or private residential facility, other than a foster home, that is operated primarily for the care of children who have been committed to the institution or voluntarily placed under applicable State 109 law due to abandonment, neglect, or death of their parents or guardians. Refer to 3.16.30.13 - NDNeglected (ExtendedElements) Reports Yes when ND Neglected = checked Otherwise reports No	M	Student Info > General > Enrollments > State Reporting Field "ND Neglected"	Enrollment.ndNeglected	EXT
95	SIF_ExtendedElementName= "NDJuvenileCorrections"	Was this student served in an LEA Title I, Part D, Subpart 2 Juvenile Corrections program or facility during this current school year? Definition: An institution for delinquent children and youth is a public or private residential facility other than a foster home that is operated for the care of children and youth who have been adjudicated delinquent or in need of supervision. Include any programs serving adjudicated youth (including non-secure facilities and group homes) in this category. Refer to 3.16.30.15 - NDJuvenileCorrections (Extended Element) Reports Yes when ND Juvenile Corrections = checked Otherwise reports No	M	Student Info > General > Enrollments > State Reporting Field "ND Juvenile Corrections"		EXT

96	SIF_ExtendedElementName= "NDJuvenileDetention"	Was this student served in an LEA Title I, Part D, Subpart 2 Juvenile Detention program or facility during this current school year? Definition: Detention facilities are shorter-term institutions that provide care to children who require secure custody pending court adjudication, court disposition, or execution of a court order, or care to children after commitment Refer to 3.16.30.16 - NDJuvenilleDentention (ExtendedElement) Reports Yes when ND Juvenile Detention = checked Otherwise reports No	M	Student Info > General > Enrollments > State Reporting Field "ND Juvenile Detention"	EXT
97	SIF_ExtendedElements/ SIF_ExtendedElementName= "NDOther"	Was this student served in an LEA Title I, Part D, Subpart 2 Other program or facility during this current school year? 110 Definition: Any other programs, not defined above, which receive Title I, Part D funds and serve non-adjudicated children and youth. Refer to 3.16.30.17 - NDOther (Extended Element) Reports Yes when ND Other = checked Otherwise reports No	M	Student Info > General > Enrollments > State Reporting Field "ND Other"	EXT

98	SIF_ExtendedElements/ SIF_ExtendedElementName= "ClassRankWeighted"	The current Weighted class rank of the student in the format of "# of #".	М		EXT
		ClassRankWeighted The current weighted class rank of the student in the format of "# of #". Example: 122 of 135			
		When student most recent (latest Start Date) in the SIF Zone has an enrollment grade mapped to State Grade Level Code of 07 - 12:			
		 a. Reports the student's cumulative Class Rank from the student's transcript that occurred up to and including the SIF Zone Year. i. See (Grading & Standards > Reports > 			
		Class Rank) ii. This is the WEIGHTED class rank. iii. Format: "# out of #"			
		When the student's most recent grade in the SIF Zone is not mapped to 07 -12, or when there are no transcript records from which to report, reports "NA".			

99	SIF_ExtendedElements/ SIF_ExtendedElementName= "ClassRankUnweighted"	The current Unweighted class rank of the student in the format of "# of #".	М		EXT
		ClassRankUnweighted The current unweighted class rank of the student in the format of "# of #". Example: 130 of 147			
		When student most recent (latest Start Date) in the SIF Zone has an enrollment grade mapped to State Grade Level Code of 07 - 12:			
		 a. Reports the student's cumulative Class Rank from the student's transcript that occurred up to and including the SIF Zone Year. i. See (Grading & Standards > Reports > Class Rank) 			
		ii. This is the UNWEIGHTED class rank. iii. Format: "# out of #"			
		When the student's most recent grade in the SIF Zone is not mapped to 07 -12, or when there are no transcript records from which to report, reports "NA".			

100	SIF_ExtendedElements/ SIF_ExtendedElementName= "WeightedGPA"	Current Cumulative Weighted GPA for student in #. ### format.	М		EXT
		WeightedGPA Current cumulative weighted GPA for student in #.### decimal format.			
		When student most recent (latest Start Date) in the SIF Zone has an enrollment grade mapped to State Grade Level Code of 07 - 12:			
		Reports the student's cumulative Weighted GPA from the student's transcript that occurred up to and including the SIF Zone Year. a. See (Grading & Standards > Reports > Weighted GPA) b. Format: "#.###"			
		 When the student's most recent grade in the SIF Zone is not mapped to 07 -12, or when there are no transcript records from which to report, reports "NA". 			

101	SIF_ExtendedElements/ SIF_ExtendedElementName= "UnweightedGPA"	Current Cumulative Unweighted GPA for student in #.### format.	M		EXT
		UnweightedGPA Current cumulative unweighted GPA for student in #.### decimal format.			
		When student most recent (latest Start Date) in the SIF Zone has an enrollment grade mapped to State Grade Level Code of 07 - 12:			
		 Reports the student's cumulative Unweighted GPA from the student's transcript that occurred up to and including the SIF Zone Year. See (Grading & Standards > Reports > Unweighted GPA) Format: "#.###" When the student's most recent grade in the SIF Zone is not mapped to 07 -12, or when there are no transcript records from which to report, reports "NA". 			

JSON Sample

```
"StudentPersonal": {
  "RefId": "D3E34B359D75101A8C3D00AA001A1652",
  "AlertMessages": {
   "AlertMessage": [
        "Type": "Legal",
        "value": "This is the Legal Alert for Joe Student"
  "LocalId": "P00001",
  "StateProvinceId": "WB0025",
 "ElectronicIdList": {
    "ElectronicId": [
        "Type": "Barcode",
        "value": "206654"
  "Name": {
   "Type": "04",
   "LastName": "Student",
   "FirstName": "Joe",
    "MiddleName": "",
    "PreferredName": "Joe"
 "Demographics": {
   "Gender": {
      "value": "M"
```

10

```
"AddressList": {
  "Address": [
      "Type": "0123",
      "Street": {
        "Line1": "6799 33rd Ave.",
        "StreetNumber": "6799",
        "StreetName": "33rd",
        "StreetType": "Ave."
      },
      "City": "Chicago",
      "StateProvince": {
        "value": "IL"
      "Country": {
        "value": "US"
      "PostalCode": "60660"
"PhoneNumberList": {
  "PhoneNumber": [
      "Type": "0096",
      "Number": "(312) 555-1234"
"EmailList": {
  "Email": [
```

. . . .

12

Appendix