

TX Ed-Fi Suite 3 API v7.1 Data Standard v4.0: Students

August
2025

TX Ed-Fi Suite 3 API v7.1 Data Standard v4.0: Students

Summary

This resource represents an individual for whom instruction, services, and/or care are provided in an early childhood, elementary, or secondary educational program under the jurisdiction of a school, education agency or other institution or program. A student is a person who has been enrolled in a school or other educational institution.

Object Triggering

Action	Business Rule(s)
Post	<p>When an enrollment is created and saved for a person and the enrollment overlaps a configured year</p> <ul style="list-style-type: none">• Do not send it an enrollment is marked as No Show or State Exclude• Do not send a record if enrollment is in a Calendar marked as State Exclude• Do not send a record if enrollment is in a School marked as State Exclude
Put	<p>When the person's identity record is changed in any of the following fields:</p> <ul style="list-style-type: none">• Birth City, Birth Country, Birth Date, Birth State, Date Entered US, First Name, Suffix, Last Name, Middle Name
Delete/Post	N/A
Delete	Student records are never deleted because Student records are a shared resource among all districts.

Required Resources (Upstream)

The following resources must be sent prior to this resource:

- N/A

Dependent Resources (Downstream)

The following resources are dependent on this resource (must be sent after this resource):

- Student School Associations
- Student Education Organization Associations
- Student Education Organization Responsibility Associations
- Student CTE Program Associations
- Student Language Instruction Program Associations
- Student Special Education Program Associations
- Student Special Education Program Eligibility Associations
- Student Title I Part A Program Associations
- Student Section Associations
- Student Discipline Incident Behavior Associations

Error Log

The following are potential Tier 1 (Ed-Fi API generated) or custom (Campus generated) errors you may receive when posting, updating, or deleting this resource. Please keep in mind that the "Error Message" below may not match your exact error message.

Error Message	Possible Causes / How to Fix

Object Data Elements

Data element labels below in **BOLD** are part of the natural key of this resource and are required data elements for the record to send through Ed-Fi.

- The Mandatory / Conditional / Optional column indicates what the state requires for each data element.
- The Uses Core Template Rules column indicates if the element uses Infinite Campus Core Ed-Fi rules, has been Localized using DOE rules, or the element has been added by a DOE as an Extended Element.

	Data Element Label	Business Rule(s)	Mandatory/ Conditional/ Optional	Tool Path	Database Field	Uses Core Template Rules (Y/N/EXT)
1	studentUniqueId (string)	<i>A unique alpha-numeric code assigned to a student.</i> <hr/> 1. Report Student State ID	M	Demographics	person.stateID	Y
2	birthCity (string)	<i>The city the student was born in.</i> <hr/> 1. Report the Birth City if populated on the Demographics tab	O	Demographics	identity.birthCity	Y

3	birthCountryDescriptor (string)	<p><i>The country in which an individual is born. It is strongly recommended that entries use only ISO 3166 2-letter country codes.</i></p> <hr/> <ol style="list-style-type: none"> Report the Country from the Birth Country saved on the student's current identity record. <ol style="list-style-type: none"> Look for a mapping saved to the Birth Country Descriptor Override section in preferences. If there is a mapped value, report that mapping. If an override is not there, look to see if the Code matches an Ed-Fi code, if yes report that value Report default value if saved on the Attribute and the code matches an Ed-Fi code Else, report NULL 	O	Demographics	identity. birthCountry	Y
4	birthDate (date-time)	<p><i>The month, day, and year on which an individual was born.</i></p> <hr/> <ol style="list-style-type: none"> Report the Birth Date from the student's current identity record 	M	Demographics	identity.birthdate	Y

5	birthSexDescriptor (string)	<p><i>A person's gender at birth.</i></p> <hr/> <ol style="list-style-type: none"> Report the Legal Gender from the student's current identity record <ol style="list-style-type: none"> If null, report the student's Gender from the current Identity record Report the following based on the value selected in the droplist <ol style="list-style-type: none"> Female report 'Female' Male report 'Male' Blank report 'Not Selected' 	O	Demographics	identity. legalGender identity.gender	Y
6	birthStateAbbreviationDescriptor (string)	<p><i>The abbreviation for the name of the state (within the United States) or extra-state jurisdiction in which an individual was born.,</i></p> <hr/> <ol style="list-style-type: none"> Report the State from the Birth State saved on the student's current identity record. <ol style="list-style-type: none"> Look for a mapping saved to the Birth State Abbreviation Type Override section in preferences. If there is a mapped value, report that mapping. If an override is not there, look to see if the Code matches an Ed-Fi code, if yes report that value Report default value if saved on the Attribute and the code matches an Ed-Fi code Else, report NULL 	O	Demographics	identity. birthState	Y

7	dateEnteredUS (date-time)	<p><i>For students born outside of the US, the date the student entered the US.</i></p> <hr/> <p>1. Report the Date Entered US if date is entered 2. Do not report if date is blank</p>	O	Demographics	identity. dateEnteredUS	Y
8	firstName (string)	<p><i>A name given to an individual at birth, baptism, or during another naming ceremony, or through legal change.</i></p> <hr/> <p>1. Report from the current identity record, a. Report first from the legal name fields, report legal first name b. If Legal First and Last name fields are blank, report First Name</p>	M	Demographics	identity. legalFirstName identity. firstName	Y
9	lastSurname (string)	<p><i>The name borne in common by members of a family.</i></p> <hr/> <p>1. Report from the current identity record, a. Report first from the legal name fields, report last name b. If Legal First and Last name fields are blank, report Last Name</p>	O	Demographics	identity. legalLastName identity.lastName	Y

10	middleName (string)	<p><i>A secondary name given to an individual at birth, baptism, or during another naming ceremony.</i></p> <hr/> <p>1. Report from the current identity record, a. Report first from the legal name fields, report legal middle name i. If Legal First Name and Legal Last Name are populated and Middle Name is blank, report blank b. If all legal name fields are blank, report from middle name i. Otherwise, report blank</p>	O	Demographics	identity. legalMiddleName identity. middleName	Y
11	otherNames (array)	<p><i>Other names (e.g., alias, nickname, previous legal name) associated with a person.</i></p> <hr/> <p>1. Reports the data from the previous Identity for a student. Must have more than 1 Identity for this to report 2. See Array section below for data logic for each field</p>	O	Identity	N/A	Y
12	LocalStudentID (string)	<p><i>is the student's local identification number as assigned by the district.</i></p> <hr/> <p>1. Report Local Student Number</p>	M	Demographics		EXT

13	StudentID (string)	<p><i>is the student's Social Security number or a state-approved alternative identification number.</i></p> <hr/> <p>1. Report Previous State ID. a. If Previous State ID = NULL, report Social Security Number</p>	M	Demographics		EXT
14	GenerationCodeDescriptor (string)	<p><i>identifies the generation suffix, if any, which the person attaches to his name (e. g., Jr., Sr., III)</i></p> <hr/> <p>1. Report mapped Ed-Fi Code of Suffix.</p>	O	Demographics		EXT
15	AsOfStatusLastFridayOctoberDescriptor (string)	<p><i>indicates the student's status in the district on the last Friday in October in the current school year</i></p> <hr/> <p>1. Report mapped Ed-Fi Code of Last Friday October As-Of-Status from primary enrollment that is active on the last Friday of October. a. If Last Friday October As-Of-Status = NULL and student is in a Grade Level mapped to Ed-Fi Code = EE, PK, KG, 01, 02, 03, 04, 05, or 06, report 'X'</p> <hr/> <p>"namespace": "uri://tea.texas.gov/AsOfStatusLastFridayOctoberDescriptor"</p>	O	Enrollment		EXT

16	<p>AsOfStatusLastDayEnrollment Descriptor</p> <p>(string)</p>	<p><i>indicates the student's status in the district on the last day of school or last date of enrollment in the current school year</i></p> <hr/> <ol style="list-style-type: none"> 1. Report mapped Ed-Fi Code of Last Day Enrollment As-Of-Status from primary enrollment 2. If Last Day Enrollment As-Of-Status = NULL, calculate the descriptor code: <ol style="list-style-type: none"> a. If student's most recent primary enrollment has End Date = NOT NULL and Grade Level mapped to Ed-Fi Code = EE, PK, KG, 01, 02, 03, 04, 05, or 06, report 'X' b. If student's most recent primary enrollment has an End Date prior to the last instructional day of the calendar, report 'I' c. If student most recent primary enrollment has an End Date on or after the last instructional day of the calendar, report 'H' d. If student's most recent primary enrollment does not have an End Date, do not report this field. <hr/> <p>"namespace": "uri://tea.texas.gov/AsOfStatusLastDayEnrollmentDescriptor"</p>	O	Enrollment		EXT
----	---	--	---	------------	--	-----

17	censusBlockGroupSets (array)	<p><i>An unordered collection of studentCensusBlockGroupSets. StudentCensusBlockGroup indicates the census block in which the student resides.</i></p> <hr/> <p>1. Reports all household memberships that occur within the Scope Year that qualify to report a StudentCensusBlockGroup. 2. See array for field specific logic.</p>	O	Household State Programs - ADA Enrollment Homeless FRAM		EXT
18	crisisEventSets (array)	<p>An unordered collection of studentCrisisEventSets. CommonTypeCrisisEvent indicates a state health or weather-related event that impacts a group of students, and may require additional funding, educational, or social services. The event may or may not cause the student to leave the district or campus of residence. A crisis event is designated by the Commissioner of Education.</p> <hr/> <p>1. See array for field specific logic.</p>	O			EXT
19	StudentDoNotReportTSDS	1. This is optional, does not report	O	N/A	N/A	N
20	generationCodeSuffix	1. This is optional, does not report	O	N/A	N/A	N
21	visas	1. This is optional, does not report	O	N/A	N/A	Y

22	personalTitlePrefix	1. This is optional, does not report	O	N/A	N/A	Y
23	personalIdentificationDocuments	1. This is optional, does not report	O	N/A	N/A	Y
24	multipleBirthStatus	1. This is optional, does not report	O	N/A	N/A	Y
25	maidenName	1. This is optional, does not report	O	N/A	N/A	Y
26	identificationDocuments	1. This is optional, does not report	O	N/A	N/A	Y
27	citizenshipStatusDescriptor	1. This is optional, does not report	O	N/A	N/A	Y
28	birthInternationalProvince	1. This is optional, does not report	O	N/A	N/A	Y

Arrays

Census Block Group Sets

	Data Element Label	Business Rule(s)	Mandatory/ Conditional/ Optional	Tool Path	Database Field	Uses Core Template Logic (Y/N/EXT)
1	StudentCensusBlockGroup (string)	<p><i>indicates the census block in which the student resides.</i></p> <hr/> <ol style="list-style-type: none"> If ANY of the following are TRUE, do not report. <ol style="list-style-type: none"> Last Friday October As-Of-Status = A, C, E, or G TX-EconomicDisadvantaged equals 00 or no FRAM record exists, and Code 99 = deselected TX-ADAEligibility equals 0, 4, 5, or 8 TX-Attribution equals 21 or 23 (Student Information > General > Enrollments > Attribution Code) TX-HomelessStatus equals any value other than 0 Else, report Block from the most recent primary household tied to the student AND the most recent primary address within that household. 	M	Household State Programs - ADA Enrollment Homeless FRAM		EXT
2	beginDate (date)	<p><i>Begin date of the effective date for the StudentCensusBlockGroup</i></p> <hr/> <ol style="list-style-type: none"> Report latest of the following that occurs within the scope year: <ol style="list-style-type: none"> Household Membership Start Date Enrollment Start Date 	M	Household		EXT

3	endDate (date)	<p><i>EndDate is the first day after the last instructional day an economically disadvantaged student was assigned to the Census Block Group Number.</i></p> <hr/> <ol style="list-style-type: none"> Report earliest of the following, + 1 additional day: <ol style="list-style-type: none"> Household Membership End Date Enrollment End Date If no date is found report the last instructional day of the calendar + 1 day. 	O	Household		EXT
---	-------------------	--	---	-----------	--	-----

Crisis Event Sets

	Data Element Label	Business Rule(s)	Mandatory/ Conditional/ Optional	Tool Path	Database Field	Uses Core Template Logic (Y/N/EXT)
1	crisisEventDescriptor (string)	<p><i>indicates a state health or weather-related event that impacts a group of students, and may require additional funding, educational, or social services. The event may or may not cause the student to leave the district or campus of residence. A crisis event is designated by the Commissioner of Education.</i></p> <hr/> <ol style="list-style-type: none"> Reports mapped Ed-Fi Code from Crisis Code 	M	Crisis Event		EXT
2	beginDate (date)	<p><i>Begin date of the effective date for the CrisisEvent</i></p> <hr/> <ol style="list-style-type: none"> Report start date of crisis event 	M	Crisis Event		EXT

3	endDate (date)	<i>EndDate is the first day after the last instructional day a student was assigned to the CrisisEvent descriptor.</i> <hr/> 1. Report end date of crisis event	O	Crisis Event		EXT
---	-------------------	---	---	--------------	--	-----

Other Names

	Data Element Label	Business Rule(s)	Mandatory/ Conditional/ Optional	Tool Path	Database Field	Uses Core Template Logic (Y/N/EXT)
1	otherNameTypeDescriptor (string)	<i>An unordered collection of studentOtherNames. Other names (e.g., alias, nickname, previous legal name) associated with a person.</i> <hr/> 1. Report "Previous Legal Name"	M	N/A	N/A	Y
2	firstName (string)	<i>A name given to an individual at birth, baptism, or during another naming ceremony, or through legal change. NEDM First Name</i> <hr/> 1. Report the first name from the student's previous identity record	M	Identity	identity. firstName	Y

3	generationCodeSuffix (string)	<p><i>An appendage, if any, used to denote an individual's generation in his family (e.g., Jr., Sr., III).</i></p> <hr/> <p>1. Report the suffix from the student's previous identity record 2. If blank, do not report</p>	O	Identity	identity.suffix	Y
4	lastSurname (string)	<p><i>The name borne in common by members of a family. NEDM Last Name/Surname</i></p> <hr/> <p>1. Report the last name from the student's previous identity record</p>	M	Identity	identity.lastName	Y
5	middleName (string)	<p><i>A secondary name given to an individual at birth, baptism, or during another naming ceremony. NEDM Middle Name</i></p> <hr/> <p>1. Report the middle name from the student's current identity record 2. If blank, do not report</p>	O	Identity	identity.middleName	Y
6	personalTitlePrefix (string)	<p>1. This is optional, does not report</p>	O	N/A	N/A	Y