

ME: Student Personal

September
2025

ME: Student Personal

Table of Contents

- [Summary](#)
- [Batch Condition](#)
- [Object Triggering Logic](#)
- [Object Population and Business Rules](#)
- [Object Data Elements Logic](#)
- [JSON Sample](#)
- [Appendix](#)

Summary

This object contains all the personal information related to the student
SIF_Events are reported for this object.

Batch Condition

1. Existing SIF_Condition elements to support:
 - a. @RefId
 - b. LocalId
 - c. StatePrId
 - d. Name/LastName
 - e. Name/MiddleName
 - f. Name/FirstName
 - g. Demographics/Gender
 - h. Demographics/Birthdate
 - i. @SchoolYear

Object Triggering Logic

Action	Business Rule(s)
--------	------------------

Add	- When creating an enrollment and the enrollment is not excluded by the zone - Note: If there are multiple enrollments created for a student, then multiple Add events will be sent with the same RefId. The last event should overwrite previous events on the receiving end.
Change	- When any of the fields reported in Object Data Elements change on the following tables: - Address, Contact, Enrollment, Graduation, Household, HouseholdLocation, HouseholdMember, Identity, IdentityRaceEthnicity, Academic Planning, LEP, Person, POSEligibility, Migrant tab, Gifted and Talented tab, Title 1 tab, Homeless tab, Section 504 tab, IEP Plans and IEPs State Reporting tab - When the student has multiple Enrollments in the zone scope and one is deleted - When an Enrollment's noShow, serviceType, or stateExclude fields are changed and the student has an Enrollment in the zone scope that is not excluded based on the zone options - Send a Change when the following are updated: - Identity.languageAlt - Identity.languageAlt2 - Identity.languageAlt2Interpreter - Identity.languageInterpreter
Delete	- When all of the student's enrollments in the zone scope are deleted - When an Enrollment's noShow, serviceType, or stateExclude fields are changed and all of the student's Enrollments in the zone scope are excluded based on the zone options

Object Population and Business Rules

#	Requirement
R1	An enrollment in the Zone Scope.
R2	Follow Exclude logics: • Calendar SIF Exclude Grade Level > Exclude from SIF Reporting • Exclude No Show Enrollments Exclude All State Exclude Enrollments Exclude All Secondary Enrollments
R3	Use Legal Gender Use Legal Name 1. When the "Use Legal Name" option is selected in the zone options and Legal First and Last Name fields are populated in the person's current Identity, then report from the legal name fields for all of the elements under the Name element. 2. When the "Use Legal Name" option is not selected, or Legal First or Last Name fields are blank in the person's current Identity, then report from the regular name fields for all of the elements under the Name element. 3. When the "Use Legal Gender" option is selected in the zone options and Legal Gender is populated in the person's current Identity, then report the Gender element from the Legal Gender field. 4. When the "Use Legal Gender" option is not selected, or Legal Gender is blank in the person's current Identity, then report the Gender element from the Gender field.

R4 Follow [SIF Unity Zone Options](#) Rules for Zones:

Exclude:

No Show Enrollments ✕ Secondary Enrollments ✕ State Exclude Enrollments ✕ State Exclude District Assignments ✕

Publish:

Social Security Numbers in StaffPersonal ✕ Social Security Numbers in StudentPersonal ✕

Demographics:

Use Legal Gender ✕ Use Legal Name ✕

Object Data Elements Logic

	Data Element Label	Business Rule(s)	M/ C/ O	Data Source GUI Path	Database Field
1	@RefId	<i>The GUID of the student.</i> Calculated	M		person.personId
2	AlertMessages	<i>Optional. Does Not Report.</i>			
3	MedicalAlertMessages	<i>Optional. Does Not Report.</i>			
4	LocalId	<i>The locally-assigned identifier for this student.</i> School Student identification number.	O		person.studentNumber
5	StateProvinceId	<i>The state-assigned identifier for this student.</i> Student ID provided by State Student Information System.	M		person.stateId
6	ElectronicIdList	<i>Optional. Does Not Report.</i>			
7	OtherIdList (List)	<i>Lists all "other" identifiers associated with the student.</i> Reports when Social Security Number is entered and Zone Options > Publish Social Security Number = Checked. Else, do not report	O		

8	OtherIdList/ OtherId	<i>Lists an "other" identifier associated with the student.</i> Reports the ssn	MR		identity.ssn
9	OtherIdList/ OtherId/ Type	<i>Code that defines the type of this other Id.</i> Reports "0004"	M		
10	Name	<i>Name of the student. Note: Type value of 04 must be used here.</i>	M		
11	Name/@Type	<i>Code that specifies what type of name this is. If unsure, use 04.</i> Reports "04"	M		
12	Name/ LastName	<i>Last name of student</i> Reports the Last Name	M	Census> People> Identities	identity.lastName
13	Name/ FirstName	<i>First name of student</i> Reports the First Name	M	Census> People> Identities	identity.firstName
14	Name/ MiddleName	<i>Middle name of the student</i> Reports the Middle Name	O	Census> People> Identities	identity.middleName
15	Name/ Suffix	<i>Name suffix of student</i> Reports the Suffix Name	O	Census> People> Identities	identity.suffix

16	Name/ PreferredName	<i>Preferred name of student</i> Reports the Alias	O	Census> People> Identities	identity.alias
17	Name/ SortName	<i>This is the name to be used for sorting purposes</i> Last Name, First Name (space) Middle Initial	O	Census> People> Identities	identity.lastName, identity.firstName, identity.middleName
18	Name/ FullName	<i>A free text field for the complete name</i> First Name + Middle Name + Last Name	O	Census> People> Identities	identity.firstName, identity.middleName, identity.lastName
19	OtherNames (List)	<i>Previous, alternate or other names or aliases associated with the student.</i> Reports when student has different name in a prior Identity record	O		
20	OtherNames/ Name	<i>Name of the person. Note: Type value of 04 may not occur here.</i>	MR		
21	OtherNames/ Name/ @Type	<i>Code that specifies what type of name this is, excluding "name of record."</i> 1. Reports "OtherName" for the earliest prior identity name record (previous 01) 2. Reports "PreviousLegalName" for the second most recent identity name record, only if there are 3 or more identity records	M		
22	OtherNames/ Name/ LastName	The <i>last</i> name Reports the student's Last Name	M	Census> People> Identities	identity.lastName

23	OtherNames/ Name/ FirstName	<i>The first name</i> Reports the student's First Name	M		
24	Demographics (List)	<i>This element contains information related to student demographics.</i>	M		
25	Demographics/ RaceList (List)		M		
26	Demographics/ RaceList/ Race	Reports for each of the races in the person's current identity record	M		
27	Demographics/ RaceList/ Race/ Code	<i>The general racial category which reflects the individual's recognition of his or her community or with which the individual most identifies. In a given SIF implementation Agents must have alignment on the use of the NCES and deprecated SPEEDE code sets. Agents are not required to translate between the code sets</i> https://ceds.ed.gov/element/001943 Reports the SIF race code mapped to the race: • When American Indian or Alaska Native, report AmericanIndianOrAlaskaNative (Previous: 0998) • When Asian, report Asian (Previous: 0999) • When Black or African American, report BlackOrAfricanAmerican (Previous: 1000) • When Native Hawaiian or Other Pacific Islander, report NativeHawaiianOrOtherPacificIslander (Previous: 1001) • When White, report White (Previous: 1002)	M	Census> People> Identities	sifRaceEthnicity.code
28	Demographics/ RaceList/ Race/ OtherCodeList (List)		M		

29	Demographics/ RaceList/ Race / OtherCodeList/ OtherCode	<i>A state/province code, local code, other code or a text string that crosswalks to or serves as a translation of an associated Code element.</i>	M	Census> People> Identities	identity.raceEthnicity
30	Demographics/ RaceList/ Race / OtherCodeList/ @Codeset	<i>Describes the OtherCode element content as either a state /province code, a local code, other code, or text string.</i> Reports "StateProvince"	M		
31	Demographics/ HispanicLatino	 When Yes, reports - Yes When No, reports- No When None selected, reports- NotSelected	M	Census> People> Identities	identity.hispanicEthnicity
32	Demographics/ Gender	Person's Gender Must report Male, Female or NotSelected	M	Census> People> Identities	identity.gender
33	Demographics/ BirthDate	<i>The person's date of birth</i>	M	Census> People> Identities	identity.birthDate
34	Demographics/ PlaceOfBirth	<i>The person's place of birth—like village, town, city etc.</i> Reports the birth city When Birth City = Null, reports null.	O	Census> People> Identities	identity.birthCity

35	Demographics/ StateOfBirth	<i>The person's state of birth</i> Reports the SIF-mapped code aligned with the selection in Birth State. If SIF codes are not mapped for Birth State in this district's state, reports Birth State.	O	Census> People> Identities	identity.birthState
36	Demographics/ CountryOfBirth	<i>The person's country of birth</i> When Birth Country = Null, reports US.	O	Census> People> Identities	identity.birthCountry
37	Demographics/ LanguageList (List)	<i>List of languages an individual uses to communicate.</i> Requires an entry in Home Primary Language.	O		
38	Demographics/ LanguageList/ Language (List)		MR		
39	Demographics/ LanguageList/ Language/ Code	<i>The code representing the specific language that an individual uses to communicate.</i> Reports the SIF-mapped code for the selection made in Census > Home Primary Language	M	Census> People> Identities> Home Primary Language	identity. homePrimaryLanguage
40	Demographics/ LanguageList/ Language/ OtherCodeList (List)	<i>List of other codes or strings that crosswalk to or serve as translations of the Code element paired with this common element</i>	O		
41	Demographics/ LanguageList/ Language/ OtherCodeList/ @Codeset	<i>Describes the OtherCode element content as either a state /province code, a local code, other code, or text string.</i> Reports "StateProvince"	M		

42	Demographics/ LanguageList/ Language/ OtherCodeList/ OtherCode	<i>A state/province code, local code, other code or a text string that crosswalks to or serves as a translation of an associated Code element.</i> Report the Code selected in Census > Home Primary Language	MR	Census> People> Identities	identity. homePrimaryLanguage
43	Demographics/ LanguageList/ Language/ LanguageType	<i>An indication of the function and context in which an individual uses a language to communicate</i> https://ceds.ed.gov/element/000316 When Home Primary Language, report "Home" (Previous -"1037")	O		
44	Demographics/ DwellingArrangement (List)	<i>Setting/environment in which the person resides.</i> Reports the entry from the student's most recent enrollment.	O		
45	Demographics/ DwellingArrangement/ Code	<i>Code representing the setting/environment in which the person resides</i> 1. When calendar.type = residential, 1673 2. When the enrollment End Status contains "jail", "prison", or "incarcerated", then 1677 3. When student has a Homeless field = checked on their enrollment, 1680 4. When student has a household location(active), 1674 5. Otherwise, 9999.	M		enrollment. dwellingCode
46	AddressList (List)	<i>The student's address(es)</i>	M		

47	AddressList/ Address	<i>A collection of the addresses that exist for the student.</i> Order address by: 1. Non-secondary 2. Most recent Start Date	M		
48	AddressList/ Address/ @Type	<i>Code that defines the location of the address. Note: A subset of specific valid values for each instance in a data object may be listed in that object.</i> https://ceds.ed.gov/element/000010 	M		householdlocation. private householdmember. private

1. Report Addresses in the following hierarchy
 - a. Report Primary Household before Secondary Household
 - i. If more than 1 Primary Households address then report in order of start date
 - b. If above is tied, then report in order of MemberID
 - i. When a student does not have a HouseholdMembership that overlaps today's date, then report the address for the student's HouseholdMembership with latest end date before today's date.
 - ii. If the student has no past HouseholdMemberships, report blank.
 - iii. Do not report addresses where Private is checked
 - c. The AddressType should be unique for a student
 - d. Do not report more than 5 addresses for a student
 - e. For each reported address:
 - i. Reports "Mailing" when address.postOfficeBox = checked on the student's household.
 - ii. Reports "Physical" for the first non-secondary address.
 - iii. Reports "GuardianAddress" for the first secondary address.
 - iv. Subsequent addresses report "Billing", then "Shipping", then "PermanentStudent", and then "PermanentAdmission" for the remaining addresses
 - f. Do not report more than one P.O.Box.
 - i. In multiple Primary Household scenarios
 1. Report in order of Household start date
 2. If above is tied, then report in order of MemberID

49	AddressList/ Address/ Street	<i>The street element is a complex element and breaks the street down into several parts.</i>	M		
50	AddressList/ Address/ Street/ Line1	<i>Address line 1.</i> When address.postOfficeBox = checked, reports "P.O. Box " followed by address.number (e.g. "P.O. Box 1234") When address.postOfficeBox = not checked, reports address.number, prefix, street, tag, and dir separated by spaces	M		Address.number, .prefix, .street, .tag, .dir
51	AddressList/ Address/ Street/ Line2	<i>Address line 2.</i> 	O	Census > Households > Addresses	Address.apt
52	AddressList/ Address/ Street/ Line3	<i>Address line 3.</i> Reports in format: City, ST ZIP	O	Census > Households > Addresses	Address.city, .state, .zip
53	AddressList/ Address/ Street/ StreetNumber	<i>The address number assigned to the building.</i> Reports the Street Number	O	Census > Households > Addresses	Address.number
54	AddressList/ Address/ Street/ StreetPrefix	<i>Street prefix like NE</i> Reports the Prefix	O	Census > Households > Addresses	Address.prefix
55	AddressList/ Address/ Street/ StreetName	<i>The name of the street.</i> Reports the Street Name	O	Census > Households > Addresses	Address.street
56	AddressList/ Address/ Street/ StreetType	<i>The type of street. For example, Lane, Blvd., Ave., etc.</i> Reports the Street Type	O	Census > Households > Addresses	Address.tag

57	AddressList/ Address/ Street/ StreetSuffix	<i>Street suffix like SW.</i> Reports the Street Suffix	O	Census > Households > Addresses	Address.dir
58	AddressList/ Address/ Street/ ApartmentNumber	<i>Type of apartment, for example, Suite.</i> Reports the Apartment	O	Census > Households > Addresses	Address.aprt
59	AddressList/ Address/ City	<i>The city part of the address.</i> Reports the City	M	Census > Households > Addresses	Address.city
60	AddressList/ Address/ County	<i>The county part of the address.</i> Reports the County	O	Census > Households > Addresses	Address.county
61	AddressList/ Address/ StateProvince	<i>The state or province code.</i> Reports the State	M	Census > Households > Addresses	Address.state
62	AddressList/ Address/ Country	<i>The country code.</i> 	M	N/A	default
63	AddressList/ Address/ PostalCode	<i>The ZIP/postal code.</i> Reports the Zip	M	Census > Households > Addresses	Address.zip
64	PhoneNumberList (List)	<i>The student's phone number(s).</i>	O		
65	PhoneNumberList/ PhoneNumber (List)	Reports twice: one for household phone and one for contact phone	MR		

66	PhoneNumberList/ PhoneNumber/ @Type	<i>Code that specifies what type of phone number this is. Note: A subset of valid values may be specified in data objects</i> https://ceds.ed.gov/element/000280 1. Report Home for household 2. Report Other for contact 3. Report Work for work Phone 4. Report Mobile for cellPhone	M	Census > Households >	Household.phone Contact.cellPhone Contact.workPhone
67	PhoneNumberList/ PhoneNumber/ Number	<i>Phone number. Free-form, but typical U.S. formats include: (###) ###-#### or ###-####</i> When reporting for household, report the household phone number for the household that the student is a member of today. When reporting for contact, if the student's Cell Phone is provided, report Cell Phone; otherwise report Work Phone.	M	Household Census > People > Demographics > Personal Contact Information	Household.phone Contact.cellPhone Contact.workPhone
68	EmailList (List)	<i>The student's e-mail address(es).</i>	O		
69	EmailList/ Email	<i>The student's e-mail address(es).</i> Reports the Email Address	MR	Census > People > Demographics > Personal Contact Information	Contact.email
70	EmailList/ Email/ @Type	<i>Type of e-mail</i> Report "Home"	M		

71	ProjectedGraduationYear	<i>Currently projected graduation year.</i> 1. When Graduation > NGA Cohort End Year is not null, report NGA Cohort End Year. 2. When NGA Cohort End Year is null and Graduation > Date First Entered the 9th Grade is not null, report the year portion of Date First Entered the 9th Grade plus 4. 3. Otherwise, report the sum of the student's latest enrollment end year and the number of years to graduate based on the grade level. The number of years to graduate is based off the standardCode tied to the enrollment's grade level, or if this is null, then the enrollment's local grade, as follows: When PK then 13 When KG then 12 When 01 then 11 When 02 then 10 When 03 then 9 When 04 then 8 When 05 then 7 When 06 then 6 When 07 then 5 When 08 then 4 When 09 then 3 When 10 then 2 When 11 then 1 When 12 then 0 Otherwise do not report Example: if graduation fields are null, enrollment end year is 2021, and enrollment local grade is 9 with standard code 09, then report 2024 (since this is 2021 + 3).	O	Graduation Enrollment	graduation.cohortYearNGA graduation.grade9date enrollment.grade gradeLevel.standardCode
----	-------------------------	--	---	--------------------------	--

72	OnTimeGraduationYear	<i>First projected graduation year, usually determined when student is accepted into 9th grade.</i> 1. When Graduation NCLB Cohort End Year is not null, report NCLB Cohort End Year. 2. When NCLB Cohort End Year is null and Graduation > Date First Entered the 9th Grade is not null, report the year portion of Date First Entered the 9th Grade plus 4. 3. When the above fields on Graduation are null, then: a. When the student's latest enrollment local grade is 09, report the enrollment end year plus 3 b. When the student's latest enrollment local grade is 10, report the enrollment end year plus 2 c. When the student's latest enrollment local grade is 11, report the enrollment end year plus 1 d. When the student's latest enrollment local grade is 12, report the enrollment end year e. Otherwise do not report.	O	Student Information> General> Graduation Student Information> General> Enrollments	graduation.cohortYearNCLB graduation.grade9date enrollment.grade
73	GraduationDate	<i>Date student officially graduated from secondary education.</i> Reports only when graduation.diplomaDate is not null.	O	Student Information> General> Graduation	graduation.diplomaDate
74	MostRecent (List)	<i>Container for elements reflecting the most recent enrollment of a student. If the student is currently enrolled in the district, the elements contain current information.</i>	O		
75	MostRecent/ SchoolLocalId	<i>Local identifier representing the school in which the student is or was most recently enrolled in the district.</i> The school.number associated with the student's most recent enrollment ordered first by primary enrollment, and then non-primary.	O		school.number
76	AcceptableUsePolicy	<i>Optional. Does Not Report</i>			

77	IDEA	1. When the student has a locked IEP where the Start Date is null or on or before today's date, and the End Date is null or on or after today's date, then report "Yes". 2. When the student has a record in Special Ed > State Reporting (SpecialEDState table) where the Start Date is null or on or before today's date, and the End Date is null or on or after today's date, then report "Yes". 3. When Enrollment.specialEdStatus is NOT equal to any of the following: null, "N", "", "0", or "00", then report "Yes". 4. Otherwise report "No".	O	Student Information > Special Ed Student Information > Special Ed > State Reporting	plan.startDate SpecialEDState.startDate SpecialEDState.endDate Enrollment.specialEdStatus
78	Migrant	1. When the student has a Migrant record where the Last Qualifying Arrival Date is null or on or before today's date, and the Eligibility Expiration Date is null or on or after today's date, then report "Yes". 2. When Enrollment.migrant is NOT equal to any of the following: null, "N", "", "0", or "00", then report "Yes". 3. Otherwise report "No".	O	Student Information> Program Participation> Migrant Student Information> General> Enrollments	enrollment.migrant migrant.lastQualifyingArrivalDate

79	Title1	- When the latest School History record for this school with an effective date on or before today's date has Title 1 = "Schoolwide Program", report "Yes". - Title 1 Tab if the Title 1 tab is active - When the student has a Title1 record where the Start Date is on or before today's date, and the End Date is null or on or after today's date, then report "Yes". - Otherwise, when enrollment.title1 is null, "N", "", "0", or "00", report "No". - Otherwise report "Yes". - Otherwise, report "No". Note: There will be no triggers on schoolAttribute table. Needs to be sent via batch	O	Student Information> Program Participation> Title1 Student Information> General> Enrollments System Administration> Resources> School> Title 1	enrollment.title1 title1.startDate title1.endDate schoolAttribute.title1
80	GiftedTalented	- When the student has a Gifted & Talented record where the Start Date is on or before today's date, and the End Date is null or on or after today's date, then report "Yes". - When Enrollment.giftedTalented is NOT equal to any of the following: null, "N", "", "0", or "00", then report "Yes". - Otherwise report "No".	O	Student Information> Program Participation> Gifted Student Information> General> Enrollments	enrollment.giftedTalented gifted.startDate
81	EconomicDisadvantage	- When the student has an active FRAM record with Eligibility = Free or Reduced, reports "Yes". - Otherwise report "No".	O		posEligibility.eligibility

82	ELL	1. When the student has an active EL record, reports "Yes". 2. Otherwise, report "No".	O	Student Information> Program Participation> ELL Student Information> General> Enrollments	lep.identifiedDate lep.exitDate
83	Homeless	1. When the student has a Homeless record where the Start Date is on or before today's date, and the End Date is null or on or after today's date, then report "Yes". 2. When Enrollment.homeless is NOT equal to any of the following: null, "N", "", "0", or "00", then report "Yes". 3. Otherwise report "No".	C	Student Information> Program Participation> Homeless Student Information> General> Enrollments	enrollment.homeless homeless.startDate homeless.endDate
84	Section504	1. When the student has a Section 504 record where the Start Date is on or before today's date, and the End Date is null or on or after today's date, then report "Yes". 2. When Enrollment.section504 is NOT equal to any of the following: null, "N", "", "0", or "00", then report "Yes". 3. Otherwise report "No".	O	Student Information> Program Participation> Section504 Student Information> General> Enrollments	enrollment.Section504 Section504.startDate Section504.endDate

85	VocationalConcentrator	1. When the student has an Academic Program with a Program Type of CTE where the Start Date is on or before today's date, and the End Date is null or on or after today's date, then report "Yes". 2. When Enrollment.vocationalCode is NOT equal to any of the following: null, "N", "", "0", or "00", then report "Yes". 3. Otherwise report "No".	O	Program Admin > Programs > Academic Programs Student Information > Academic Planning > Programs Student Information> General> Enrollments	Program.cte ProgramParticipation. startDate ProgramParticipation. endDate Enrollment. vocationalCode
86	Immigrant	1. check 'Date Entered US School' first, if the date is ≥ 3 years than "Effective report" date then report N for ImmigrantFlag. • If 'Date Entered US School' is not entered, check Migrant checkbox, if checked, report Y if no, report N 2. When immigrant is "N", "", "0", or "00", report "N". 3. Otherwise report "Y".	O		enrollment.immigrant

87	NeglectedDelinquent	- Report if the Title 1 tab is active and has a Title 1 Program of "Title 1 Part D - Neglected, Delinquent or At Risk" - When the student has a "Title 1 Part D - Neglected, Delinquent or At Risk" record where the Start Date is on or before today's date, and the End Date is null or on or after today's date, then report "Yes". - CustomStudent - When value of the CustomStudent.value attribute is null, "N", "", "O", or "OO", report "No". - Otherwise report "Yes". - Otherwise, report "No". (no longer using Enrollment.neglectedDelinquent) Note: There will be no triggers on schoolAttribute table. Needs to be sent via batch by will be updated when another trigger data occurs	O	Student Information> Program Participation> Title 1>Title 1 Part D - Neglected, Delinquent System Administration> Resources> School> Title 1	CustomStudent.value title1.title1PartDProgram Title1.startDate Title1.endDate
88	FirstUSEnrollment	<i>The date on which the student was first enrolled in the US school system.</i> When version 2.4 +, and identity.dateEnteredUSSchool is not null, reports the date entered in Date Entered US School.	O	Census> People> Identities	identity. dateEnteredUSSchool

89	SIF_ExtendedElements [@Name="MLStartDate"]	Date when student first enrolled in Multilingual Learner program Reports the earliest (Student Information > Program Participation > English Learners (EL) > EL > Identified Date) When null, reports blank. Format: YYYY-MM-DD	O	Student Information > Program Participation > English Learners (EL) > EL > Identified Date	Lep.identifiedDate
90	SIF_ExtendedElements [@Name="FirstEntryDateIntoUSSchool"]	Date of first US school enrollment of EL student. Census > Demographics > Person Info > Date Entered US School When null, reports blank.	C	Census > Demographics > Person Info > Date Entered US School	
91	[@Name="ParentGuardian1LastName"]		O		
92	[@Name="ParentGuardian1FirstName"]		O		
93	[@Name="ParentGuardian2LastName"]		O		
94	[@Name="ParentGuardian2FirstName"]		O		
95	[@Name="NativeLanguage"]	1. Reports the language code selected in Census > People > Demographics > Home Primary Language when not null. 2. When Home Primary Language = null, reports blank	MC	Census > People > Demographics > Home Primary Language	

96	[@Name="NativeInterpreter"]	- Reports Y when: - Home Primary Language NOT = null - Native Language Interpreter = checked - Reports N when: - Home Primary Language NOT = null - Native Language Interpreter NOT = checked - Reports blank when: - Home Primary Language = null	MC		
97	[@Name="NativeLanguage2"]	Reports the language code selected in Census > People > Demographics > Native Language 2 when not null. When Native Language 2 = null, reports blank	MC	Census > People > Demographics > Native Language 2	
98	[@Name="NativeInterpreter2"]	- Reports Y when: - Native Language 2 NOT = null - Native Language 2 Interpreter = checked - Reports N when: - Native Language 2 NOT = null - Native Language 2 Interpreter NOT = checked - Reports blank when: - Native Language 2 = null	MC		

99	[@Name="NativeLanguage3"]	1. Reports the language code selected in Census > People > Demographics > Native Language 3 when not null. 2. When Native Language 3 = null, reports blank	MC	Census > People > Demographics > Native Language 3	
100	[@Name="NativeInterpreter3"]	Reports Y when: Native Language 3 NOT = null Native Language 3 Interpreter = checked Reports N when: Native Language 3 NOT = null Native Language 3 Interpreter NOT = checked Reports blank when: Native Language 3 = null	MC		
101	[@Name="NativeLanguage4"]	Reports null	MC		
102	[@Name="NativeInterpreter4"]	Reports null	MC		
103	[@Name="NativeLanguage5"]	Reports null	MC		
104	[@Name="NativeInterpreter5"]	Reports null	MC		

JSON Sample

--

Appendix