

# DE Ed-Fi Suite v3.6.2, Data Standard v4.0: Alleged Bullying Victims

# DE Ed-Fi Suite v3.6.2, Data Standard v4.0: Alleged Bullying Victims

#### **Table of Contents**

- Summary
- Object Triggering Logic
- Required Resources (Upstream)
- Dependent Resources (Downstream)
- Error Log
- Object Data Elements Logic
- Appendix

#### Summary

This represents the victims of alleged bullying incidents.

# Object Triggering Logic

Action	Business Rule(s)
Post	Reports a record when a Behavior Event has an Event Code mapped to the <i>D0701: Alleged Bullying</i> state code and the Incident is marked as Complete.
	<ul> <li>Do not report a record if the any of the following exclusions are present:</li> <li>Enrollment State Exclude</li> <li>Enrollment Grade Exclude from State Reporting</li> <li>Calendar Exclude</li> <li>School Exclude</li> <li>This behavior resource should report even if there is no resolution tied to it. There does not need to be a "full chain" of behavior within Campus (Incident Event Resolution) for this resource to report.</li> <li>This resource will only report for students with a role on the ABV: Alleged Bullying Victims Event mapped to the V: Victim Ed-Fi code.</li> </ul>

# A DELETE / POST will be performed if the data element being altered is part of the resource's natural key. A PUT will be performed otherwise. Delete /Post • The following information on the Incident is changed: Incident ID (New Incident) Put Status • The following information on the Event is changed: Event ID (New Event) Event Type Student Role Bullying Category Bullying Reason • The following information on the student's Enrollment is changed: State Exclude Delete When the incident is deleted. • When an incident's status is changed to a value that is not "Completed." • When the event is deleted. • When the event type is changed to a value that is not mapped to the ABV: Alleged Bullying Victims state code. • When the student is now excluded in some way from reporting.

# Required Resources (Upstream)

The following resources must be sent prior to this resource:

- Schools (Pre-populated)
- Students
- Student School Associations

#### Dependent Resources (Downstream)

The following resources are dependent on this resource (must be sent after this resource):

N/A

#### Error Log

The following are potential Tier 1 (Ed-Fi API generated) or custom (Campus generated) errors you may receive when posting, updating, or deleting this resource. Please keep in mind that the "Error Message" below may not match your exact error message.

Error Message	Possible Causes / How to Fix				

### Object Data Elements Logic

Data element labels below in **BOLD** are part of the natural key of this resource and are required data elements for the record to send through Ed-Fi.

• The Mandatory / Conditional / Optional column indicates what the state requires for each data element.

	Data Element Label	Business Rule(s)	Mandatory (M) Conditional (C) Optional (O)	Data Source GUI Path	Database Field	Uses Template Logic  (② / ② / EXT)
1	allegedIncidentDate (date	dIncidentDate (date The date of the alleged bullying incident.  M	M	Behavior	BehaviorIncident . timestamp	EXT
	,	Reports the <b>Date of Incident</b> .				

2	schoolReference ( reference)	A reference to the Schools resource associated with the Alleged Bullying Victims being reported.	M	School Information	School .entityID	EXT
		Reports the fields that are part of the natural key for the Schools resource:				
		educationOrganizationId = Ed-Fi School ID				
3	studentReference ( reference)	A reference to the Students resource associated with the Alleged Bullying Victims being reported.	М	N/A	N/A	EXT
		Reports the fields that are part of the Natural Key for the Students resource.				
4	bullyingCategories (array)	An unordered collection of allegedBullying VictimBullyingCategories. Indicates the type of bullying.	М	Behavior	CustomBehaviorEvent .value	EXT
		<ul> <li>bullyingCategoryDescriptor</li> <li>Report the Ed-Fi Code(s) mapped to the value(s) selected for Bullying Category.</li> <li>The Bullying Category field will only appear in the User Interface if the selected Event Type is mapped to a State Code of D0701: Alleged Bullying AND has a subtype of Bullying.</li> </ul>				
5	followupComment (string)	Indicates the follow up detail regarding the alleged bullying incident.	С	Behavior	BehaviorRole . comments	EXT
		Report the <b>Event Student Details</b> .				

6	incidentDescription (string)	The description of the alleged bullying incident.  Report the Incident Details.	С	Behavior	BehaviorIncident . description	EXT
7	incidentLocationDescriptor (string)	Indicates the location where alleged bullying incident occurred.  Report the Ed-Fi Code mapped to the value selected for <b>Location</b> .	M	Behavior	BehaviorIncident . location	EXT
8	multiplePriorEvent ( boolean)	<ul> <li>Indicates if student was involved in multiple prior alleged bullying incidents.</li> <li>Report True if the student is associated with at least two behavior events in Campus that are mapped to the ABV: Alleged Bullying Victims state code.</li> <li>Report False in all other situations.</li> </ul>	M	N/A	N/A	EXT
9	reasonIncident RelatedToDescriptor ( string)	Indicates the reason for the alleged bullying incident.  Report the Ed-Fi Code mapped to the value selected for <b>Bullying Reason</b> .  • The Bullying Reason field will only appear in the User Interface if the selected Event Type is mapped to a State Code of <i>D0701: Alleged Bullying</i> <b>AND</b> has a subtype of <i>Bullying</i> .	M	Behavior	BehaviorEvent . bullyingReason	EXT

10	reportDate (date)	Indicates the date on which the alleged bullying incident was reported.  Reports the Referral Date.  There is no field in the user interface (UI) for this. It is automatically saved in the database when someone submits the referral.	M	Behavior	BehaviorIncident . referralTimestamp	EXT
11	reportedBy (string)	Identifies the person who reported the alleged bullying incident.  Reports the Name of the staff member in the Submitted By field.	М	Behavior	BehaviorIncident . referralPersonID	EXT

Appendix