

# IN Ed-Fi Suite v7.3, Data Standard v5.2: Course Transcripts

October  
2025

# IN Ed-Fi Suite v7.3, Data Standard v5.2: Course Transcripts

## Table of Contents

- [Summary](#)
- [Object Triggering Logic](#)
- [Required Resources \(Upstream\)](#)
- [Dependent Resources \(Downstream\)](#)
- [Error Log](#)
- [Object Data Elements Logic](#)
  - [Arrays](#)
- [Appendix](#)

## Summary

This entity is the final record of a student's performance in their courses at the end of a semester or school year.

---

## Object Triggering Logic

Action	Business Rule(s)
--------	------------------

Post	<p>Report a record when transcript records are posted for a student in the current configuration year <b>OR</b> When the student is in a non-high school course (State Code format is #####.## which is alphanumeric) and is eligible to report a Student Section Association.</p> <ul style="list-style-type: none"> <li>• Do not send a record if any of the following exclusions are present: <ul style="list-style-type: none"> <li>◦ Course is marked as inactive</li> <li>◦ Transcript's score is NULL</li> <li>◦ Transcript Exclude State Reporting is checked</li> <li>◦ School Exclude is checked</li> <li>◦ Calendar Exclude is checked</li> <li>◦ Student's Enrollment is State Exclude</li> <li>◦ Student's Enrollment is No Show</li> </ul> </li> <li>• The transcript record can be posted through the Transcript Post tool or through a manual entry.</li> <li>• If reporting through a non-high school course, reports one Course Transcript record per Student Section Association record that is reporting.</li> <li>• For a manual transcript entry to post a record without error, all of the below fields must be populated on the transcript: <ul style="list-style-type: none"> <li>◦ School Year</li> <li>◦ School Number</li> <li>◦ District Number</li> <li>◦ Grade</li> <li>◦ Course Number</li> <li>◦ Course Name</li> <li>◦ State Code</li> <li>◦ Score</li> <li>◦ Unweighted GPA Value</li> <li>◦ Credits Earned</li> <li>◦ Credits Attempted</li> <li>◦ Ed-Fi Term Type (or have a mapped override)</li> </ul> </li> <li>• <b>Important:</b> Indiana DOE has a Tier 2 validation that states you must have a 1:1 relationship between Student Section Association records and Course Transcript records. <ul style="list-style-type: none"> <li>◦ If you are reporting 1 Student Section Association for a given student, IDOE expects 1 Course Transcript for that student.</li> <li>◦ If you are reporting 2 Student Section Associations for a given student, IDOE expects 2 Course Transcripts for that student.</li> <li>◦ Etc.</li> </ul> </li> </ul>
------	--

Delete /Post	<p>A DELETE / POST will be performed if the data element being altered is part of the resource's natural key. A PUT will be performed otherwise.</p> <ul style="list-style-type: none"> <li>• When the following information is changed on a transcript entry: <ul style="list-style-type: none"> <li>◦ Transcript ID (New Transcript Entry)</li> <li>◦ Course Name</li> <li>◦ Course Number</li> <li>◦ District Number</li> <li>◦ End Year</li> <li>◦ Grade</li> <li>◦ School Number</li> <li>◦ Score</li> <li>◦ Score ID</li> <li>◦ Unweighted GPA Value</li> <li>◦ Credit Earned Method</li> <li>◦ Credits Attempted</li> <li>◦ Credits Earned</li> <li>◦ Ed-Fi Term Override</li> <li>◦ Dual Credit</li> <li>◦ Applied Units</li> <li>◦ Ed-Fi Course Result Override</li> </ul> </li> <li>• When any information is changed on a Section Student Detail record.</li> <li>• When the following information is changed on an Enrollment: <ul style="list-style-type: none"> <li>◦ End Date</li> <li>◦ Grade</li> <li>◦ No Show</li> <li>◦ Start Date</li> <li>◦ State Exclude</li> </ul> </li> <li>• When the following information is changed on a Course: <ul style="list-style-type: none"> <li>◦ Active</li> <li>◦ State Code</li> <li>◦ State Exclude</li> </ul> </li> <li>• When the following information is changed on a Section: <ul style="list-style-type: none"> <li>◦ Section Placement (Terms the Section is scheduled into)</li> </ul> </li> <li>• When the following information is changed on the Roster for the student: <ul style="list-style-type: none"> <li>◦ Start Date</li> <li>◦ End Date</li> </ul> </li> </ul>
Put	

Delete	<ul style="list-style-type: none"><li>• When the transcript record is deleted.</li><li>• When the student is somehow excluded now.</li><li>• When the section is somehow excluded now.<ul style="list-style-type: none"><li>◦ Only for non-high school courses logic.</li></ul></li></ul>
--------	---

### Required Resources (Upstream)

The following resources must be sent prior to this resource:

- Courses (Pre-populated)
  - Students
  - Student School Associations
  - Student Academic Records
- 

### Dependent Resources (Downstream)

The following resources are dependent on this resource (must be sent after this resource):

- N/A
- 

### Error Log

The following are potential Tier 1 (Ed-Fi API generated) or custom (Campus generated) errors you may receive when posting, updating, or deleting this resource. Please keep in mind that the "Error Message" below may not match your exact error message.

Error Message	Possible Causes / How to Fix

---

## Object Data Elements Logic



Data element labels below in **BOLD** are part of the natural key of this resource and are required data elements for the record to send through Ed-Fi.

- The Mandatory / Conditional / Optional column indicates what the state requires for each data element.

	Data Element Label	Business Rule(s)	Mandatory (M) Conditional (C) Optional (O)	Data Source GUI Path	Database Field	Uses Template Logic (✓ / ✗ / EXT)
1	<b>courseAttempt ResultDescriptor</b> ( <i>string</i> )	<p>The result from the student's attempt to take the course.</p> <hr/> <p>Report the <b>Ed-Fi Course Result Override</b>.</p> <ul style="list-style-type: none"> <li>If NULL, follow the logic below.</li> </ul> <p>If reporting from a <b>Transcript Entry</b>:</p> <p>Report based on the Ed-Fi Code mapped to each specific description. The default settings are listed below (but the mappings can be changed in Resource Preferences):</p> <ul style="list-style-type: none"> <li>Report <b>No Grade Awarded</b> when the sum of Credits Attempted is 0.</li> <li>Report <b>Fail</b> when the sum of Credits Earned is 0.</li> <li>Report <b>Incomplete</b> when the sum of Credits Earned &lt; the sum of Credits Attempted.</li> <li>Report <b>Pass</b> when the sum of Credits Earned &gt;= the sum of Credits Attempted.</li> </ul>	M	Transcript	<p>TranscriptCourse . edFiCourseResult</p> <p>TranscriptCredit . creditsEarned</p> <p>TranscriptCredit . creditsAttempted</p> <p>SectionStudent DetailValue .value</p>	✗

		<p>If reporting from a non-high school course (<b>K-8 Outcomes</b>):</p> <ul style="list-style-type: none"> <li>Report the Ed-Fi Code mapped to the value selected for <b>Course Outcome</b> on the student's <b>most recent</b> (latest Start Date) Section Student Detail record. <ul style="list-style-type: none"> <li>This outcome will be used for <b>all</b> Course Transcript records generated for this Section.</li> <li>The Section Student Detail record will not be considered if it is excluded.</li> </ul> </li> <li>Report <b>Pass</b> in all other situations.</li> </ul>				
2	<b>courseReference</b> (reference)	<p><i>A reference to the Courses resource associated with the Course Transcript being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Course resource.</p> <ul style="list-style-type: none"> <li>courseCode = <b>State Code</b></li> <li>educationOrganizationId = <b>1088000000</b> (Hard-Coded) <ul style="list-style-type: none"> <li>This is IDOE's educationOrganizationId. IDOE owns all courses.</li> </ul> </li> </ul>	M	N/A	N/A	✓






3	externalEducation OrganizationReference (reference)	<p><i>A reference to the Schools resource associated with the Course Transcript being reported if taken at an external organization.</i></p> <hr/> <p>Report the code value associated with the value selected for <b>Post Secondary Institution</b> on the transcript entry.</p> <ul style="list-style-type: none"> <li>Example: If Post Secondary Institution was set to the value '2000000174: Anderson University' then we would report <b>2000000174</b> for the educationOrganizationId.</li> </ul>	M	Transcript	TranscriptCourse . collegeCode	
4	studentAcademic RecordReference (reference)	<p><i>A reference to the Student Academic Records resource associated with the Course Transcript being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Student Academic Records resource.</p>	M	N/A	N/A	

5	alternativeCourseIdentificationCodes (array)	<p><i>An unordered collection of courseTranscriptAlternativeCourseIdentificationCodes. The code that identifies the course, course offering, the code from an external educational organization, or other alternate course code.</i></p> <hr/> <p>Reports the following data elements in an array:</p> <ul style="list-style-type: none"> <li>• courseIdentificationSystemDescriptor = <b>State course code (hard coded)</b></li> <li>• assigningOrganizationIdentificationCodes = null</li> <li>• courseCatalogURL= null</li> <li>• identificationCode = <b>Course Number</b> on the transcript entry.</li> </ul>	M	Transcript	TranscriptCourse. courseNumber	✗
6	attemptedCredits (number)	<p><i>The value of credits or units of value awarded for the completion of a course.</i></p> <hr/> <p>Report the <b>Credits Attempted</b>.</p>	M	Transcript	TranscriptCredit . creditsAttempted	✓
7	courseTitle (string)	<p><i>The descriptive name given to a course of study offered in a school or other institution or organization. In departmentalized classes at the elementary, secondary, and postsecondary levels (and for staff development activities), this refers to the name by which a course is identified (e.g., American History, English III). For elementary and other non-departmentalized classes, it refers to any portion of the instruction for which a grade or report is assigned (e.g., reading, composition, spelling, language arts).</i></p> <hr/> <p>Reports the <b>Course Name</b> on the transcript entry.</p>	C	Transcript	TranscriptCourse . courseName	✓

8	earnedCredits ( <i>number</i> )	<p><i>The value of credits or units of value awarded for the completion of a course.</i></p> <hr/> <p>If reporting from a <b>Transcript Entry</b>:</p> <ul style="list-style-type: none"> <li>Report the <b>Credits Earned</b>.</li> </ul> <p>If reporting from a non-high school course (<b>K-8 Outcomes</b>):</p> <ul style="list-style-type: none"> <li>Report <b>0</b>.</li> </ul>	M	Transcript	TranscriptCredit . creditsEarned	✓
9	earnedCredit TypeDescriptor ( <i>string</i> )	<p><i>The type of credits or units of value awarded for the completion of a course.</i></p> <hr/> <ul style="list-style-type: none"> <li>Report as <b>Dual Credit</b> if <i>Post Secondary Institution</i> has a value that is mapped to an Ed-Fi Code.</li> <li>Report as <b>Applied Unit</b> if <i>Applied Units</i> is set to <i>Y: Attempted Applied Units</i></li> <li>Report as <b>Regular Credit</b> in all other scenarios.</li> </ul> <p>The priority for reporting is Dual Credit &gt; Applied Unit &gt; Regular Credit</p>	C	Transcript	TranscriptCourse . collegeCode  TranscriptCourse . altAchievementStandard	✗

10	externalEducation OrganizationName OfInstitution (string)	<p><i>Name of the external institution where the student completed the course; to be used only when the reference external education organization is not available.</i></p> <hr/> <p>If <i>externalEducationOrganizationReference</i> fails to send because the code that attempted to send does not match a pre-populated record in the <i>postSecondaryInstitutions</i> resource, then report the <b>Name</b> of the value selected for <b>Post Secondary Institution</b> on the transcript entry.</p> <ul style="list-style-type: none"> <li>• Example: If Post Secondary Institution was set to the value '00: Not Applicable' then we would report <b>Not Applicable</b> for the <i>externalEducationOrganizationNameOfInstitution</i>.</li> </ul>	C	Transcript	TranscriptCourse .collegeCode	✖
11	finalLetter GradeEarned (string)	<p><i>The final indicator of student performance in a class as submitted by the instructor.</i></p> <hr/> <p>Report the <b>Score</b></p>	C	Transcript	TranscriptCourse .score	✖

12	finalNumeric GradeEarned ( <i>number</i> )	<p><i>The final indicator of student performance in a class as submitted by the instructor.</i></p> <hr/> <p>Report the <b>Unweighted GPA Value</b>:</p> <ul style="list-style-type: none"> <li>• Only report in format N.N or 0.</li> <li>• Only report on a scale from 0 to 4.0</li> <li>• Round up to the nearest tenth decimal if the reported score is N.N5 or higher. <ul style="list-style-type: none"> <li>◦ Example: 3.651 should round up to report as 3.7.</li> </ul> </li> <li>• Round down to the nearest tenth decimal if the reported score is less than N.N5 <ul style="list-style-type: none"> <li>◦ Example: 3.649 should round down to report as 3.6.</li> </ul> </li> <li>• Anything above a 4.0 will report as 4.0.</li> </ul>	C	Transcript	TranscriptCourse . unweightedGPAValue	
----	--	---	---	------------	--	---

13	methodCredit EarnedDescriptor ( string)	<p><i>The method the credits were earned.</i></p> <hr/> <p>If reporting from a <b>Transcript Entry</b>:</p> <ul style="list-style-type: none"> <li>Report the Ed-Fi Code mapped to the value selected in <b>Credit Earned Method</b> on the transcript entry.</li> </ul> <p>Else if reporting from a non-high school course (<b>K-8 Outcomes</b>):</p> <ul style="list-style-type: none"> <li>If the Credit Earned Method on the Section entry is populated, <ul style="list-style-type: none"> <li>Report the Ed-Fi Code mapped to the value selected in <b>Credit Earned Method</b> on the section entry.</li> </ul> </li> <li>Else if the Credit Earned Method on the Course entry is populated, <ul style="list-style-type: none"> <li>Report the Ed-Fi Code mapped to the value selected in <b>Credit Earned Method</b> on the course entry.</li> </ul> </li> <li>Else, Report <b>Classroom Credit</b>.</li> </ul>	C	Transcript Section Course	TranscriptCourse . creditEarnedMethod	
14	whenTakengrade LevelDescriptor ( string)	<p><i>Student's grade level at time of course.</i></p> <hr/> <p>Report the Ed-Fi Code mapped to the value selected for <b>Grade</b> on the transcript entry.</p>	C	Transcript	TranscriptCourse .grade	

15	<a href="#">sections</a>	<p><i>An unordered collection of courseTranscriptSections. The section(s) associated with the course transcript</i></p> <hr/> <ul style="list-style-type: none"> <li>For the Course Transcript information being reported, reports the course section(s) information for each section the student is in. <ul style="list-style-type: none"> <li>See Array section below for reporting logic for each field.</li> </ul> </li> <li><b>Does not report</b> for manual transcript entries.</li> </ul>	O			
16	academicSubjects	This is optional, does not report.	O	N/A	N/A	N/A
17	alternativeCourseIdentificationCodes	This is optional, does not report.	O	N/A	N/A	N/A
18	alternativeCourseTitle	This is optional, does not report.	O	N/A	N/A	N/A
19	assigningOrganizationIdentificationCode	This is optional, does not report.	O	N/A	N/A	N/A
20	attemptedCreditConversion	This is optional, does not report.	O	N/A	N/A	N/A
21	attemptedCreditTypeDescriptor	This is optional, does not report.	O	N/A	N/A	N/A
22	courseCatalogURL	This is optional, does not report.	O	N/A	N/A	N/A
23	<a href="#">coursePrograms</a>	This is optional, does not report.	O	N/A	N/A	N/A
24	courseRepeatCodeDescriptor	This is optional, does not report.	O	N/A	N/A	N/A
25	creditCategories	This is optional, does not report.	O	N/A	N/A	N/A
26	earnedAdditionalCredits	This is optional, does not report.	O	N/A	N/A	N/A
27	earnedCreditConversion	This is optional, does not report.	O	N/A	N/A	N/A
28	partialCourseTranscriptAwards	This is optional, does not report.	O	N/A	N/A	N/A
29	<a href="#">responsibleTeacherStaffReference</a>	This is optional, does not report.	O	N/A	N/A	N/A

## Arrays

## sections

	Data Element Label	Business Rules	Mandatory (M) Conditional (C) Optional (O)	Tool Path	Database Field	Uses Template Logic (✓ / ✗ / EXT)
1	<b>localCourseCode</b> (string)	<p><i>The local code assigned by the School that identifies the course offering provided for the instruction of student</i></p> <hr/> <p>1. Report the local course code of the Course being reported.</p>	M			✓
2	<b>schoolId</b> (string)	<p><i>The identifier assigned to a school. It must be distinct from any other identifier assigned to educational organizations, such as a LocalEducationAgencyId, to prevent duplication.</i></p> <hr/> <p>1. Report the school ID associated with the record being reported.</p>	M			✓
3	<b>schoolYear</b> (integer)	<p><i>The identifier assigned to a school. It must be distinct from any other identifier assigned to educational organizations, such as a LocalEducationAgencyId, to prevent duplication.</i></p> <hr/> <p>1. Report the school year associated with the record being reported.</p>	M			✓
4	<b>sectionIdentifier</b> (string)	<p><i>The local identifier assigned to a section.</i></p> <hr/> <p>1. Report the sectionIdentifier from the Course section being reported.</p>	M			✓



5	<b>sessionName</b> (string)	<i>The identifier for the calendar for the academic session</i>  1. Report the session name associated with the record being reported.	M			
---	--------------------------------	--	---	--	--	---

## Appendix