

# MN Ed-Fi Suite v3.5.2, Data Standard v3.3.0-a: Student Section Associations

November  
2025

# MN Ed-Fi Suite v3.5.2, Data Standard v3.3.0-a: Student Section Associations

## Table of Contents

- [Summary](#)
- [Object Triggering Logic](#)
- [Required Resources \(Upstream\)](#)
- [Dependent Resources \(Downstream\)](#)
- [Error Log](#)
- [Object Data Elements Logic](#)
- [Appendix](#)

## Summary

This association indicates the course sections to which a student is assigned.

---

## Object Triggering Logic

Action	Business Rule(s)
--------	------------------

Post	<p>Reports a record when a Student is scheduled into a Section in the configured year <b>AND</b> a Sections record exists in the ODS for the associated Section.</p> <ul style="list-style-type: none"><li>• One record will report per eligible Sessions record attributed to the Section/Student Roster Dates.</li><li>• A record is only reported for Sections in the same School Year as the Ed-Fi Connection sending the record.<ul style="list-style-type: none"><li>◦ School Year dates are defined in School Year Setup.<ul style="list-style-type: none"><li>▪ If Start Date is NULL, 07/01/StartYear will be used.</li><li>▪ If End Date is NULL, 06/30/EndYear will be used.</li></ul></li></ul></li><li>• Do not report a record if the any of the following exclusions are present:<ul style="list-style-type: none"><li>◦ Enrollment No Show</li><li>◦ Enrollment State Exclude</li><li>◦ Enrollment Grade Level Exclude</li><li>◦ Section Cross Site</li><li>◦ Course Inactive</li><li>◦ Course State Exclude</li><li>◦ Calendar Exclude</li><li>◦ Calendar MCCC Exclude</li><li>◦ School Exclude</li></ul></li></ul>
------	--

Delete /Post	A DELETE / POST will be performed if the data element being altered is part of the resource's natural key. A PUT will be performed otherwise.
Put	<ul style="list-style-type: none"> <li>• When any of the following information is changed on Roster: <ul style="list-style-type: none"> <li>◦ Roster ID (New Roster Entry)</li> <li>◦ Start Date</li> <li>◦ End Date</li> </ul> </li> <li>• When any of the following information is changed on Enrollment: <ul style="list-style-type: none"> <li>◦ Enrollment ID (New Enrollment)</li> <li>◦ Start Date</li> <li>◦ End Date</li> <li>◦ No Show</li> </ul> </li> <li>• When any of the following information is changed on Course: <ul style="list-style-type: none"> <li>◦ Course ID (New Course)</li> <li>◦ Active</li> <li>◦ State Exclude</li> <li>◦ Section Enrollment Type</li> <li>◦ Inst. Approach and Implementation</li> <li>◦ Site-Based Initiative and Impl.</li> </ul> </li> <li>• Changes to Resource Preferences mappings <b>do NOT trigger</b>. A manual resync must be performed on the resource if mappings are changed.</li> </ul>
Delete	<ul style="list-style-type: none"> <li>• When the Student is now excluded in some way.</li> <li>• When the Enrollment is deleted.</li> <li>• When the Enrollment dates no longer overlap the configured year.</li> <li>• When the Roster record is deleted.</li> <li>• When a record is in the Ed-Fi Identity Mapping Report but cannot be found on the Campus site.</li> </ul>

## Required Resources (Upstream)

The following resources must be sent prior to this resource:

- Students
- Sections
- Courses

---

## Dependent Resources (Downstream)

The following resources are dependent on this resource (must be sent after this resource):

- N/A

---

## Error Log

The following are potential Tier 1 (Ed-Fi API generated) or custom (Campus generated) errors you may receive when posting, updating, or deleting this resource. Please keep in mind that the "Error Message" below may not match your exact error message.

Error Message	Possible Causes / How to Fix
400: Validation of ' <b>RESOURCE</b> ' failed. <b>FIELD</b> is required.	An element of the JSON that is required is missing and needs to be added. <ul style="list-style-type: none"><li>• Double check that all bolded data elements below are reporting a valid value and no data elements below are reporting an invalid value.</li></ul>
400: ' <b>RESOURCE</b> ' failed. <b>RESOURCE</b> reference could not be resolved.	A resource that was referenced from a difference resource does not yet exist. <ul style="list-style-type: none"><li>• Resync the resource being mentioned in the error, then resync the errored resource. Alternatively, the resource being referenced may be incorrect. This can happen with Schools and the Ed-Fi School ID being used as an example. Double check the referenced values being sent are valid.</li></ul>

<p>403: Authorization denied. The claim does not have any established relationships with the requested resource.</p>	<p>The key/secret being used does not have permission to send a record for the resource / referenced resource.</p> <ul style="list-style-type: none"> <li>• Double check your API credentials (key/secret). Sometimes specific keys/secrets cannot report specific resources.</li> <li>• The referenced person (student, staff, parent, contact, etc.) has not yet been associated to the key /secret. Resync their "linking" resource (Students Student School Associations, Staffs Staff Education Organization Assignment Associations, etc.) then resync the errored resource.</li> <li>• The referenced person (student, staff, parent, contact, etc.) may not exist in the ODS yet. Resync the "person" resource and the "linking" resource (Students Student School Associations, Staffs Staff Education Organization Assignment Associations, etc.) then resync the errored resource.</li> </ul>
<p>404: Failed to delete '<b>RESOURCE</b>'. Record does not exist.</p>	<p>The attempt to delete a specific Ed-Fi record ID in the ODS failed because it did not exist.</p> <ul style="list-style-type: none"> <li>• This error can be ignored. The ID was cleared from the Ed-Fi Identity Mapping Report and will not attempt to delete again.</li> </ul>
<p>409: A natural key conflict occurred when attempting to create a new resource '<b>RESOURCE</b>' with a duplicate key.</p>	<p>The Ed-Fi API has a natural key system alongside a standard REST ID system. This error is often protecting against the erroneous creation of a duplicate record in the API. However, it may also indicate that the natural key requirements of the Ed-Fi API have not been satisfied, and the key needs to be modified.</p> <ul style="list-style-type: none"> <li>• Check for duplicate data in your Campus site. If no duplicate data can be found, report the issue to Campus Support. <ul style="list-style-type: none"> <li>◦ This can be caused by numerous issues. Our code may be attempting to send duplicate records when it should not. The natural key (bolded fields below) may not be unique enough to satisfy Ed-Fi requirements in all cases. Most times this error will require a code change to fix.</li> </ul> </li> </ul>
<p>409: The resource (or a subordinate entity of the resource) cannot be deleted because it is a dependency of the '<b>RESOURCE</b>' entity.</p>	<p>The resource that the application is attempting to delete is referenced from another entity.</p> <ul style="list-style-type: none"> <li>• Use the Delete Tool to delete the referenced resource in the error message. Then retry the delete on the original resource that errored.</li> </ul>

500: Internal Server Error.	<p>Something unexpected happened and no specific error message could be returned.</p> <ul style="list-style-type: none"> <li>• This issue usually occurs when the ODS is having issues. Confirm that there are no issues with the ODS the data is being sent to and then attempt to retry the errored record.</li> <li>• Contact Campus Support if 500 errors continue to occur, can be replicated consistently, and the ODS the data is being sent to has no ongoing issues. <ul style="list-style-type: none"> <li>◦ There is a chance that Campus Ed-Fi code is sending an invalid JSON request resulting in the 500 error.</li> <li>◦ There is a chance that an Ed-Fi Data Standard / API bug is causing the issue.</li> <li>◦ Investigation is needed in these cases as there are many different potential causes.</li> </ul> </li> </ul>
-----------------------------	--

## Object Data Elements Logic

Data element labels below in **BOLD** are part of the natural key of this resource and are required data elements for the record to send through Ed-Fi.

- The Mandatory / Conditional / Optional column indicates what the state requires for each data element. For Core Ed-Fi connections, it indicates what the data standard requires for each data element.

	Data Element Label	Business Rule(s)	Mandatory (M) Conditional (C) Optional (O)	Data Source GUI Path	Database Field	Uses Template Logic  (✓ / ✗ / EXT)
1	<b>beginDate</b> (date)	<p><i>Month, day, and year of the student's entry or assignment to the section.</i></p> <hr/> <p>Reports the latest of the <b>Term Start Date</b> or the <b>Roster Start Date</b>.</p>	M	<p>Section Roster</p> <p>Term Setup</p>	<p>Roster . startDate</p> <p>Term . startDate</p>	✓
2	<b>sectionReference</b> (reference)	<p><i>A reference to the Sections resource associated with the Student Section Associations being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Sections resource.</p>	M	N/A	N/A	✓
3	<b>studentReference</b> (reference)	<p><i>A reference to the Students resource associated with the Student Section Associations being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Students resource.</p>	M	N/A	N/A	✓



4	endDate (date)	<p><i>Month, day, and year of the withdrawal or exit of the student from the section.</i></p> <hr/> <p>Reports the earliest of the <b>Term End Date</b> or the <b>Roster End Date</b>.</p>	O	<p>Section Roster</p> <p>Term Setup</p>	<p>Roster . endDate</p> <p>Term .endDate</p>	✓
5	sectionEnrollmentTypeDescriptor (string)	<p><i>Section enrollment type.</i></p> <hr/> <p>Reports the Ed-Fi Code mapped to the value selected for <b>Section Enrollment Type</b>.</p> <ul style="list-style-type: none"> <li>This mapping can be found in the Resource Preferences of the Ed-Fi Connection under the Student Section Associations resource.</li> <li>Reports <b>SC</b> (Scheduled) if Section Enrollment Type is NULL or not mapped to an Ed-Fi Code.</li> </ul>	C	Course Information	Course . program	EXT
6	collegeCourseReference (reference)	<p><i>A reference to the Courses resource associated with the Student Section Associations being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Courses resource. Only reports when the <b>Section Enrollment Type</b> is set to <i>DP: PSEO Direct Pay</i>.</p> <ul style="list-style-type: none"> <li>See the Courses resource documentation for additional information on College Courses.</li> </ul>	C	N/A	N/A	EXT

7	instructionalApproaches (array)	<p><i>An unordered collection of studentSectionAssociation InstructionalApproaches. Instructional approach as implemented for the student section association. General purpose but initially implemented for Early Education.</i></p> <hr/> <p>Reports the following data elements in an array:</p> <ul style="list-style-type: none"> <li>• instructionalApproachDescriptor <ul style="list-style-type: none"> <li>◦ Report the Ed-Fi Code mapped to the value selected for <b>Inst. Approach and Implementation</b>. <ul style="list-style-type: none"> <li>▪ This mapping can be found in the Resource Preferences of the Ed-Fi Connection under the Student Section Associations resource.</li> </ul> </li> <li>◦ Does not report a record for this array when the value selected for Inst. Approach and Implementation is NULL.</li> </ul> </li> <li>• implementationStatusDescriptor <ul style="list-style-type: none"> <li>◦ Report the Ed-Fi Code mapped to the value selected for <b>Inst. Approach and Implementation</b>. <ul style="list-style-type: none"> <li>▪ This mapping can be found in the Resource Preferences of the Ed-Fi Connection under the Student Section Associations resource.</li> </ul> </li> </ul> </li> </ul>	C	Course Information	CustomCourse.value	EXT
---	---------------------------------	---	---	--------------------	--------------------	-----

8	siteBasedInitiatives (array)	<p><i>An unordered collection of studentSectionAssociation SiteBasedInitiatives. Site-based initiative as implemented for the student section association. General purpose but initially implemented for Early Education.</i></p> <hr/> <p>Reports the following data elements in an array:</p> <ul style="list-style-type: none"> <li>• siteBasedInitiativeDescriptor <ul style="list-style-type: none"> <li>○ Report the Ed-Fi Code mapped to the value selected for <b>Site-Based Initiative and Impl.</b> <ul style="list-style-type: none"> <li>■ This mapping can be found in the Resource Preferences of the Ed-Fi Connection under the Student Section Associations resource.</li> </ul> </li> <li>○ Does not report a record for this array when the value selected for Site-Based Initiative and Impl is NULL.</li> </ul> </li> <li>• implementationStatusDescriptor <ul style="list-style-type: none"> <li>○ Report the Ed-Fi Code mapped to the value selected for <b>Site-Based Initiative and Impl.</b> <ul style="list-style-type: none"> <li>■ This mapping can be found in the Resource Preferences of the Ed-Fi Connection under the Student Section Associations resource.</li> </ul> </li> </ul> </li> </ul>	C	Course Information	CustomCourse.value	EXT
9	attemptStatusDescriptor	This data element is optional and does not report.	O	N/A	N/A	N/A
10	homeroomIndicator	This data element is optional and does not report.	O	N/A	N/A	✗
11	repeatIdentifierDescriptor	This data element is optional and does not report.	O	N/A	N/A	N/A
12	teacherStudentDataLinkExclusion	This data element is optional and does not report.	O	N/A	N/A	N/A

## Appendix