

MO - MOSIS Student Core - FRD

January
2026

MO - MOSIS Student Core - FRD

- [Version Control](#)
- [Overview](#)
 - [Summary](#)
 - [Due Dates](#)
 - [Scope and Purpose](#)
- [Functional Requirements](#)
 - [Reporting Population and Business Rules](#)
 - [Extract Editor Requirements](#)
 - [Report Data Elements](#)
 - [Report Design/layout](#)
 - [Calculations or Logic](#)
 - [Appendix A - Data Setup](#)

Version Control

Version	Date	Author(s)	Brief Description of Change
1.0	08/18/15	Caitlin Kukowski	Initial Creation: Moved old information to new layout.
1.1	8/12/2025	Michele Johnson	Converting FRD to new template

Overview

Summary

Provide a summary of what the report/function will cover and the logistics around the data collection or reporting.

Due Dates

Ongoing throughout the year

Scope and Purpose

This report sends a wide variety of student data to the state for students enrolled in a calendar. This is used in part for student funding.

Functional Requirements

Reporting Population and Business Rules

#	Requirement
R1	Of the non-state-excluded enrollment records tied to the calendar selected in the extract editor:
R1. BR1	<ul style="list-style-type: none"> • If there is a single enrollment, report off of that
R1. BR2	<ul style="list-style-type: none"> ◦ When a student is enrolled in more than one calendar selected in the Extract editor, the following applies: <ul style="list-style-type: none"> When there are multiple enrollments in the same school, data from the most recent enrollment is used. When there are multiple enrollments in different schools, the data from the Primary enrollment is used. ◦ If no primary enrollment, then report Special Ed, if no Special Ed, then Report Partial.
R2	Do not report for summer school enrollments
R2. BR1	<ol style="list-style-type: none"> 1. Individual columns in the extract populate per submission based on 'Optional Fields Allowed' status selected in the extract editor, and whether each column output is listed as Optional / Required / Conditional by the state for that specific export: see <i>layout for specific field population per submission logic</i> <ol style="list-style-type: none"> When 'Optional Fields Allowed' is checked on the extract editor, all fields are expected to return a value: Conditional fields may be blank if they do not meet the condition. When 'Optional Fields Allowed' is NOT checked on the extract editor - the field MUST be NULL if it does not meet the condition OR is listed as optional or for that collection.

R2.
BR2

1. 'no show' students:

- a. No records return in OCT - DEC - FEB - APRIL Student Core
- b. May return in June Cycle showing them entering on the first day of school and then exiting that same day with the appropriate exit status. Any student a district ends with the prior year should be shown as entering on the first day of school the next year and then show whatever their status is at that point.

Report Data Elements

#	Data Element	Business Requirement/Business rules	Data Source/ Database Location	Format	Length

005	CollectionVersion	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>R</td><td>R</td><td>R</td><td>R</td></tr> </tbody> </table> <p>Use the End Year from the calendar being reported. Format: "YYYYMmm1.0StuCore" "YYYY" = Current School Year "Mmm" = CollectionPeriod Code StuCore = Extract Name Code Examples based on reporting a 2011-2012 calendar:</p> <table border="1"> <thead> <tr> <th>Cycle</th><th>Count Date</th><th>Collection Version</th></tr> </thead> <tbody> <tr> <td>October</td><td>Last Weds in Sept</td><td>2012Oct1.0StuCore</td></tr> <tr> <td>June</td><td><none></td><td>2012Jun1.0StuCore</td></tr> <tr> <td>February</td><td>Last Weds in Jan</td><td>2012Feb1.0StuCore</td></tr> <tr> <td>December</td><td>Dec 1</td><td>2012Dec1.0StuCore</td></tr> <tr> <td>April</td><td>On or near Districts MAP test day</td><td>2012Apr1.0StuCore</td></tr> </tbody> </table>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	Cycle	Count Date	Collection Version	October	Last Weds in Sept	2012Oct1.0StuCore	June	<none>	2012Jun1.0StuCore	February	Last Weds in Jan	2012Feb1.0StuCore	December	Dec 1	2012Dec1.0StuCore	April	On or near Districts MAP test day	2012Apr1.0StuCore	Index > MO State Reporting > MOSIS Extracts	Text	50
Oct	Dec	Feb	Apr	June																													
R	R	R	R	R																													
Cycle	Count Date	Collection Version																															
October	Last Weds in Sept	2012Oct1.0StuCore																															
June	<none>	2012Jun1.0StuCore																															
February	Last Weds in Jan	2012Feb1.0StuCore																															
December	Dec 1	2012Dec1.0StuCore																															
April	On or near Districts MAP test day	2012Apr1.0StuCore																															

CAMPUS STATE SPECIFIC LOCALIZATIONS - MO - MOSIS STUDENT CORE - FRD

010	CurrentSchoolYear	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>R</td><td>R</td><td>R</td><td>R</td></tr> </tbody> </table> <p>Use the End Year from the calendar being reported.</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	System Administration > Calendar > School Year > End Year SchoolYear.endYear	Integer	4
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
015	AttendingDistrictCode	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Returns Attending District. If blank, returns Sys Admin > Resources > District Info > State District Number</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	Student Information > General > Enrollments > State Reporting Fields > Attending District Enrollment.servingDistrict	Text	6
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
020	AttendingSchoolCode	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Returns Attending School code. If blank, returns Sys Admin > Resources > School > State School Number</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	Student Information > General > Enrollments > State Reporting Fields > Attending School Enrollment.servingSchool	Text	4
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
025	ReportingDistrictCode	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Returns State District Number</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	System Administration > Resources > District Info > State District Number District.number	Text	6
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											

030	ReportingSchoolCode	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>R</td><td>R</td><td>R</td><td>R</td></tr> </tbody> </table> <p>Reporting School, will report from Reporting School in state reporting fields when populated</p> <p>1. If null, look to Calendar > Calendar Type code = AP : Alternative Program School, when code = AP, all students in the calendar will report field 30, Reporting School, from Residing School in Enrollments > State Reporting fields.</p> <p>a. If Reporting School textbox blank and Calendar Type not AP, look to School Org Type (Resources > School) code = AP : Alternative Program School, all students in the school will report field 30, Reporting School, from Residing School in Enrollments > State Reporting fields.</p> <p>i. If Reporting School textbox blank and Calendar Type not AP and School Org Type (Resources > School) is not AP : Alternative Program School, report State School Number.</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<ul style="list-style-type: none"> Reporting School textbox in state reporting fields Calendar > Calendar Type code = AP : Alternative Program School School Org Type (Resources > School) code = AP : Alternative Program School System Administration> Resources > School > State School Number Report can show up to 6 digits but state will only accept 4 digits <p>Enrollment.reportingSchool</p> <p>Enrollment.residingSchool</p> <p>Calendar.type</p> <p>School.type</p> <p>School.number</p>	Text	6
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
035	ResidentDistrictCode	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>R</td><td>R</td><td>R</td><td>R</td></tr> </tbody> </table> <p>Returns Residing District. If blank, returns Sys Admin > Resources > District Info > State District Number</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p>Student Information > General > Enrollments > State Reporting Fields > Residing District</p> <p>Enrollment.residentDistrict</p>	Text	6
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											

040	ResidentSchoolCode	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>R</td><td>R</td><td>R</td><td>R</td></tr> </tbody> </table> <p>Returns residing school. If blank, returns student's school of enrollment from Sys Admin > Resources > School > State School Number.</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	Student Information> General> Enrollments>State Reporting Fields > Residing School Enrollment.residentSchool	Text	4
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
045	TeacherName	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>O</td></tr> </tbody> </table> <ol style="list-style-type: none"> 1. Returns Precode Teacher from the reporting year. 2. If Precode Teacher is blank, THEN returns Homeroom Teacher from Course > Section > Teacher with Homeroom checkbox checked. The course must be: <ul style="list-style-type: none"> a. In the school year being reported b. The most recently rostered section for which there is a Precode Teacher (Section Editor) 3. If none of the above, then return the school name 	Oct	Dec	Feb	Apr	June	O	O	O	O	O	<ul style="list-style-type: none"> • Student Information > General > Enrollments > State Reporting Fields > Precode Teacher • Course > Section > Teacher • System Administration > Resources > School > School Detail > Name Enrollment.preCodeTeacher Section.teacherDisplay School.name	Text	40
Oct	Dec	Feb	Apr	June											
O	O	O	O	O											
050	StateID	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>R</td><td>R</td><td>R</td><td>R</td></tr> </tbody> </table> <p>Returns State ID, else blank.</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	Census> People > Demographics > Person Identifiers Person.stateID	Text	10
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
055	LocalStudentID	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>O</td></tr> </tbody> </table> <p>Returns Local Student Number, else blank.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	O	Census > People > Demographics > Person Identifiers Person.studentNumber	Text	20
Oct	Dec	Feb	Apr	June											
O	O	O	O	O											

CAMPUS STATE SPECIFIC LOCALIZATIONS - MO - MOSIS STUDENT CORE - FRD

060	LastName	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>R</td><td>R</td><td>R</td><td>R</td></tr> </tbody> </table> <p>First look to Legal Last Name on the Identities > Protected Identity Information area for reporting If blank, report from Census > People> Demographics > Last Name</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p>Legal Last Name on the Identities > Protected Identity Information area for reporting Census > People > Demographics > Last Name Identity.legalLastName Identity.lastName</p>	Text	60
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
065	FirstName	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>First look to Legal First Name on the Identities > Protected Identity Information area for reporting If blank, report from Census > People> Demographics > First Name</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p>Legal First Name on the Identities > Protected Identity Information area for reporting Census > People > Demographics > First Name Identity.legalFirstName Identity.firstName</p>	Text	60
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
070	MiddleName	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p>First look to Legal Middle Name on the Identities > Protected Identity Information area for reporting If blank, report from Census > People> Demographics > Middle Name</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	O	<p>Legal Middle Name on the Identities > Protected Identity Information area for reporting Census > People > Demographics > Middle Name Identity.legalMiddleName Identity.middleName</p>	Text	60
Oct	Dec	Feb	Apr	June											
O	O	O	O	O											

CAMPUS STATE SPECIFIC LOCALIZATIONS - MO - MOSIS STUDENT CORE - FRD

075	Suffix	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>O</td></tr> </tbody> </table> <p>First look to Legal Suffix on the Identities > Protected Identity Information area for reporting If blank, report from Census > People> Demographics > Suffix</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	O	<p>Legal Suffix on the Identities > Protected Identity Information area for reporting</p> <p>Census > People > Demographics > Person Information > Suffix</p> <p>Identity.legalSuffix</p> <p>Identity.suffix</p>	Text	10
Oct	Dec	Feb	Apr	June											
O	O	O	O	O											
080	DateOfBirth	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>R</td><td>R</td><td>R</td><td>R</td></tr> </tbody> </table> <p>Returns birth date.</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p>Census > People > Demographics > Person Information > Birth Date</p> <p>Identity.birthDate</p>	Text MM/DD/YYYY	10
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
090	County	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>O</td><td>O</td><td>O</td><td>O</td></tr> </tbody> </table> <p>Returns Residing County. If blank, returns from Sys Admin > Resources > Counties > County Editor > Number.</p>	Oct	Dec	Feb	Apr	June	R	O	O	O	O	<p>Student Information > General > Enrollments > State Reporting Fields > Residing County</p> <p>Enrollment.servingCounty</p> <p>County.number</p>	Text	3
Oct	Dec	Feb	Apr	June											
R	O	O	O	O											
095	StudentGradeLevel	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>R</td><td>R</td><td>R</td><td>R</td></tr> </tbody> </table> <p>Returns grade level. Mapped to Sys Admin > Calendar > Calendar > Grade Levels > Grade Level Detail > State Grade Level Code</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p>Student Information > General > Enrollments > General Enrollment Info > Grade</p> <p>Enrollment.grade</p>	Text	2
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											

100	Gender	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>R</td><td>O</td><td>R</td><td>R</td></tr> </tbody> </table> <p>First look to Legal Gender on the Identities > Protected Identity Information area for reporting</p> <p>If blank, report from Census > People > Demographics > Gender</p>	Oct	Dec	Feb	Apr	June	R	R	O	R	R	<p>Legal Gender on the Identities > Protected Identity Information area for reporting</p> <p>Census > People > Demographics > Person Information > Gender</p> <p>Identity.legalGender</p> <p>Identity.gender</p>	Text	1
Oct	Dec	Feb	Apr	June											
R	R	O	R	R											
105	RaceEthnicity	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>O</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Returns state race/ethnicity:</p> <p>Campus Logic:</p> <p>If a student is Hispanic = Y: Yes, then State Race Ethnicity = H</p> <p>If a student is Asian = Y: Yes, then State Race Ethnicity = A</p> <p>If a student is Native Hawaiian or Other Pacific Islander = Y: Yes, then State Race Ethnicity = P</p> <p>If a student is American Indian or Alaskan Native = Y: Yes, then State Race Ethnicity = I</p> <p>If a student is Black or African American = Y: Yes, then State Race Ethnicity = B</p> <p>If a student is White = Y: Yes, then State Race Ethnicity = W</p> <p>If a student is Multiracial = Y: Yes, then State Race Ethnicity = M</p>	Oct	Dec	Feb	Apr	June	R	R	O	R	R	<p>Census > People > Demographics > Person Information > Race Ethnicity</p> <p>Identity.raceEthnicity</p>	Text	1
Oct	Dec	Feb	Apr	June											
R	R	O	R	R											

110	LunchStatus	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>R</td><td>R</td><td>R</td><td>R</td></tr> </tbody> </table> <ol style="list-style-type: none"> 1. Look at the school's 'USDA Programs' "Provision" status <ol style="list-style-type: none"> a. If the current value selected is "5: CEP" or "2: Provision 2", then report all students as "F"; otherwise, look at Reporting Period Eligibility rules below 2. When Reporting Period selected on the extract editor is: <ol style="list-style-type: none"> a. December: Eligibility is based on status on December 1 b. October: Eligibility is based on status on September count date (last Wed. in September) c. February: Eligibility is based on status on January 1 d. April or June: Eligibility is based on most recent status <i>only consider FRAM records within the reporting year</i> 3. If eligibility record exists that meets the condition for the selected reporting period (above), return state code 4. Else return U 	Oct	Dec	Feb	Apr	June	R	R	R	R	R	System Administration > FRAM > Eligibility > Eligibility Editor > Eligibility Detail > State Code OR System Administration > Resources > School > school record > USDA Programs POSEligibility.eligibility SchoolAttribute.provision	Text	1
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
115	Gifted	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>+ R</td> <td>O</td> <td>O</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Returns the code entered in the Gifted/Talented dropdown.</p>	Oct	Dec	Feb	Apr	June	+ R	O	O	R	R	Student Information > General > Enrollments > State Reporting Fields > Gifted/Talented Enrollment.giftedTalented	Text	2
Oct	Dec	Feb	Apr	June											
+ R	O	O	R	R											

CAMPUS STATE SPECIFIC LOCALIZATIONS - MO - MOSIS STUDENT CORE - FRD

120	Homeless	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>R</td><td>R</td><td>R</td><td>R</td></tr> </tbody> </table> <p>Report selected code or If no record or blank value report NH as default</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	Student Information > Program Participation > Program Participation > Homeless tab > Homeless Homeless.primaryNightTimeResidence	Text	2
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
125	Migrant	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Returns Migrant Indicator.</p>	Oct	Dec	Feb	Apr	June	O	O	O	R	R	Student Information > General > Enrollments > State Reporting Fields > Migrant Indicator Enrollment.migrant	Text	2
Oct	Dec	Feb	Apr	June											
O	O	O	R	R											

130	NotFAYSchool	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>R</td><td>O</td></tr> </tbody> </table> <p> 1. Consider all enrollments for the reported year <u>at same school</u> as well as dual-enrolled students UNLESS <ol style="list-style-type: none"> Grade Level flagged as 'Exclude from state reporting' - Sys Admin> Calendar> Calendar> Grade Levels Calendar flagged as 'Exclude' - Sys Admin> Calendar> Calendar Student Flagged as 'State Exclude' - Student Info> General> Enrollments> State Reporting Fields Student Flagged as 'No Show' - Student Info> General> Enrollments> General Enrollment Info 2. IF student was not enrolled on the MAP admin. date set by the user in the extract editor AND/OR 3. Not enrolled at least half of the eligible days between the last Wed. in Sept. and MAP admin. date set by the user in the extract editor AND/OR 4. Not enrolled on the last Wed. in Sept. <ol style="list-style-type: none"> Return value = Y ELSE return value = N </p>	Oct	Dec	Feb	Apr	June	O	O	O	R	O	Student Information > General > Enrollments > Start Date Enrollment.startDate	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	R	O											

135	NotFAYDistrict	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>R</td><td>O</td></tr> </tbody> </table> <p> 1. Consider all enrollments for the reported year <u>at same district</u> as well as dual-enrolled students UNLESS <ol style="list-style-type: none"> Grade Level flagged as 'Exclude from state reporting' - Sys Admin> Calendar> Calendar> Grade Levels Calendar flagged as 'Exclude' - Sys Admin> Calendar> Calendar Student Flagged as 'State Exclude' - Student Info> General> Enrollments> State Reporting Fields Student Flagged as 'No Show' - Student Info> General> Enrollments> General Enrollment Info 2. IF student was not enrolled on the MAP admin. date set by the user in the extract editor AND/OR 3. Not enrolled at least half of the eligible days between the last Wed. in Sept. and MAP admin. date set by the user in the extract editor AND/OR 4. Not enrolled on the last Wed. in Sept. <ol style="list-style-type: none"> Return value = Y ELSE return value = N </p>	Oct	Dec	Feb	Apr	June	O	O	O	R	O	Student Information > General > Enrollments > State Reporting Fields > First Date in District EnrollmentMO.firstDateInDistrict	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	R	O											

CAMPUS STATE SPECIFIC LOCALIZATIONS - MO - MOSIS STUDENT CORE - FRD

140	VoluntaryTransfer	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>R</td><td>O</td></tr> </tbody> </table> <p>Returns 'Y' if State Aid = DI, else 'N'</p>	Oct	Dec	Feb	Apr	June	O	O	O	R	O	<p>Student Information > General > Enrollments > State Reporting Fields > State Aid</p> <p>Enrollment.stateAid</p>	Boolean	1					
Oct	Dec	Feb	Apr	June																
O	O	O	R	O																
145	Aplus	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> <tr> <td>9-12</td> <td>9-12</td> <td>12 only</td> <td>9-12</td> <td>9-12</td> </tr> </tbody> </table> <p>9-12 must report Y/N/C for all reporting periods other than Feb. All other grades report blank. Feb. must report 12th graders. All other grades report blank.</p> <p>Valid values: C: Complete Y: Yes N: No</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	9-12	9-12	12 only	9-12	9-12	<p>Student Information > General > Enrollments > State Reporting Fields > A+ Student</p> <p>EnrollmentMO.aPlusStu</p>	Text	1
Oct	Dec	Feb	Apr	June																
O	O	O	O	C																
9-12	9-12	12 only	9-12	9-12																

150	MonthsUSA	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>C</td><td>O</td></tr> </tbody> </table> <p>April :</p> <p>In April: Required if student is LEP/ELL = MY1, MY2, RCV OR Immigrant = Y : Yes, returns</p> <ul style="list-style-type: none"> • Return the number of months calculated between Date Entered US and April 1st of the reporting year if student has been in the US for < 36 months • If number of months is => 36 as calculated above, always return '36' in the extract (not the actual calculated number of months). • If Date Entered US is blank, report 99. • Students w/o LEP/ELL = MY1, MY2, RCV, NRC OR Immigrant = Null or N : No, return NULL. 	Oct	Dec	Feb	Apr	June	O	O	O	C	O	<p>Census > People > Demographics > Date Entered US AND Student Information>English Learners> English Learners (EL) >Program Status</p> <p>Student Information>English Learners> English Learners (EL) Services</p> <p>OR Student Information > General > Enrollment > State Reporting Fields > Immigrant</p> <p>Identity.dateEnteredUS</p> <p>Lep.ProgramStatus</p> <p>Enrollment.immigrant</p>	Numeric	3
Oct	Dec	Feb	Apr	June											
O	O	O	C	O											

CAMPUS STATE SPECIFIC LOCALIZATIONS - MO - MOSIS STUDENT CORE - FRD

155	Immigrant	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>O</td><td>O</td><td>O</td><td>O</td></tr> </tbody> </table> <p>Report Y, when the student's birth country is not US: United States or PR: Puerto Rico and Date Entered US Schools is less than 3 yrs from the first instructional school day date.</p> <p>1. Report N, for all else</p>	Oct	Dec	Feb	Apr	June	R	O	O	O	O	Demographics > Birth Country and Date Entered US Schools Enrollment.immigrant	Boolean	
Oct	Dec	Feb	Apr	June											
R	O	O	O	O											
160	ELLLanguage	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> </tr> </tbody> </table> <p>Required if student is reported as ELL/LEP (RCV or NRC).</p> <p>Required when EL = RCV</p>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	Census > People > Demographics > Home Primary Language Enrollment.homePrimarylanguage	Text	4
Oct	Dec	Feb	Apr	June											
C	C	C	C	C											
165	LEPELL	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Returns LEP/ELL code. Options include:</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	Student Information > Program Participation > LEP > LEP > Program Status AND Student Information > English Learners>English Learners> Parent Declined lep.ProgramServices lep.EL	Text	3
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											

Code	Description
MY1	1 Yr Monitoring
MY2	2 Yr Monitoring
AY3	3 Yr Monitoring
AY4	4 Yr Monitoring
NLP	reports NLP
RCV	Receiving Services

1. If at least one EL record exists for a student, determine which EL record to use:
 - a. Select the EL record where the Second Year Monitoring Date => the applicable date for the Reporting Period selected (see below); OR if no such record exists, select the EL record where the Second Year Monitoring Date = NULL
2. Use the selected EL record to determine the code to return as follows:
 - a. If the Program Status = EL and the Parent Declined checkbox is checked OR unchecked, then student should report **RCV**.
 - b. If the Exit date takes place after the First Year Monitoring date and up to or on the Second Year Monitoring date, report '**MY2**'
 - c. If the Exit date takes place after the Second Year Monitoring date and up to or on the Third Year Monitoring date and , report '**AY3**'
 - d. If the Exit date takes place after the Third Year Monitoring date and up to or on the Fourth Year Monitoring date, report '**AY4**'
 - e. ELSE report **NLP**

Determine the applicable date to be used as follows. When Reporting Period selected on the extract editor is:

Reporting Period	Date
October	September count date (last Wed. in September)
December	December 1
February	January count date (last Wed. in January)
April or June	End Date set in the Extract Editor

170	ELLExit	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>NA</td><td>NA</td><td>NA</td><td>NA</td><td>NA</td></tr> </tbody> </table> <p>If LEP = MY2, then return state code from EL Exit.</p> <ol style="list-style-type: none"> 1. If LEPELL reports as MY1, then report blank. 2. If LEPELL reports as MY2, then return state code from ELL Exit on the LEP record from the reporting year as follows: <table border="1"> <thead> <tr> <th>Exit Reason Code</th><th>Return in Extract</th></tr> </thead> <tbody> <tr> <td>IFA</td><td>IFA</td></tr> <tr> <td>STG</td><td>STG</td></tr> <tr> <td>TCI</td><td>TCI</td></tr> <tr> <td>ACS</td><td>ACS</td></tr> </tbody> </table>	Oct	Dec	Feb	Apr	June	NA	NA	NA	NA	NA	Exit Reason Code	Return in Extract	IFA	IFA	STG	STG	TCI	TCI	ACS	ACS	Student Information > Program Participation > EL > EL Lep.ELLexit	Text	3
Oct	Dec	Feb	Apr	June																					
NA	NA	NA	NA	NA																					
Exit Reason Code	Return in Extract																								
IFA	IFA																								
STG	STG																								
TCI	TCI																								
ACS	ACS																								
175	ELLExitTest	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>NA</td> <td>NA</td> <td>NA</td> <td>NA</td> <td>C</td> </tr> </tbody> </table> <p>1. When EL = RCV report NOE in June reporting period</p>	Oct	Dec	Feb	Apr	June	NA	NA	NA	NA	C	Student Information > Program Participation > EL > EL > Exit Reason Lep.ellExitTest	Text	3										
Oct	Dec	Feb	Apr	June																					
NA	NA	NA	NA	C																					
180	ESOLInstModel	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> </tr> </tbody> </table>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	Student Information > Program Participation > EL > EL Services LepServiceType.code	Text	3										
Oct	Dec	Feb	Apr	June																					
C	C	C	C	C																					

Required when LEP = RCV

Returns record ESOL Setting code when LEP = RCV. Else blank.

Must report code from the most recent enrollment in the reporting year. SEL: Structured ESOL Immersion, CBE: Content Based ESOL, POE: Pull Out ESOL, BLI: Bilingual Immersion, TDP: Two-way Developmental Programs, ELE: Early and Late Exit Programs, TMT: Team Teaching, SHC: Sheltered Classrooms, RSC: Resource Classrooms, NWC: Newcomer Centers, IIL: Instruction incorporates students's native language

1. Returns record ESOL Setting code when LEP reports as RCV. Else blank.
 - a. If LEP reports as RCV, consider if there are any LEP Services records that are current based on the date range (see below)
 - b. Return the code for a LEP Service record if it is any of the following:
 - i. BLI
 - ii. CBE
 - iii. ELE
 - iv. ILL
 - v. NWC
 - vi. POE
 - vii. RSC
 - viii. SEL
 - ix. SHC
 - x. TDP
 - xi. TMT
 - c. Only report values from the state code list above.
 - d. If > 1 LEP Services record that meets the conditions to return exist for a student, return the most recently created

Info If the End Date of the LEP Services record => the date for the applicable reporting period noted below OR the End Date of the LEP Services record is between the current school year start date and the date for the applicable reporting period noted below, return the code for that record - When Reporting Period selected on the extract editor is:

		<table border="1"> <thead> <tr> <th>Reporting Period</th><th>Date</th></tr> </thead> <tbody> <tr> <td>October</td><td>September count date (last Wed. in September)</td></tr> <tr> <td>December</td><td>December 1</td></tr> <tr> <td>February</td><td>January count date (last Wed. in January)</td></tr> <tr> <td>April or June</td><td>End Date set in the Extract Editor</td></tr> </tbody> </table>					Reporting Period	Date	October	September count date (last Wed. in September)	December	December 1	February	January count date (last Wed. in January)	April or June	End Date set in the Extract Editor		
Reporting Period	Date																	
October	September count date (last Wed. in September)																	
December	December 1																	
February	January count date (last Wed. in January)																	
April or June	End Date set in the Extract Editor																	
185	MOOptionProgram	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Returns Y if 'MO Option Prog' field checked AND grade level = 09, 10, 11 or 12.</p> <p>Else returns N.</p> <p>If grade level not = 09, 10, 11 or 12, return null.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Student Information > General > Enrollments > State Reporting Fields > MO Option (checkbox) Enrollment.moOptionprog	Boolean	1			
Oct	Dec	Feb	Apr	June														
O	O	O	O	C														

190	CareerEd	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Designation for students in Grades 9-12 who have completed or are currently taking a Career Education course approved by DESE.</p> <p>Returns Career Ed.</p> <p>Valid Options: NHS: Not Career Ed PHS: Participant CHS: Concentrator CNP: Concentrator Non-Participant -</p> <p>If grade level not = 09, 10, 11 or 12, return null.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information > General > Enrollments > State Reporting Fields > Career Ed Program</p> <p>Enrollment.careerEd</p>	Text	3
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
195	Title	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>R</td><td>R</td><td>R</td><td>R</td></tr> </tbody> </table> <p>Select at which enrollment to look to determine a student's Title I status-</p> <ul style="list-style-type: none"> • Use the primary enrollment from the reporting calendar with a date range that encompasses the relevant date for each cycle (see below) • If there is no primary enrollment, use a partial enrollment OR a Special Ed Services enrollment 	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p>Student Information > General > Enrollments > State Reporting Fields > State Aid</p> <p>Student Information > General > Enrollments > State Reporting Fields > Title 1</p> <p>Enrollment.stateAid</p> <p>Enrollment.title1</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											

- If > 1 overlapping primary enrollment exists, use the most recently created
 - When Reporting Period selected on the extract editor is:
 - December- Title I status is based on status on December 1
 - October- Title I status is based on status on September count date (last Wed. in September)
 - February- Title I status is based on the January count date (last Wed. in January)
 - April - Title I status is based on the MAP Admin date set by the user in the extract editor
 - June - Title I status is based on any primary or partial enrollment from the reporting calendar where the Title checkbox = checked

Once the appropriate enrollment has been determined based on the reporting cycle as described above, apply that enrollment's Title I checkbox value to the following logic:

1. Returns Y if State Aid on Student Enrollment = R2 and Title 1 check box on Student Enrollment is checked OR Returns N if State Aid on Student Enrollment = R2 and Title 1 check box on Student Enrollment is NOT checked (so for R2 students ignore

OR

2. Returns Y if Sys Admin> Resources> School> School History> Title 1 has a **value = 2**

		1. a. ELSE Returns N																									
200	TitleIII	<p>Oct Dec Feb Apr June</p> <table border="1"> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>O</td></tr> </table> <p>Reports as Blank</p> <table border="1"> <thead> <tr> <th>Reporting Period</th> <th>Start Date</th> <th>End Date</th> </tr> </thead> <tbody> <tr> <td>October</td> <td>Calendar Start Date</td> <td>September Count Date</td> </tr> <tr> <td>December</td> <td>Calendar Start Date</td> <td>December Count Date</td> </tr> <tr> <td>February</td> <td>Calendar Start Date</td> <td>January Count Date</td> </tr> <tr> <td>April</td> <td>Date Range start date</td> <td>Date Range end date</td> </tr> <tr> <td>June</td> <td>Date Range start date</td> <td>Date Range end date</td> </tr> </tbody> </table>	O	O	O	O	O	Reporting Period	Start Date	End Date	October	Calendar Start Date	September Count Date	December	Calendar Start Date	December Count Date	February	Calendar Start Date	January Count Date	April	Date Range start date	Date Range end date	June	Date Range start date	Date Range end date	<p>System Administration > Resources > School > School History</p> <p>School.title3</p>	Boolean 1
O	O	O	O	O																							
Reporting Period	Start Date	End Date																									
October	Calendar Start Date	September Count Date																									
December	Calendar Start Date	December Count Date																									
February	Calendar Start Date	January Count Date																									
April	Date Range start date	Date Range end date																									
June	Date Range start date	Date Range end date																									

205	Residency Status	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>R</td><td>R</td><td>O</td><td>R</td></tr> </tbody> </table> <p>Returns state code from State Aid. If blank, reports R1 "IF R1 THEN Reporting District Code, Resident District Code, Attending District Code must be the same value. IF NR, DI or PT THEN Reporting District Code and Attending District Code must be the same value. IF R2 or HS THEN Reporting District Code and Resident District Code must be the same value."</p>	Oct	Dec	Feb	Apr	June	R	R	R	O	R	<p>Student Information > General > Enrollments > State Reporting Fields > State Aid</p> <p>Enrollment.stateAid</p>	Text	2
Oct	Dec	Feb	Apr	June											
R	R	R	O	R											

210	MemberFTE	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>C</td><td>O</td><td>C</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Report blank when optional fields not checked in Dec and April reporting.</p> <ul style="list-style-type: none"> • MemberFTE is required when ResidencyStatus is R1, NR, FL, DI, or R2. (Student Info> General> Enrollments> State Reporting Fields> State Aid) • Returns blank if State Aid = PT. • Value MUST be ≤ 1 and >0. An FTE greater than 1.00 will report for summed percent enrolled enrollments, if sum is more than 1.00. Users will correct FTE if fte sum is greater than 1.00. • For Grade Level (mapped state code) with Kindergarten Code KA/KP FTE must report as 1.00 regardless of Percent Enrolled(Out of 100) value. • Primary enrollments only • Enrollments with no end dates within report generation date range • If student only has enrollments with end dates, report FTE from most recent end dated enrollment. <ul style="list-style-type: none"> ◦ If multiple enrollments have the same most recent end date, sum FTE of those enrollments. ◦ No show students will report FTE from enrollment>Percent enrolled 	Oct	Dec	Feb	Apr	June	C	O	C	O	C	<p>Student Information > General > Enrollments > State Reporting Fields > Percent Enrolled</p> <p>GradeLevel.kindergartenCode</p> <p>Enrollment.percentEnrolled</p> <p>Enrollment.stateAid</p>	Decimal	4
Oct	Dec	Feb	Apr	June											
C	O	C	O	C											

215	OnePriorTen	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>C</td><td>C</td><td>C</td><td>NA</td><td>NA</td></tr> </tbody> </table> <p>Required for students with residency status of R1, R2, FL, DI, or NR.</p> <ol style="list-style-type: none"> 1. Return Y if student was absent all ten days prior to the count date. 2. Else return N <p>Oct count date is the last Wed in Sept.</p> <p>Dec count date is December 1.</p> <p>February count date is the last Weds in January.</p>	Oct	Dec	Feb	Apr	June	C	C	C	NA	NA	<p>Student Information > General > Attendance</p> <p>AND</p> <p>Student Information > General > Enrollments > Start Date</p> <p>AND</p> <p>MO State Reporting > MOSIS Extracts > Reporting Period</p> <p>Enrollment.startDate</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
C	C	C	NA	NA											
220	EnrolledOnCntDate	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>NA</td> <td>NA</td> </tr> </tbody> </table> <p>Returns Y if student is actively enrolled on count date, else returns N</p> <p>Oct cycle count date is the last Wed in Sept.</p> <p>Dec cycle count date is December 1.</p> <p>February cycle count date is the last Weds in January.</p>	Oct	Dec	Feb	Apr	June	R	R	R	NA	NA	<p>Student Information > General > Enrollments > Start Date and MO State Reporting > MOSIS Extracts > Reporting Period</p> <p>Enrollment.startDate</p> <p>Enrollment.endDate</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
R	R	R	NA	NA											
225	EnrolledAllYear	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>R</td> </tr> </tbody> </table>	Oct	Dec	Feb	Apr	June	O	O	O	O	R	<p>Student Information > General > Enrollments > First Day in District</p> <p>Enrollment.firstDateinDistrict</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	R											

Consider all of the student's enrollments across the reporting year to determine how the field returns. The field will report a Y if:

- The student has been enrolled in the district since the last Wednesday in September (on or before) until the final day of the school year without interruption and the First Date in District field is populated on the student's enrollment record.
- report Y for students with an enrollment End Status associated with state code G01 or G03 and enrollment end date is on or before the last instructional day of the year when the rest of the current logic is followed: (Enrolled since the last Wed of Sept without interruption and the First Date in District field is populated)

The field will report a N in the Enrolled All Year field if:

- The student begins enrollment after the September Count Date, which is the last day in September.
- The student ends enrollment prior to the last day of school in the calendar.
- The student has multiple enrollments in the district, and there is a gap of at least one instructional day in between such enrollments.
- The student has a Residency Status = R2.

A student enrollment will be disregarded by the field logic if:

		<ul style="list-style-type: none"> • The enrollment is flagged as 'No Show'. • The enrollment is flagged as 'State Exclude'. • The enrollment is in a calendar flagged as 'Exclude'. • The enrollment is in a calendar flagged as 'Summer School'. • The enrollment is in a grade level flagged as 'Exclude from State Reporting'. 												
230	FirstYearFreshman	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>O</td></tr> </tbody> </table> <p>No longer Collected</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	O	Student Information > General > Enrollments GradeLevel.stateGrade Enrollment.grade	Boolean 6
Oct	Dec	Feb	Apr	June										
O	O	O	O	O										

235	GPA	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Required for grades 9 and 10</p> <p>Returns calculation of the sum of all gradepoints (gpaweight multiplied by gpavalue) plus the sum of all GPA weights divided by the sum of all Gradepoints by the sum of all weights from Student Info> General> Transcript> Courses taken in the school year selected on the extract editor.</p> <p>Student Info> General> Enrollments> Grade must = 09 or 10, else returns blank.</p> <p>....</p> <p>"This is not a cumulative nor a rolling cumulative GPA. This needs to be the grades in the transcriptCourse table for the year full year. GPA is required if StudentGradeLevel = '09' or '10' else null is allowed.</p> <p>When the GPA scale is 4 the GPA can be between 0.000 and 6.000. When the GPA scale is 11 the GPA can be between 0.000 and 13.000."</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Table "TranscriptCourse"	2
Oct	Dec	Feb	Apr	June										
O	O	O	O	C										


240	GPAScale	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Required for grades 9 and 10</p> <p>Returns Grading Scale.</p> <p>"GPAScale must be 4 or 11. GPA Scale is required if GPA is not Null"</p> <p>Student Info> General> Enrollments> Grade must = 09 or 10, else returns blank.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	System Administration > Calendar > Calendar > Calendar Info > GPA Scale CustomCalendar Calendar.gpaScale	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
245	EighthTechLit	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p>Returns 8th Tech Lit code if grade level = 08, else returns blank.</p> <p>Valid Options:</p> <p>P: Passed</p> <p>T: Tested</p> <p>N: Not Tested</p> <p>If grade level = 08 and 8th Tech Lit is blank, return value N.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	O	Student Information > General > Enrollments > State Reporting Fields > 8th Tech Lit Enrollment.8thtechlit	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	O											
250	AerobicCap	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Required for students in grade 05 or 09</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C		Text	10
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

Returns AerobicCap if Grade Level = 05, 07, or 09. Else returns blank.

.....

1. Score Groups and Standards > Create Physical Fitness Scores Rubric. Name = Physical Fitness Scores
 - a. Detail Name and Score > set up each HFR, NOT TESTED and TESTED in Name and Score
2. Standards Bank > Next create Standard Name = Physical Fitness Assessments.
 - a. Child assessment = AbdominalStr Abbreviation and Name = PE2
 - b. Child assessment = AerobicCap Abbreviation and Name = PE1
 - c. Child assessment = Flexibility. Abbreviation and Name = PE3
 - d. Child assessment = AbdominalStr. UpperBodyStr Abbreviation and Name = PE4
3. In Course/Section>Standards>Standards Alignment. Create Standards for AbdominalStr, AerobicCap, Flexibility, and UpperBodyStr.
4. Assign the Grades in Sections>Grading By Task
5. Not allowed unless StudentGradeLevel = '05', 07, or '09'.
6. Locate the Grading standard by this name and report the chosen score. If it is blank report NOT TESTED.

Grading & Standards > Standards Bank > Physical Fitness Assessment > AerobicCap



GradingTask.name = Aerobic Cap

255	AbdominalStr	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Required for students in grade 05 or 09 Returns AbdominalStr if Grade Level =05, 07, or 09. Else returns blank.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Grading & Standards > Standards Bank > Physcial Fitness Assessment > AbdominalStr GradingTask.name = AbdominalStr	Text	10
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
260	UpperBodyStr	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Required for students in grade 05 or 09 Returns state code from UpperBodyStr if Grade Level = 05, 07, or 09. Else returns blank.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Grading & Standards > Standards Bank > Physcial Fitness Assessment > UpperBodyStr GradingTask.name = UpperBodyStr	Text	10
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
265	Flexibility	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Required for students in grade 05 or 09 Returns state code from Flexibility if Grade Level = 05, 07, or 09. Else returns blank.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Grading & Standards > Standards Bank > Physcial Fitness Assessment > Flexibility GradingTask.name = Flexibility	Text	10
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
270	IEPDisability	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	Student Information > General > Enrollments > Special Ed Fields > Primary Disability Enrollment.disability	Text	2
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											

Returns Primary Disability.

In June, IEP should be reported if the student had an IEP at any time during the school year. Other cycles report the most current IEP Status.

If the Reporting Period = June, return user-entered value for IEPDisability.

If the Reporting Period is **not** = June, first determine if there is a current IEP:

1. If the Reporting Period = Oct., Dec. or Feb.-
 - a. Look at Student Info> General> Enrollments> Special Ed Fields> SPED Exit Date
 - b. If the SPED Exit Date is <= the count date for the reporting cycle **OR** Student Info> General> Enrollments> Special Ed Fields> Special Ed Status = N: No
 - i. IEPDisability return value = 00
1. a. If the SPED Exit Date is > the count date for the reporting cycle

OR

1. a. Student Info> General> Enrollments> Special Ed Fields> Special Ed Status = Y: Yes **AND** SPED Exit Date = blank
1. a. i. Return user-entered value for IEPDisability
1. If the Reporting Period = Apr.-

		<ul style="list-style-type: none"> a. Look at Student Info> General> Enrollments> Special Ed Fields> SPED Exit Date b. If the SPED Exit Date is within the Date Range set in the Extract Editor OR Student Info> General> Enrollments> Special Ed Fields> Special Ed Status = N: No <ul style="list-style-type: none"> i. IEPDisability return value = 00 c. If the SPED Exit Date is > the End Date of the Date Range set in the Extract Editor OR d. Student Info> General> Enrollments> Special Ed Fields> Special Ed Status = Y: Yes AND SPED Exit Date = blank <ul style="list-style-type: none"> i. Return user-entered value for IEPDisability 												
275	MAPA	<table border="1" data-bbox="752 870 1208 981"> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> <tr> <td>R</td><td>O</td><td>O</td><td>R</td><td>O</td></tr> </table> <p>Returns 'Y' if MAP-A = checked AND IEPDisability <> 00. Else returns 'N'</p>	Oct	Dec	Feb	Apr	June	R	O	O	R	O	<p>Student Information > General > Enrollments > Special Ed Fields > MAP-A</p> <p>Enrollment.mapA</p>	<p>Boolean</p> <p>1</p>
Oct	Dec	Feb	Apr	June										
R	O	O	R	O										

280	SPEDPlacement	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>C</td><td>C</td><td>C</td><td>C</td><td>C</td></tr> </tbody> </table> <p>Required for students with an IEP</p> <p>Returns Special Ed Setting if exists AND IEP Disability <> 00. Else returns NULL</p>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	<p>Student Information > General > Enrollments > Special Ed Fields > Special Ed Setting</p> <p>Enrollment.specialEdSetting</p>	Text	4
Oct	Dec	Feb	Apr	June											
C	C	C	C	C											
285	SPEDExit	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Returns Exit Reason if exists AND IEP Disability <> 00. Else returns NULL</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information > General > Enrollments > Special Ed Fields > Exit Reason</p> <p>Enrollment.spedExitReason</p>	Text	2
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

286	Truant	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>C</td><td>C</td><td>C</td><td>C</td><td>C</td></tr> </tbody> </table> <p>Required for all students except grade PK when truant student has 10 or more cumulative days of unexcused absence from the school district.</p> <p>"Truant student has 10 or more unique days of unexcused absence from the school district. Days of absence must be unique; do not count absence from 2 separate buildings in 1 day as 2 days of unexcused absence.</p> <p>Returns 'Y' if Attendance shows 11 or more unexcused FULL DAY absences from all of student's active calendar enrollments. Else returns N</p> <p>Look for all active enrollments for a student. If the student has 11 or more unique days in one or more calendars, the student is considered Truant. If a student is enrolled in Building 1 for 3 hours and Building 2 for 3 hours for the day and was absent from Building 1 but attends Building 2, this would not be considered a full day absence. Only if the student was marked with an unexcused absence at both locations should the student be counted as a full day of absence.</p> <p>Valid options are ""Y"" or ""N"".</p>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	Calculated	Boolean	1
Oct	Dec	Feb	Apr	June											
C	C	C	C	C											

288	SuppEdService	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>O</td></tr> </tbody> </table> <p>1. Returns user-entered value for SES if exists, WHEN:</p> <ul style="list-style-type: none"> a. The Title 1 check box on the Student Enrollment is checked and if Sys Admin> Resources> School> School History> Title 1 has a value = 1 OR b. Sys Admin> Resources> School> School History> Title 1 has a value = 2 OR c. The student's FRAM Eligibility = Free or Reduced <ul style="list-style-type: none"> i. Else returns NULL 	Oct	Dec	Feb	Apr	June	O	O	O	O	O	<p>Student Information > General > Enrollments > State Reporting Fields > SES</p> <p>Enrollment.SES</p>	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	O											

290	CTECluster	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Required when CareerEd = CHS, CNP or PHS</p> <p>Returns Career Cluster if CareerED is in (CHS,-CNP or PHS), else returns blank.</p> <p>Only reports the numerical code in the Student Core report</p> <p>...</p> <p>Required for secondary career education students who are identified as Perkins Concentrators (please review the HS Career Ed code set for the definition of a Concentrator). 16 Career Education clusters used by DESE to identify the primary career education path.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information > General > Enrollments > State Reporting Fields > Career Cluster</p> <p>Enrollment.careerCluster</p>	Text	2
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

292	NonTradStudent	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Required when PHS, CHS, -CNP</p> <ol style="list-style-type: none"> 1. Report Y when the Non Trad Student drop list = Yes, report Y (Student's CTE > Career Ed = PHS, CHS, CNP to report this field) (Optional Oct-April. Conditional in June with CTE) 2. If Student's CTE > Career Ed = PHS, CHS, CNP and Non-Trad blank or No, look to the CTE Program Type, if code = 0104, 0804, 0110, 0810, 0107, 0807 or 1004 and the student's gender = F: Female, report Y <ul style="list-style-type: none"> a. If Student's CTE > Career Ed = PHS, CHS, CNP and Non-Trad blank or No and the CTE Program Type is blank or not the above code, report N 3. If Student's CTE > Career Ed = PHS, CHS, CNP and Non-Trad blank or No, look to the CTE Program Type, if code = 0604, 0504, 0510, 0610, 0710, 0810, 0507, 0607, 0707 or 0704 and the student's gender = M: Male, report Y <ul style="list-style-type: none"> a. If Student's CTE > Career Ed = PHS, CHS, CNP and Non-Trad blank or No and the CTE Program Type is blank or not the above code, report N 	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information > General > Enrollments > State Reporting Fields > Non Trad Student</p> <p>Must be NULL, Y or N</p> <p>(Optional Oct-April. Conditional in June with CTE)</p> <p>Enrollment.nonTradStudent</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

CAMPUS STATE SPECIFIC LOCALIZATIONS - MO - MOSIS STUDENT CORE - FRD

294	SingleParent	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Required for secondary career education students</p> <p>REPORT NULL</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information > General > Enrollments > State Reporting Fields > Single Parent</p> <p>Enrollment.singleParent</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
296	DisplacedHomemaker	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Required for secondary career education students</p> <p>REPORT NULL</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information > General > Enrollments > State Reporting Fields > Displaced Homemaker</p> <p>Enrollment.displacedHomemaker</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

298	CTETSA	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Required for secondary, postsecondary and adult career technical education (CTE) students identified as Perkins Concentrators</p> <p>Return CTE Tech Skills Attainment if Student Information > General > Enrollments > State Reporting Fields > Career Ed = -'CNP', 'CHS', or -else returns blank.</p> <p>Valid options: PT: Passed Test FT: Failed Test NT: Not Tested NA: Not Available NE: Not Eligible PR: Pending Results</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information > General > Enrollments > State Reporting Fields > CTE Tech Skills Attainment</p> <p>EnrollmentMO.cteTechSkills</p>	Text	2
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

300	K8GradDistrictCode	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>C</td><td>C</td><td>C</td><td>C</td><td>C</td></tr> </tbody> </table> <p>Required for grade 09 and 10 non-resident students who graduated 8th grade from a K-8 District</p> <p>Returns state code K-8 Graduate District Code if Student Information > General > Enrollments > State Reporting Fields > State Aid = NR: Non-resident AND if Student Information > General > Enrollments > Grade = 09 or 10.</p> <p>Else return null.</p>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	<p>Student Information > General > Enrollments > State Reporting Fields > K-8 Graduate District Code</p> <p>EnrollmentMO.k8gradDistCode</p>	Text	
Oct	Dec	Feb	Apr	June											
C	C	C	C	C											
302	ECOEntryDate	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>OC</td></tr> </tbody> </table> <p>Returns ECO Entry Date ONLY if date is within reporting calendar.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	OC	<p>Student Information > General > Enrollments > State Reporting Fields > ECSE Entry Date</p> <p>EnrollmentMO.ecoEntryDate</p>	Text	10
Oct	Dec	Feb	Apr	June											
O	O	O	O	OC											

304	ECOEntryInd1	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Returns ECOEntryInd1 ONLY if Student Information > General > Enrollments > ECO > ECO Entry Date exists and is within the reporting year, else returns blank.</p> <p>....</p> <p>If the student has an ECSE Entry Date a value must be reported.</p> <p>If no ECSE Entry Date is present, and a value is selected, report NULL.</p> <p>NULL is the default value.</p> <p>Valid options are...</p> <ul style="list-style-type: none"> 1: Not Yet 2: Emerging 3: Occasionally 4: Frequently 5: Completely 	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information> General > Enrollments > State Reporting Fields > ECO Entry Indicator 1</p> <p>EnrollmentMO.ecoEntryInd1</p>	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

306	ECOEntryInd2	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Returns value from ECOEntryInd2 if Student Information> General> Enrollments> ECO> ECO Entry Date exists and is within the reporting year, else returns blank.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Student Information > General > Enrollments > State Reporting Fields > ECO Entry Indicator 2 EnrollmentMO.ecoEntryInd2	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
308	ECOEntryInd3	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Returns value from ECOEntryInd3 if Student Information> General> Enrollments> ECO> ECO Entry Date exists and is within the reporting year, else returns blank.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Student Information > General > Enrollments > State Reporting Fields > ECO Entry Indicator 3 EnrollmentMO.ecoEntryInd3	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
310	ECOExitDate	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>OC</td> </tr> </tbody> </table> <p>Returns value from ECOExitDate if date is within reporting calendar.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	OC	Student Information > General > Enrollments > State Reporting Fields > ECSE Exit Date EnrollmentMO.ecoExitDate	Text	10
Oct	Dec	Feb	Apr	June											
O	O	O	O	OC											

312	ECOExitInd1	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Returns value from ECOExitInd1 if Student Information> General> Enrollments> ECO> ECOExitDate exists and is within the reporting year, else returns blank</p> <p>.....</p> <p>NULL is the default value.</p> <p>Valid options are...</p> <ul style="list-style-type: none"> 1: Not Yet 2: Emerging 3: Occasionally 4: Frequently 5: Completely 	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information > General > Enrollments > State Reporting Fields > ECOExitInd1</p> <p>EnrollmentMO.ecoExitInd1</p>	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

314	ECOExitInd2	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Returns value from ECOExitInd2 if Student Information> General> Enrollments> ECO> ECOExitDate exists and is within the reporting year, else returns blank</p> <p>.....</p> <p>NULL is the default value.</p> <p>Valid options are...</p> <ul style="list-style-type: none"> 1: Not Yet 2: Emerging 3: Occasionally 4: Frequently 5: Completely 	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information > General > Enrollments > State Reporting Fields > ECOExitInd2</p> <p>EnrollmentMO.ecoExitInd2</p>	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

316	ECOExitInd3	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Returns value from ECOExitInd3 if Student Information> General> Enrollments> ECO> ECOExitDate exists and is within the reporting year, else returns blank</p> <p>.....</p> <p>NULL is the default value.</p> <p>Valid options are...</p> <ul style="list-style-type: none"> 1: Not Yet 2: Emerging 3: Occasionally 4: Frequently 5: Completely 	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Student Information > General > Enrollments > State Reporting Fields > ECOExitInd3	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
318	CTEProgramCode	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Returns CTE Program Type if CareerEd = LTO, PHS, PTP, CHS, CNP, CTP, or CNT.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Student Information > General > Enrollments > State Reporting Fields > CTE Program Type. The Career Education program where the students main concentration is	Text	4
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

320	Title3LEP	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>C</td><td>C</td><td>C</td><td>C</td><td>C</td></tr> </tbody> </table> <p>Conditional and required if LEPELL is RCV. Report code when EL = RCV. If null, report NE All else, report NE.</p> <table border="1"> <thead> <tr> <th>Reporting Period</th><th>Start Date</th><th>End Date</th></tr> </thead> <tbody> <tr> <td>October</td><td>Calendar Start Date</td><td>September Count Date</td></tr> <tr> <td>December</td><td>Calendar Start Date</td><td>December Count Date</td></tr> <tr> <td>February</td><td>Calendar Start Date</td><td>January Count Date</td></tr> <tr> <td>April</td><td>Date Range start date</td><td>Date Range end date</td></tr> <tr> <td>June</td><td>Date Range start date</td><td>Date Range end date</td></tr> </tbody> </table>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	Reporting Period	Start Date	End Date	October	Calendar Start Date	September Count Date	December	Calendar Start Date	December Count Date	February	Calendar Start Date	January Count Date	April	Date Range start date	Date Range end date	June	Date Range start date	Date Range end date	Enrollment > Title III EL drop list SchoolHistory.title3 Enrollment.LEP	Text	
Oct	Dec	Feb	Apr	June																													
C	C	C	C	C																													
Reporting Period	Start Date	End Date																															
October	Calendar Start Date	September Count Date																															
December	Calendar Start Date	December Count Date																															
February	Calendar Start Date	January Count Date																															
April	Date Range start date	Date Range end date																															
June	Date Range start date	Date Range end date																															

321	<p>Title3Immigrant</p> <table border="1" data-bbox="752 198 1224 325"> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> <tr> <td>C</td><td>O</td><td>O</td><td>O</td><td>O</td></tr> </table> <p>Conditional and required if Immigrant is RCV</p> <p>When student is Immigrant = Y, report selected code in Enrollment > Title III EL drop list. If null, report NE</p> <p>All else, report NE.</p> <table border="1" data-bbox="752 579 1336 1135"> <thead> <tr> <th>Reporting Period</th><th>Start Date</th><th>End Date</th></tr> </thead> <tbody> <tr> <td>April</td><td>Date Range Start Date</td><td>Date Range end date</td></tr> <tr> <td>June</td><td>Date Range start date</td><td>Date Range end date</td></tr> <tr> <td>December</td><td>Calendar Start Date</td><td>December Count Date</td></tr> <tr> <td>February</td><td>Calendar Start Date</td><td>January Count Date</td></tr> <tr> <td>October</td><td>Calendar Start Date</td><td>September Count Date</td></tr> </tbody> </table>	Oct	Dec	Feb	Apr	June	C	O	O	O	O	Reporting Period	Start Date	End Date	April	Date Range Start Date	Date Range end date	June	Date Range start date	Date Range end date	December	Calendar Start Date	December Count Date	February	Calendar Start Date	January Count Date	October	Calendar Start Date	September Count Date		<p>Enrollment > Title III Immigrant drop list</p> <p>Enrollment.immigrant</p> <p>SchoolHistory.title3</p>	<p>Text</p>	
Oct	Dec	Feb	Apr	June																													
C	O	O	O	O																													
Reporting Period	Start Date	End Date																															
April	Date Range Start Date	Date Range end date																															
June	Date Range start date	Date Range end date																															
December	Calendar Start Date	December Count Date																															
February	Calendar Start Date	January Count Date																															
October	Calendar Start Date	September Count Date																															

322	FirstFreshmanYear	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>R</td></tr> </tbody> </table> <p>Only pull for students in state mapped grade levels of 09-12.</p> <p>Report the latter four digit school year in which the student first attended the 9th grade for students not previously enrolled in a Missouri public school district in grades 09, 10, 11, 12.</p> <ol style="list-style-type: none"> 1. Look to the Start Date of the student's first 9th grade enrollment that is not in a Summer School and report the end year of the calendar of enrollment. (Ex : enrollment start date = 09/01/2016, report 2017) <ol style="list-style-type: none"> a. Ignore 9th grade summer school enrollments. (Calendar > Calendar > Summer School checked) 2. If student is in grade 10-12 and does not have a 9th grade enrollment, report from Graduation > NGA Cohort End Year and subtract by 4, report that date. <p>Ignore 9th grade summer school enrollments. (Calendar > Calendar > Summer School checked)</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	R	<p>Report from the student's first 9th grade enrollment that is not in Summer School. (No longer report from the Graduation tab > First Date Entered 9th grade > end year.</p> <p>GradeLevel.stateGrade</p> <p>Enrollment.grade</p>	YYYY	4
Oct	Dec	Feb	Apr	June											
O	O	O	O	R											

323	ZipCode	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>O</td><td>O</td><td>O</td><td>O</td></tr> </tbody> </table> <p>Pull the 9-digit zip code for the student household address where the Secondary checkbox is not checked.</p> <p>If the student belongs to > 1 household where the Secondary checkbox is not checked, return the zip code from the one that was first created (earliest creation date).</p>	Oct	Dec	Feb	Apr	June	R	O	O	O	O	Census > People > Households > Address > Zip Address.zip	N	9
Oct	Dec	Feb	Apr	June											
R	O	O	O	O											
324	IndustryCred	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>NA</td> <td>NA</td> <td>NA</td> <td>NA</td> <td>C</td> </tr> </tbody> </table> <p>All reporting time periods other than June will report NULL.</p> <p>In JUNE, will report from Industry Credit field. If Null, reports NULL.</p> <p>June: MUST report if Optional is selected if student received a Department-approved-Industry-recognized credential/certification</p>	Oct	Dec	Feb	Apr	June	NA	NA	NA	NA	C	State Reporting Fields > Industry Cred EnrollmentMO.industryCredential	Text	10
Oct	Dec	Feb	Apr	June											
NA	NA	NA	NA	C											
325	Military	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>1. Report from the student's guardian's > Military Connections tab (Relationship > Guardian checked and end date is null from any active primary household) with the following logic for all reporting periods :</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	Guardian's Census > Military Connections > Status ImpactAidEmployment.militaryStatus	Text	
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											

- a. Report **AD**, when any of the student's guardians have record on the Military Connections tab > End Date is blank where Status = **1** : Active Duty, Deployed or **2** : Active Duty, Not Deployed or **9** : Transitioning out of Active Duty and Branch is not = **3** or **6**
 - i. Report **NGR**, when any of the student's guardians have record on the Military Connections tab where Status = **1** : Active Duty, Deployed or **2** : Active Duty, Not Deployed or **9** : Transitioning out of Active Duty and Branch = **3** : Air National Guard or **6** : Army National Guard
 - 1. Report **NM**, when guardian(s) has a military connected record and none of them = AD or NGR logic
 - 2. Report **NM** when guardian(s) has a military connected record and status is
 - a. Discharged
 - b. Inactive
 - c. Injured
 - d. Killed in Action
 - e. Retired
 - f. Student Military Identifier
 - g. Report **UNK**, when no guardian has a military connected record of AD, NGR or NM
 - 3. Report NM if Not Military is selected
- b. If there are multiple guardians with different Military Status first report the AD, if no AD, report NGR, if neither report NM, else UNK

326	MPP	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>C</td><td>O</td><td>C</td><td>O</td><td>C</td></tr> </tbody> </table> <p>If checked, report 'Y'</p> <p>if unchecked, report 'N'</p>	Oct	Dec	Feb	Apr	June	C	O	C	O	C	Student Information > General > Enrollments > State Reporting Fields > MPP EnrollmentMO.mpp	Text	1
Oct	Dec	Feb	Apr	June											
C	O	C	O	C											
327	FosterCare	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Oct - April : Report 'Y' when foster care record start date is populated and End Date is null or on or after report generation date'</p> <p>Report 'N' when there is no foster care record or record End Date is before report generation date</p> <p>June report Y if ever Foster during year</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	Student information > Program Participation > Foster Care FosterCare.startDate	Boolean	1
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
329	PKEligStateAid	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> </tr> </tbody> </table> <p>Reported if an eligible district has selected the PK student to have attendance hours claimed for state aid</p> <p>Report selected code (Y/N)</p> <p>If null, report 'N'</p>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	Enrollments > State Reporting fields > PK Eligible State Aid Enrollment.pkEligibleStateAid	Boolean	1
Oct	Dec	Feb	Apr	June											
C	C	C	C	C											

329	KindergartenReadiness	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>O</td><td>O</td><td>O</td><td>O</td></tr> </tbody> </table> <p>If student state grade level = K Report selected code (Y/N/Not Assessed) If null, report 'Not Assessed' All other grades report null.</p>	Oct	Dec	Feb	Apr	June	R	O	O	O	O	Program Participation > KG Readiness Tab KGReadiness.readiness	Boolean	1
Oct	Dec	Feb	Apr	June											
R	O	O	O	O											

330	HighNeedStudent	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>NA</td><td>NA</td><td>NA</td><td>NA</td><td>R</td></tr> </tbody> </table> <p>An IEP student whose educational costs exceed three times the LEA's current expenditure per Average Daily Attendance (ADA).</p> <ol style="list-style-type: none"> 1. Only report when the Report Optional fields checkbox is checked and reporting periods = June <ol style="list-style-type: none"> a. Report Blank for all reporting periods except June b. Report Blank if reporting period = June and Report Optional Fields is not checked during report generation 2. When Report Optional fields is checked and Reporting Period = June, report from the High Need Student check box in sped fields <ol style="list-style-type: none"> a. If checked report Y for all grades except PK. b. If not checked report blank <ol style="list-style-type: none"> i. If student grade = PK, report blank 3. When reporting periods = October, Dec, Feb and April, report Blank 	Oct	Dec	Feb	Apr	June	NA	NA	NA	NA	R	Enrollments > Special Ed fields > Enrollment.highNeed	Boolean	1
Oct	Dec	Feb	Apr	June											
NA	NA	NA	NA	R											

331	Dyslexia	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Universal screening for reading/dyslexia risk factors is required yearly for students in grades K-3.</p> <ol style="list-style-type: none"> 1. Only report when the Report Optional fields checkbox is checked and reporting periods = October, Dec, Feb and April <ol style="list-style-type: none"> a. Report Blank for all reporting periods except June b. Report Blank if reporting period = October, Dec, Feb and April and Report Optional Fields is not checked during report generation 2. When Report Optional fields is checked and Reporting Period = October, Dec, Feb and April report from the Dyslexia Screening drop list on the Dyslexia tab <ol style="list-style-type: none"> a. Report selected code <ol style="list-style-type: none"> i. If blank, report blank 3. When Reporting Period = June, the field will report from the Dyslexia Screening drop list on the Dyslexia tab <ol style="list-style-type: none"> a. Report selected code <ol style="list-style-type: none"> i. If blank, report blank 	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Dyslexia tab > Screening</p> <p>Reports a value for grade K-3 only. NS is default value.</p> <p>Other grades report blank.</p> <p>MO Student Core, field 331, Dyslexia will report from the active or most recent Dyslexia record, within report generation dates, where end date is blank, within report generation dates or after report generation end date.</p> <p>Dyslexia.screening</p>	Text	3
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

332	NeglectedorDelinquent	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>R</td></tr> </tbody> </table> <p>Identifies if a student residing in a neglected or delinquent institution is participating in programs for neglected or delinquent students.</p> <ol style="list-style-type: none"> 1. Only report when the Report Optional fields checkbox is checked and reporting periods = October, Dec, Feb and April <ol style="list-style-type: none"> a. Report Blank if reporting period = October, Dec, Feb and April and Report Optional Fields is not checked during report generation 2. When Report Optional fields is checked and Reporting Period = October, Dec, Feb and April , report from the Neglected Delinquent drop list in state reporting fields <ol style="list-style-type: none"> a. Report selected code <ol style="list-style-type: none"> i. If blank, report blank 3. When Reporting Period = June, the field will report from the Neglected Delinquent drop list in state reporting fields <ol style="list-style-type: none"> a. Report selected code <ol style="list-style-type: none"> i. If blank, report N 	Oct	Dec	Feb	Apr	June	O	O	O	O	R	Enrollments > State Reporting fields > Enrollment.neglectedDelinquent	text	3
Oct	Dec	Feb	Apr	June											
O	O	O	O	R											
333	CTECertificate	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Only CTE Concentrators that graduate and meet all of the criteria set forth by the State Board of Education are eligible to receive a CTE Certificate. Report Yes for students receiving the certificate.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Enrollments > State Reporting fields > CTE Certificate Enrollment.cteCertificate	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

- | | | |
|--|---|--|
| | <ol style="list-style-type: none">1. Only report when the Report Optional fields checkbox is checked and reporting periods = October, Dec, Feb and April<ol style="list-style-type: none">a. Report Blank if reporting period = October, Dec, Feb and April and Report Optional Fields is not checked during report generation2. When Report Optional fields is checked and Reporting Period = October, Dec, Feb and April report from State Reporting fields > CTE Certificate check box.<ol style="list-style-type: none">a. Report Y when checked and field 190, CareerEd = CHS or CNP (state reporting fields > Career Ed) and enrollment End Status = G01 or G03b. Report N when not checked and field 190, CareerEd = CHS or CNP (state reporting fields > Career Ed) and enrollment End Status = G01 or G033. When Reporting Period = June, report from State Reporting fields > CTE Certificate check box.<ol style="list-style-type: none">a. Report Y when checked and field 190, CareerEd = CHS or CNP (state reporting fields > Career Ed) and enrollment End Status = G01 or G03b. Report N when not checked and field 190, CareerEd = CHS or CNP (state reporting fields > Career Ed) and enrollment End Status = G01 or G034. Report blank when student not CHS or CNP and Enrollment End Status = G01 or G03 | |
|--|---|--|

334	InstructionMethod	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>O</td><td>R</td><td>O</td><td>R</td></tr> </tbody> </table> <p>1. Report code selected in the Instruction Method for Remote Learning drop list on the Digital Equity tab 2. If blank report OS</p>	Oct	Dec	Feb	Apr	June	R	O	R	O	R	Digital Equity tab DigitalEquity.instructionPercentOfTime	text	3
Oct	Dec	Feb	Apr	June											
R	O	R	O	R											
335	InternetAccess	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p>1. Report code selected in the Internet Access for Remote Learning drop list on the Digital Equity tab 2. If blank report U</p>	Oct	Dec	Feb	Apr	June	R	O	O	O	O	Digital Equity tab DigitalEquity.internetAccessType	Boolean	1
Oct	Dec	Feb	Apr	June											
R	O	O	O	O											
336	DeviceAccess	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p>1. Report code selected in the Device Access for Remote Learning drop list on the Digital Equity tab 2. If blank report U</p>	Oct	Dec	Feb	Apr	June	R	O	O	O	O	Digital Equity tab DigitalEquity.deviceAccess	Boolean	1
Oct	Dec	Feb	Apr	June											
R	O	O	O	O											

337	PKReplacementID	<p>Always Optional</p> <p>Report only when Optional Fields Allowed is checked during report generation for all Reporting Periods.</p> <p>Report code in PK Replacement ID textbox</p>	<p>Enrollments > State Reporting Fields > PK Replacement ID</p> <p>Enrollment.pkReplacementId</p>												
338	StackCred1	<table border="1" data-bbox="752 441 1215 562"> <tr> <td>Oct</td><td>Dec</td><td>Feb</td><td>Apr</td><td>June</td></tr> <tr> <td>NA</td><td>NA</td><td>NA</td><td>NA</td><td>O</td></tr> </table> <p>Report selected code</p> <p>Report only when Reporting Period = June AND Optional Fields Allowed is checked</p> <p>1. If June and Optional fields is not checked, report blank</p>	Oct	Dec	Feb	Apr	June	NA	NA	NA	NA	O	<p>Enrollments > State Reporting Fields > Stackable Cred 1</p> <p>EnrollmentMO.stackableCred1</p>	text	10
Oct	Dec	Feb	Apr	June											
NA	NA	NA	NA	O											
339	StackCred2	<table border="1" data-bbox="752 859 1215 979"> <tr> <td>Oct</td><td>Dec</td><td>Feb</td><td>Apr</td><td>June</td></tr> <tr> <td>NA</td><td>NA</td><td>NA</td><td>NA</td><td>O</td></tr> </table> <p>Report selected code</p> <p>Report only when Reporting Period = June AND Optional Fields Allowed is checked</p> <p>1. If June and Optional fields is not checked, report blank</p>	Oct	Dec	Feb	Apr	June	NA	NA	NA	NA	O	<p>Enrollments > State Reporting Fields > Stackable Cred 2</p> <p>EnrollmentMO.stackableCred2</p>	text	10
Oct	Dec	Feb	Apr	June											
NA	NA	NA	NA	O											

340	ICAP	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Report when Reporting Period = June. All other reporting periods report Blank.</p> <p>Required to be reported for students in grade 8</p> <ol style="list-style-type: none"> 1. Report Y when 8th grade student has a state program where ICAP is checked <ol style="list-style-type: none"> a. If blank, Report Y when 8th grade student has a graduation program for the 9th grade. Plan can be dated in the future. 2. Report N when no graduation plan and state program does not have ICAP checked 3. All other grades report blank 	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>State Program > ICAP or Academic planning Graduation Plan</p> <p>OnTrack.GraduationPrograms</p>	boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

341	ICAPReview	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>When Reporting Period = June, report as required for students in state grade = 09-12. All other grades report blank</p> <p>Optional Fields Allowed is checked and Reporting Period = October, December, February or April for students in state grade level = 09-12</p> <p>Required to be reported for students in grades 9, 10, 11, and 12</p> <ol style="list-style-type: none"> 1. Report Y when ICAP Review with the match state grade level of student reporting is checked on the ICAP/On Track state program (grade levels 9-12 only) 2. When blank, Report Y when student graduation program is set up for the grade level of the student 3. Report N when no graduation plan at student grade level or ICAP review not checked on state program tab 	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>State Program > ICAP or Academic planning Graduation Plan</p> <p>OnTrack.review9th OnTrack.review10th OnTrack.review11th OnTrack.review12th</p>	boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

342	SealofBiliteracy	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>C</td></tr> </tbody> </table> <p>Report for students in grades 11, or 12</p> <ol style="list-style-type: none"> 1. Report when Reporting Period = June. All other reporting periods report Blank. 2. Report when state grade = 11 or 12 <ol style="list-style-type: none"> a. All else reports blank for all other grades 3. Report Y, when the 11 or 12th grade student has a Graduation record where State Seal of Biliteracy drop list is populated 4. Report N, when the 11 or 12th grade student has a Graduation record where State Seal of Biliteracy drop list is blank 	Oct	Dec	Feb	Apr	June	X	X	X	X	C	Graduation > State Seal Information GraduationSeal.stateSeal	boolean	1
Oct	Dec	Feb	Apr	June											
X	X	X	X	C											

343	SealofBiliteracyLanguage1	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>C</td></tr> </tbody> </table> <p>Required if Seal of Biliteracy if Yes. Report Code from the Language drop list dictionary Standard Code column. Report for students in grades 11, or 12</p> <ol style="list-style-type: none"> 1. Report when Reporting Period = June. All other reporting periods report Blank. 2. Report when state grade = 11 or 12 3. Report the Code from the language selected in the Language drop list (Grad tab > State Seal Information area, first record) 4. If blank or the code is not = 1-25, report blank 	Oct	Dec	Feb	Apr	June	X	X	X	X	C	Graduation > State Seal Information GraduationSeal.languageage	boolean	1
Oct	Dec	Feb	Apr	June											
X	X	X	X	C											

344	SealofBiliteracyLanguage2	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>O</td></tr> </tbody> </table> <p>Report Code from the Language drop list dictionary Standard Code column. Report for students in grades 11, or 12</p> <ol style="list-style-type: none"> 1. Report when Reporting Period = June AND when Optional Fields Allowed is checked during report generation. 2. Report when state grade = 11 or 12 3. Report the Code from the language selected in the Language drop list (Grad tab > State Seal Information area, second record) 4. If blank or the code is not = 1-25, report blank 	Oct	Dec	Feb	Apr	June	X	X	X	X	O	Graduation > State Seal Information GraduationSeal.language	boolean	1
Oct	Dec	Feb	Apr	June											
X	X	X	X	O											

345	SealofBiliteracyLanguage3	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>X</td><td>X</td><td>X</td><td>X</td><td>O</td></tr> </tbody> </table> <p>Report Code from the Language drop list dictionary Standard Code column. Report for students in grades 11, or 12</p> <ol style="list-style-type: none"> 1. Report when Reporting Period = June AND when Optional Fields Allowed is checked during report generation. 2. Report when state grade = 11 or 12 3. Report the Code from the language selected in the Language drop list (Grad tab > State Seal Information area, third record) 4. If blank or the code is not = 1-25, report blank 	Oct	Dec	Feb	Apr	June	X	X	X	X	O	Graduation > State Seal Information GraduationSeal.language	boolean	1
Oct	Dec	Feb	Apr	June											
X	X	X	X	O											
346	AssociateDegree	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Required for students in grade 12</p> <ol style="list-style-type: none"> 1. Report when Reporting Period = June. All other reporting periods report Blank. 2. Report when state grade = 12 <ul style="list-style-type: none"> a. All else reports blank for all other grades b. Report Y, when Associate Degree Institution is populated c. Report N, when Associate Degree Institution is not populated 	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Graduation tab Graduation.associatesInstitution	boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

347	AssociateDegreeInstitution	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>Required if Associate Degree is Yes</p> <ol style="list-style-type: none"> 1. Report when Reporting Period = June. All other reporting periods report Blank. 2. Report when state grade = 12 <ul style="list-style-type: none"> a. All else reports blank for all other grades 3. Report code selected <ul style="list-style-type: none"> a. If blank, report blank 	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Graduation tab Graduation.associatesInstitution	boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
348	KGPhysicalWell-beingandMotor	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p>Report code selected or default code in attribute dictionary</p> <p>Else report 'Not Assessed'</p>	Oct	Dec	Feb	Apr	June	C	O	O	O	O	Program Participation > KG Readiness tab KGReadiness.physicalMotor		
Oct	Dec	Feb	Apr	June											
C	O	O	O	O											
349	KGSocialandEmotional	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p>Report code selected or default code in attribute dictionary</p> <p>Else report 'Not Assessed'</p>	Oct	Dec	Feb	Apr	June	C	O	O	O	O	Program Participation > KG Readiness tab KGReadiness.socialEmotional		
Oct	Dec	Feb	Apr	June											
C	O	O	O	O											

350	KG Cognition and General Knowledge	<table border="1" data-bbox="743 200 1215 327"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>C</td><td>O</td><td>O</td><td>O</td><td>O</td></tr> </tbody> </table> <p data-bbox="743 382 1215 446">Report code selected or default code in attribute dictionary</p> <p data-bbox="743 473 1215 504">Else report 'Not Assessed'</p>	Oct	Dec	Feb	Apr	June	C	O	O	O	O	Program Participation > KG Readiness tab KGReadiness.cognitiveGeneral	
Oct	Dec	Feb	Apr	June										
C	O	O	O	O										
351	KG Approaches Toward Learning	<table border="1" data-bbox="743 525 1215 652"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="743 708 1215 771">Report code selected or default code in attribute dictionary</p> <p data-bbox="743 798 1215 830">Else report 'Not Assessed'</p>	Oct	Dec	Feb	Apr	June	C	O	O	O	O	Program Participation > KG Readiness tab KGReadiness.learningApproaches	
Oct	Dec	Feb	Apr	June										
C	O	O	O	O										
352	KG Language and Literacy	<table border="1" data-bbox="743 851 1215 978"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="743 1033 1215 1097">Report code selected or default code in attribute dictionary</p> <p data-bbox="743 1124 1215 1156">Else report 'Not Assessed'</p>	Oct	Dec	Feb	Apr	June	C	O	O	O	O	Program Participation > KG Readiness tab KGReadiness.languageLiteracy	
Oct	Dec	Feb	Apr	June										
C	O	O	O	O										

353	OnTracktoGraduate	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>C</td></tr> </tbody> </table> <p>When Reporting Period = June, report as required for students in state grade = 09-12</p> <p>1. All other grades report blank</p> <p>Report when Optional Fields Allowed is checked and Reporting Period = October, December, February or April for students in state grade level = 09-12</p> <p>Report Y when state program ICAP On Track is checked (grade levels 9-12 only)</p> <p>1. When On Track not checked, Report Y when the grade level matching the student's total Graduation Plan's > Progress tab's > Total number on top is equal to or greater than the bottom number. This total should include credits earned and in progress grades but NOT any planned credits.</p> <p>a. Report N when top number is less than the bottom number or On Track not checked on student's ICAP/On Track state program</p> <p>b. Report N when no progress tab on the academic plan or On Track not checked on student's ICAP/On Track state program</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	State Program > ICAP or Academic planning Graduation Plan OnTrack.graduate	boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
354	CreditsEarned	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table>	Oct	Dec	Feb	Apr	June	C	O	O	O	C	State Program > ICAP or Academic planning Graduation Plan	Number	7
Oct	Dec	Feb	Apr	June											
C	O	O	O	C											

	<p>When Reporting Period = October or June, report as required for students in state grade = 09-12</p> <p>1. All other grades report blank</p> <p>Report when Optional Fields Allowed is checked and Reporting Period = December, February or April for students in state grade level = 09-12</p> <p>1. First report the value from the state program tab Credits Earned textbox (grade levels 9-12 only)</p> <p>2. When state program tab Credits Earned is null: Report number from the Graduation Plan's > Progress tab's > ER column (same as the student's Credit Summary's >Total) AND Also look for Transfer in Credits: Look at the credit group associated graduation academic plan (academic plan category = graduation) to count credits earned. Sum the credits earned from courses where Credit Type is in a credit group associated with any active graduation plan with the ER number on the student credit summary of the Graduation plan's Progress tab. Make sure to include any High school credits earned prior to 9th grade.</p> <p>a. When credits earned text box blank and no grad plan, sum the credits on the student's transcript tab Sum the credits earned from courses where Credit Type is in a credit group associated with any active graduation plan.</p>	OnTrack.creditsEarn	
--	---	---------------------	--

355	ReadingSuccessPlan	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>R</td><td>O</td><td>R</td></tr> </tbody> </table> <p>When Reporting Period = February or June, Report Program Status from State program tab.</p> <p>Also Report in October, December, and April if Optional Fields Allowed is checked, else report Blanks</p> <ol style="list-style-type: none"> 1. If Reading Success Plan exists, report Program Status from the State Program tab. 2. Valid Values: <ul style="list-style-type: none"> a. EXEMPT b. EXIT RSP c. NO RSP d. QUALIFY e. REC RSP f. UPDATE RSP 3. If not required and Optional Fields not checked report Blank. 4. For Feb Cycle, If Reading Success Plan exists, report the active Program Status as of the January Count Date from the State Program tab 5. For June Cycle, if Reading Success Plan exists, report the active program status if end date is null or end date \geq start date on extract editor. <ul style="list-style-type: none"> a. If more than 1 record exists, report the most recent record 6. In Feb and June, if there is no Reading Success Plan, Report 'NO RSP'. 	Oct	Dec	Feb	Apr	June	O	O	R	O	R	<p>State Program > Reading Success Plan</p> <p>ReadingDeficiency.status</p>	Text	
Oct	Dec	Feb	Apr	June											
O	O	R	O	R											

356	RSPPPrimaryIntervention	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>C</td><td>O</td><td>O</td></tr> </tbody> </table> <p>When Reporting Period = February required IF ReadingSuccessPlan = 'REC RSP' OR 'UPDATE RSP' Report Primary Intervention ELSE Report Blank Optional in all cycles except February.</p> <ol style="list-style-type: none"> 1. If Reading Success Plan exists, report Primary Intervention from the State Program tab. 2. Translate numeric code on tab to short description: <ul style="list-style-type: none"> a. COMP: Comprehension b. FLUENCY: Fluency c. PHONAWARNS: Phonemic Awareness d. PHONICS: Phonics e. VOCAB: Vocabulary f. DYSLEXIA: Dyslexia 	Oct	Dec	Feb	Apr	June	O	O	C	O	O	State Program > Reading Success Plan > Primary Intervention ReadingDeficiency.primaryIntervention	text	10
Oct	Dec	Feb	Apr	June											
O	O	C	O	O											
357	RSPPPrimarySupport	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>C</td><td>O</td><td>O</td></tr> </tbody> </table> <p>When Reporting Period = February required IF ReadingSuccessPlan = 'REC RSP' OR 'UPDATE RSP'</p>	Oct	Dec	Feb	Apr	June	O	O	C	O	O	State Program > Reading Success Plan > Primary Support ReadingDeficiency.primarySupport	text	16
Oct	Dec	Feb	Apr	June											
O	O	C	O	O											

	<p>ELSE</p> <p>Report Blank</p> <p>When Reporting Period = February required</p> <p>If Primary Intervention = 'DYSLEXIA'</p> <p>Primary Support Reports Blank.</p> <p class="list-item-l1">1. If Reading Success Plan exists, report Primary Support from the State Program tab.</p> <p class="list-item-l1">2. Translate numeric code on tab to short description:</p> <p class="list-item-l2">a. BFAFTERSCHL: Before or After School Tutoring</p> <p class="list-item-l2">b. If INTERVENTION: Individual Intervention is selected, then convert code to INDIVINTERVENTION in the report</p> <p class="list-item-l2">c. SMALLGROUPINCLS: Small Group Instruction (in classroom)</p> <p class="list-item-l2">d. If SMALLGROUPOUTCL: Small Group Instruction (outside the classroom) is selected convert code to SMALLGROUPOUTCLS in the report</p>		
--	--	--	--

358	MOQPK-LEA	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>R</td><td>X</td><td>R</td><td>X</td><td>R</td></tr> </tbody> </table>	Oct	Dec	Feb	Apr	June	R	X	R	X	R	<p>When Reporting Period = October, February, or June, Report Y if criteria met, else Report N.</p> <p>Not allowed in December and April - Report Blank</p> <ol style="list-style-type: none"> 1. Indicates the student is in a Missouri Quality Pre-K program. 2. if PKEligStateAid is Y on the enrollment then MOQPK-LEA should report N 3. Reports as Y when the student is scheduled into at least one course with a State Course Code of 990053 and a Delivery Method of FD: Full Day MOQPK-LEA or HD: Half Day MOQPK-LEA. 4. In order for Y to report, the following must be true: <ul style="list-style-type: none"> • the Student Grade Level element (#95) must be PK, PKA, or PKP. • the calculated age of the student must be 4 or 5 as of 7/31 of the current school year. <p>Otherwise, reports as N.</p>	<p>Course Information > Program Student information>Enrollment>State Reporting Fields>PK Eligible State Aid</p> <p>Scheduling&Courses>Course Information>State Code Section Information > Delivery Method</p> <p>Course.program</p> <p>Section.teachingMethod</p>	Boolean	1
Oct	Dec	Feb	Apr	June												
R	X	R	X	R												

359	SecondaryDisability	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>C</td><td>C</td><td>C</td><td>C</td><td>C</td></tr> </tbody> </table> <p>If Secondary disability exists (Visual, Hearing, or Both) Report Value Else Null</p>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	<p>Student Information > General > Enrollments > Special Ed > Secondary Disability</p> <p>Enrollments.secondaryDisability</p>	text	
Oct	Dec	Feb	Apr	June											
C	C	C	C	C											
360	CTEWorkBasedLearning (WBL)	<table border="1"> <thead> <tr> <th>Oct</th><th>Dec</th><th>Feb</th><th>Apr</th><th>June</th></tr> </thead> <tbody> <tr> <td>O</td><td>O</td><td>O</td><td>O</td><td>R</td></tr> </tbody> </table> <p>Field to report Blank</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	R	Field to report Blank		
Oct	Dec	Feb	Apr	June											
O	O	O	O	R											

Report Design/layout

Calculations or Logic

#		
1	Identify the Report Data Elements that use this calculation.	Type calculation or logic requirements here.
2		
3		
4		
5		

Appendix A - Data Setup

Code	Meaning	Logic
C	Conditional	Only report a value for this column if the logic requirements are met.
N	Not Allowed	Do not report a value for this column.
O	Optional	Only report the value indicated in the logic if the report is run with the "Include Optional Fields" checkbox selected. Leave blank otherwise.
OC	Optional, but actually Conditional	The state designates this as an Optional column, but in practice, the state would like all data reported, so long as the logic requirements are met.
R	Required	Always report a value.

Reporting Period	Reporting Population Logic	Snapshot Date
October	1 record per actively enrolled PK-12 student on the effective date selected on the extract editor	
December	1 record is required per PK-12 student that is actively enrolled on the effective date selected on the extract editor AND has an active IEP -	
February	1 record per actively enrolled PK-12 student on the effective date selected on the extract editor: (snapshot = Last Weds of January)	

April	<ul style="list-style-type: none"> The April Student Core data collection requires a single record for each student that has taken a state assessment. All students, kindergarten through grade 12, are reported in the April Student Core file. <ul style="list-style-type: none"> <i>The editor also contains a “MAP Administration Date” field that is used in logic by report fields Not Fay District & Not Fay School.</i> 	
June	<ul style="list-style-type: none"> 1 record per PK-12 student: <ul style="list-style-type: none"> Enrolled at some time within the start and end date range selected on the extract editor (includes grads, dropouts, and transfers) OR Who had dropped out or moved during the prior summer. <p><i>Majority of the data set-up entered in Student Info> General> Enrollments> State Reporting Fields & Census> People> Demographics> Person Info.</i></p>	