

MN Ed-Fi Suite v3.5.2, Data Standard v3.3.0-a: Student Language Instruction Program Associations

Table of Contents

- [Summary](#)
- [Object Triggering Logic](#)
- [Required Resources \(Upstream\)](#)
- [Dependent Resources \(Downstream\)](#)
- [Error Log](#)
- [Object Data Elements Logic](#)
- [Appendix](#)

Summary

This association represents the Title III Language Instruction for Limited English Proficient and Immigrant Students program(s) that a student participates in or from which the student receives services.

Object Triggering Logic

Action	Business Rule(s)
--------	------------------

Post	<p>Reports a record when a student with an Enrollment in the current configured year has an EL Program with a Status of EL OR a Status of Exited EL and the Exit Date is after the configuration's start date AND the Identified Date is prior to the 06/30/EndYear (Where EndYear is the configuration's end year).</p> <ul style="list-style-type: none"> • A record is only reported for EL records and Enrollments in the same School Year as the Ed-Fi Connection sending the record. <ul style="list-style-type: none"> ◦ School Year dates are defined in School Year Setup. <ul style="list-style-type: none"> ▪ If Start Date is NULL, 07/01/StartYear will be used. ▪ If End Date is NULL, 06/30/EndYear will be used. • Do not report a record if the any of the following exclusions are present: <ul style="list-style-type: none"> ◦ Enrollment No Show ◦ Enrollment State Exclude ◦ Enrollment Grade Level Exclude ◦ Enrollment State Aid Category is 46: <i>ESY Enrollment</i> or 51: <i>South Dakota residents under reciprocity agreement</i> ◦ Calendar Exclude ◦ School Exclude
Delete/Post Put	<p>A DELETE / POST will be performed if the data element being altered is part of the resource's natural key. A PUT will be performed otherwise.</p> <ul style="list-style-type: none"> • When any of the following information is changed on Enrollments: <ul style="list-style-type: none"> ◦ Enrollment ID (New Enrollment) ◦ Start Date ◦ End Date

	<ul style="list-style-type: none"> ◦ No Show ◦ State Exclude • When any of the following information is changed on English Learners (EL) records: <ul style="list-style-type: none"> ◦ LEP ID (New LEP record) ◦ Status ◦ Identified Date ◦ Program Exit Date ◦ Parent Declined ◦ Parent Declined Date • When any of the following information is changed on English Learners (EL) Services records: <ul style="list-style-type: none"> ◦ LEP Service ID (New LEP Service record) ◦ Start Date ◦ End Date ◦ Service Type ◦ Parent Refused Services • Changes to Resource Preferences mappings do NOT trigger. A manual resync must be performed on the resource if mappings are changed.
Delete	<ul style="list-style-type: none"> • When the associated Enrollment is deleted. • When the associated Enrollment is made to no longer overlap the configured year. • When the associated Student is now excluded in some way. • When the EL record is deleted.

- When the EL record is made to no longer match reporting criteria shown above.
- When a record is in the Ed-Fi Identity Mapping Report but cannot be found on the Campus site.

Error loading the extension!

Required Resources (Upstream)

The following resources must be sent prior to this resource:

- Schools (Pre-populated)
- Students
- Programs (Pre-populated)

Dependent Resources (Downstream)

The following resources are dependent on this resource (must be sent after this resource):

- N/A

Error Log

The following are potential Tier 1 (Ed-Fi API generated) or custom (Campus generated) errors you may receive when posting, updating, or deleting this resource. Please keep in mind that the "Error Message" below may not match your exact error message.

Error Message	Possible Causes / How to Fix
---------------	------------------------------

<p>400: Validation of 'RESOURCE' failed. FIELD is required.</p>	<p>An element of the JSON that is required is missing and needs to be added.</p> <ul style="list-style-type: none"> Double check that all bolded data elements below are reporting a valid value and no data elements below are reporting an invalid value.
<p>400: 'RESOURCE' failed. RESOURCE reference could not be resolved.</p>	<p>A resource that was referenced from a difference resource does not yet exist.</p> <ul style="list-style-type: none"> Resync the resource being mentioned in the error, then resync the errored resource. Alternatively, the resource being referenced may be incorrect. This can happen with Schools and the Ed-Fi School ID being used as an example. Double check the referenced values being sent are valid.
<p>403: Authorization denied. The claim does not have any established relationships with the requested resource.</p>	<p>The key/secret being used does not have permission to send a record for the resource / referenced resource.</p> <ul style="list-style-type: none"> Double check your API credentials (key/secret). Sometimes specific keys/secrets cannot report specific resources. The referenced person (student, staff, parent, contact, etc.) has not yet been associated to the key/secret. Resync their "linking" resource (Students → Student School Associations, Staffs → Staff Education Organization Assignment Associations, etc.) then resync the errored resource. The referenced person (student, staff, parent, contact, etc.) may not exist in the ODS yet. Resync the "person" resource and the "linking" resource (Students → Student School Associations, Staffs → Staff Education Organization Assignment Associations, etc.) then resync the errored resource.

<p>404: Failed to delete 'RESOURCE'. Record does not exist.</p>	<p>The attempt to delete a specific Ed-Fi record ID in the ODS failed because it did not exist.</p> <ul style="list-style-type: none"> This error can be ignored. The ID was cleared from the Ed-Fi Identity Mapping Report and will not attempt to delete again.
<p>409: A natural key conflict occurred when attempting to create a new resource 'RESOURCE' with a duplicate key.</p>	<p>The Ed-Fi API has a natural key system alongside a standard REST ID system. This error is often protecting against the erroneous creation of a duplicate record in the API. However, it may also indicate that the natural key requirements of the Ed-Fi API have not been satisfied, and the key needs to be modified.</p> <ul style="list-style-type: none"> Check for duplicate data in your Campus site. If no duplicate data can be found, report the issue to Campus Support. <ul style="list-style-type: none"> This can be caused by numerous issues. Our code may be attempting to send duplicate records when it should not. The natural key (bolded fields below) may not be unique enough to satisfy Ed-Fi requirements in all cases. Most times this error will require a code change to fix.
<p>409: The resource (or a subordinate entity of the resource) cannot be deleted because it is a dependency of the 'RESOURCE' entity.</p>	<p>The resource that the application is attempting to delete is referenced from another entity.</p> <ul style="list-style-type: none"> Use the Delete Tool to delete the referenced resource in the error message. Then retry the delete on the original resource that errored.
<p>500: Internal Server Error.</p>	<p>Something unexpected happened and no specific error message could be returned.</p> <ul style="list-style-type: none"> This issue usually occurs when the ODS is having issues. Confirm that there are no issues with the ODS the data is being sent to and then attempt to retry the errored record.


- Contact Campus Support if 500 errors continue to occur, can be replicated consistently, and the ODS the data is being sent to has no ongoing issues.
 - There is a chance that Campus Ed-Fi code is sending an invalid JSON request resulting in the 500 error.
 - There is a chance that an Ed-Fi Data Standard / API bug is causing the issue.
 - Investigation is needed in these cases as there are many different potential causes.



Error loading the extension!

Object Data Elements Logic

Data element labels below in **BOLD** are part of the natural key of this resource and are required data elements for the record to send through Ed-Fi.

- The Mandatory / Conditional / Optional column indicates what the state requires for each data element. For Core Ed-Fi connections, it indicates what the data standard requires for each data element.

	Data Element Label	Business Rule(s)	Mandatory (M) Conditional (C) Optional (O)	Data Source GUI Path	Database Field	Uses Template Logic (✓ / ✗ / EXT)
1	beginDate (date)	<p><i>The earliest date the student is involved with the program. Typically, this is the date the student becomes eligible for the program.</i></p> <hr/> <p>Reports based on the following priority order:</p> <ul style="list-style-type: none"> EL Service Location has a value (Not NULL) that does not match the reporting Enrollment's location: <ul style="list-style-type: none"> Reports 01 Jan 1901 If the Location is NULL, it will be treated as if it matches the reporting Enrollment. Overall EL record has Parent Declined checked: <ul style="list-style-type: none"> Reports 01 Jan 1901 EL Service has Parent Refused Services checked: <ul style="list-style-type: none"> Reports 01 Jan 1901 EL Service does not overlap the reporting Enrollment: <ul style="list-style-type: none"> Reports 01 Jan 1901 EL Service Start Date is on or after the reporting Enrollment's Start Date: <ul style="list-style-type: none"> Reports the EL Service Start Date. EL Service Start Date is before the reporting Enrollment's Start Date AND EL Service End Date is NULL or after the reporting Enrollment's Start Date: <ul style="list-style-type: none"> Reports the Enrollment Start Date. <div> ✓ INTERNAL NOTE See  SIS-191278 - Unable to retrieve issue. You don't have permission or need to authenticate for an explanation of this data element's logic and how it relates to MARSS B. </div> <div> ✓ CATs </div>	M	English Learners (EL) English Learners (EL) Services Enrollments	LEP .identifiedDate, .parentDeclined LEPSERVICE .endDate, lepServiceTypeID, .schoolID, .startDate, .parentRefusedServices Enrollment .startDate	✗
2	educationOrganizationReference (reference)	<p><i>A reference to an Education Organization (Schools, Local Education Agencies, etc.) resource associated with the Student Language Instruction Program Association being reported.</i></p> <hr/>	M	N/A	N/A	✓

		<p>Reports the fields that are part of the Natural Key for the Schools resource.</p> <ul style="list-style-type: none"> schoolId <ul style="list-style-type: none"> Reports the Ed-Fi School ID. When the Ed-Fi School ID is NULL, reports the concatenation of District Type (strips any leading 0's) + District Number (First 4 characters, 0-padded on left) + State School Number (First 3 characters, 0-padded on left). 				
3	programReference (reference)	<p>A reference to the Programs resource associated with the Student Language Instruction Program Association being reported.</p> <hr/> <p>Reports the fields that are part of the Natural Key for the Programs resource.</p> <ul style="list-style-type: none"> educationOrganizationId <ul style="list-style-type: none"> Reports the concatenation of District Type (Removing any leading 0's) + District Number (first 4 characters, 0-padded on left) + 000. programName <ul style="list-style-type: none"> Reports English Learner (Hard-Coded). programTypeDescriptor <ul style="list-style-type: none"> Reports English Learner (Hard-Coded). <div>  CATs </div>	M	N/A	N/A	✗
4	studentReference (reference)	<p>A reference to the Students resource associated with the Student Language Instruction Program Association being reported.</p> <hr/> <p>Reports the fields that are part of the Natural Key for the Students resource.</p> <div>  CATs </div>	M	N/A	N/A	✓
5	englishLearnerParticipation (boolean)	<p>An indication that an English learner student is served by an English language instruction educational program supported with Title III of ESEA funds.</p> <hr/> <ul style="list-style-type: none"> Reports False if: <ul style="list-style-type: none"> The Location on the EL Service does not match the reporting Enrollment's location. <ul style="list-style-type: none"> If the Location is NULL, it will be treated as if it matches the reporting Enrollment. 	M	English Learners (EL) Services	Lep .parentDeclined LepService .startDate LepService .endDate LepService .schoolID LepService .parentRefusedServices - -	✗

		<ul style="list-style-type: none"> The EL Service Start Date/End Date does not overlap the reporting Enrollment. The Parent Refused Services checkbox is checked on the EL Service. The Parent Declined checkbox is checked on the overall EL record. Reports True if: <ul style="list-style-type: none"> The EL Service Start Date is on or after the earliest Enrollment in the configuration year. <ul style="list-style-type: none"> If multiple EL Services are found that match this criteria, reports from the earliest one. The EL Service Start Date occurs prior to the earliest Enrollment but still overlaps it (EL Services End Date is NULL or on/after the Enrollment Start Date). <div> ✔ INTERNAL NOTE See ⚠ SIS-191278 - Unable to retrieve issue. You don't have permission or need to authenticate for an explanation of this data element's logic and how it relates to MARSS B. </div> <div> ✔ CATs </div>			Enrollment .startDate Enrollment .endDate	
6	languageInstructionProgramServices (array)	<p><i>An unordered collection of studentLanguageInstructionProgram AssociationLanguageInstructionProgram Services. Indicates the service(s) being provided to the student by the language instruction program.</i></p> <p>Reports the following data elements in an array for each eligible English Learners (EL) Service that overlaps the configured year that do not have Parent Refused Services checked:</p> <ul style="list-style-type: none"> languageInstructionProgramServiceDescriptor <ul style="list-style-type: none"> Reports the Ed-Fi Code mapped to the value selected for Service Type. <ul style="list-style-type: none"> This mapping can be found in the Resource Preferences of the Ed-Fi Connection under the Student Language Instruction Program Associations resource. The following data elements do not report: <ul style="list-style-type: none"> primaryIndicator serviceBeginDate serviceEndDate <div> ✔ CATs </div>	C	English Learners (EL) Services	LepService .lepServiceTypeID LepService .startDate LepService .endDate	✖

7	dosage	This data element is optional and does not report.	O	N/A	N/A	N/A
8	endDate	This data element is optional and does not report.	O	N/A	N/A	✖
9	englishLanguage ProficiencyAssessments	This data element is optional and does not report.	O	N/A	N/A	✖
10	participationStatus	This data element is optional and does not report.	O	N/A	N/A	N/A
11	programParticipationStatuses	This data element is optional and does not report.	O	N/A	N/A	N/A
12	reasonExitedDescriptor	This data element is optional and does not report.	O	N/A	N/A	N/A
13	servedOutsideOfRegularSession	This data element is optional and does not report.	O	N/A	N/A	N/A



Error loading the extension!

Appendix

Error loading the extension!