

## MO - MOSIS Student Core - FRD

- [Version Control](#)
- [Overview](#)
  - [Summary](#)
  - [Due Dates](#)
  - [Scope and Purpose](#)
- [Functional Requirements](#)
  - [Reporting Population and Business Rules](#)
  - [Extract Editor Requirements](#)
  - [Report Data Elements](#)
  - [Report Design/layout](#)
  - [Calculations or Logic](#)
  - [Appendix A - Data Setup](#)

### Version Control

Version	Date	Author(s)	Brief Description of Change
1.0	08/18/15	@Caitlin Kukowski	Initial Creation: Moved old information to new layout.
1.1	8/12/2025	@Michele Johnson	Converting FRD to new template



### Overview

#### Summary

Provide a summary of what the report/function will cover and the logistics around the data collection or reporting.

#### Due Dates

Ongoing throughout the year

#### Scope and Purpose

This report sends a wide variety of student data to the state for students enrolled in a calendar. This is used in part for student funding.

## Functional Requirements

### Reporting Population and Business Rules

#	Requirement
R1	Of the non-state-excluded enrollment records tied to the calendar selected in the extract editor:
R1.BR1	<ul style="list-style-type: none"> <li>If there is a single enrollment, report off of that</li> </ul>
R1.BR2	<ul style="list-style-type: none"> <li>When a student is enrolled in more than one calendar selected in the Extract editor, the following applies:               <ul style="list-style-type: none"> <li>When there are multiple enrollments in the same school, data from the most recent enrollment is used.</li> <li>When there are multiple enrollments in different schools, the data from the Primary enrollment is used.</li> </ul> </li> <li>If no primary enrollment, then report Special Ed, if no Special Ed, then Report Partial.</li> </ul>
R2	Do not report for summer school enrollments
R2.BR1	<ol style="list-style-type: none"> <li>Individual columns in the extract populate per submission based on 'Optional Fields Allowed' status selected in the extract editor, and whether each column output is listed as Optional / Required / Conditional by the state for that specific export: <i>see layout for specific field population per submission logic</i> <ol style="list-style-type: none"> <li>When 'Optional Fields Allowed' is checked on the extract editor, all fields are expected to return a value: Conditional fields may be blank if they do not meet the condition.</li> <li>When 'Optional Fields Allowed' is NOT checked on the extract editor - the field MUST be NULL if it does not meet the condition OR is listed as optional or for that collection.</li> </ol> </li> </ol>
R2.BR2	<ol style="list-style-type: none"> <li><b>'no show'</b> students:       <ol style="list-style-type: none"> <li>No records return in OCT - DEC - FEB - APRIL Student Core</li> <li>May return in June Cycle showing them entering on the first day of school and then exiting that same day with the appropriate exit status. Any student a district ends with the prior year should be shown as entering on the first day of school the next year and then show whatever their status is at that point.</li> </ol> </li> </ol>

Report Data Elements

#	Data Element	Business Requirement/Business rules	Data Source/ Database Location	Format	Length																												
005	CollectionVersion	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Use the End Year from the calendar being reported. Format:            "YYYYMmm1.0StuCore" "YYYY" = Current School Year            "Mmm" = CollectionPeriod Code StuCore = Extract Name            Code Examples based on reporting a 2011-2012 calendar:</p> <table border="1"> <thead> <tr> <th>Cycle</th> <th>Count Date</th> <th>Collection Version</th> </tr> </thead> <tbody> <tr> <td>October</td> <td>Last Weds in Sept</td> <td>2012Oct1.0StuCore</td> </tr> <tr> <td>June</td> <td>&lt;none&gt;</td> <td>2012Jun1.0StuCore</td> </tr> <tr> <td>February</td> <td>Last Weds in Jan</td> <td>2012Feb1.0StuCore</td> </tr> <tr> <td>December</td> <td>Dec 1</td> <td>2012Dec1.0StuCore</td> </tr> <tr> <td>April</td> <td>On or near Districts MAP test day</td> <td>2012Apr1.0StuCore</td> </tr> </tbody> </table>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	Cycle	Count Date	Collection Version	October	Last Weds in Sept	2012Oct1.0StuCore	June	<none>	2012Jun1.0StuCore	February	Last Weds in Jan	2012Feb1.0StuCore	December	Dec 1	2012Dec1.0StuCore	April	On or near Districts MAP test day	2012Apr1.0StuCore	Index > MO State Reporting > MOSIS Extracts	Text	50
Oct	Dec	Feb	Apr	June																													
R	R	R	R	R																													
Cycle	Count Date	Collection Version																															
October	Last Weds in Sept	2012Oct1.0StuCore																															
June	<none>	2012Jun1.0StuCore																															
February	Last Weds in Jan	2012Feb1.0StuCore																															
December	Dec 1	2012Dec1.0StuCore																															
April	On or near Districts MAP test day	2012Apr1.0StuCore																															
010	CurrentSchoolYear	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Use the End Year from the calendar being reported.</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	System Administration > Calendar > School Year > End Year SchoolYear.endYear	Integer	4																		
Oct	Dec	Feb	Apr	June																													
R	R	R	R	R																													
015	AttendingDistrictCode	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Returns Attending District. If blank, returns Sys Admin &gt; Resources &gt; District Info &gt; State District Number</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	Student Information > General > Enrollments > State Reporting Fields > Attending District Enrollment.servingDistrict	Text	6																		
Oct	Dec	Feb	Apr	June																													
R	R	R	R	R																													



020	AttendingSchoolCode	<table border="1" data-bbox="598 261 1085 354"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Returns Attending School code. If blank, returns Sys Admin &gt; Resources &gt; School &gt; State School Number</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Attending School</p> <p>Enrollment.servingSchool</p>	Text	4
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
025	ReportingDistrictCode	<table border="1" data-bbox="598 472 1085 565"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Returns State District Number</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p>System Administration &gt; Resources &gt; District Info &gt; State District Number</p> <p>District.number</p>	Text	6
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
030	ReportingSchoolCode	<table border="1" data-bbox="598 659 1085 751"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Reporting School, will report from Reporting School in state reporting fields when populated</p> <p>1. If null, look to Calendar &gt; Calendar Type <b>code = AP</b> : Alternative Program School, when code = AP, all students in the calendar will report field 30, Reporting School, from Residing School in Enrollments &gt; State Reporting fields.</p> <p>a. If Reporting School textbox blank and Calendar Type not AP, look to School Org Type (Resources &gt; School) <b>code = AP</b> : Alternative Program School, all students in the school will report field 30, Reporting School, from Residing School in Enrollments &gt; State Reporting fields.</p> <p>i. If Reporting School textbox blank and Calendar Type not AP and School Org Type (Resources &gt; School) is not <b>AP</b> : Alternative Program School, report State School Number.</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<ul style="list-style-type: none"> <li>Reporting School textbox in state reporting fields</li> <li>Calendar &gt; Calendar Type <b>code = AP</b> : Alternative Program School</li> <li>School Org Type (Resources &gt; School) <b>code = AP</b> : Alternative Program School</li> <li>System Administration &gt; Resources &gt; School &gt; State School Number</li> <li>Report can show up to 6 digits but state will only accept 4 digits</li> </ul> <p>Enrollment.reportingSchool</p> <p>Enrollment.residingSchool</p> <p>Calendar.type</p> <p>School.type</p> <p>School.number</p>	Text	6
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
035	ResidentDistrictCode	<table border="1" data-bbox="598 1279 1085 1372"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Returns Residing District. If blank, returns Sys Admin &gt; Resources &gt; District Info &gt; State District Number</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Residing District</p> <p>Enrollment.residentDistrict</p>	Text	6
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											

040	ResidentSchoolCode	<table border="1" data-bbox="598 261 1085 354"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 391 1085 467">Returns residing school. If blank, returns student's school of enrollment from Sys Admin &gt; Resources &gt; School &gt; State School Number.</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p data-bbox="1102 250 1575 302">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Residing School</p> <p data-bbox="1102 321 1306 342">Enrollment.residentSchool</p>	Text	4
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
045	TeacherName	<table border="1" data-bbox="598 505 1085 597"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <ol data-bbox="598 634 1085 862" style="list-style-type: none"> <li>Returns Precode Teacher from the reporting year.</li> <li>If Precode Teacher is blank, THEN returns Homeroom Teacher from Course &gt; Section &gt; Teacher with Homeroom checkbox checked. The course must be:             <ol style="list-style-type: none"> <li>In the school year being reported</li> <li>The most recently rostered section for which there is a Precode Teacher (Section Editor)</li> </ol> </li> <li>If none of the above, then return the school name</li> </ol>	Oct	Dec	Feb	Apr	June	O	O	O	O	O	<ul data-bbox="1102 493 1596 634" style="list-style-type: none"> <li>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Precode Teacher</li> <li>Course &gt; Section &gt; Teacher</li> <li>System Administration &gt; Resources &gt; School &gt; School Detail &gt; Name</li> </ul> <p data-bbox="1102 656 1318 677">Enrollment.preCodeTeacher</p> <p data-bbox="1102 696 1283 717">Section.teacherDisplay</p> <p data-bbox="1102 737 1205 758">School.name</p>	Text	40
Oct	Dec	Feb	Apr	June											
O	O	O	O	O											
050	StateID	<table border="1" data-bbox="598 940 1085 1032"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 1070 821 1091">Returns State ID, else blank.</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p data-bbox="1102 928 1533 950">Census &gt; People &gt; Demographics &gt; Person Identifiers</p> <p data-bbox="1102 969 1220 990">Person.stateID</p>	Text	10
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
055	LocalStudentID	<table border="1" data-bbox="598 1127 1085 1219"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 1256 926 1278">Returns Local Student Number, else blank.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	O	<p data-bbox="1102 1115 1528 1136">Census &gt; People &gt; Demographics &gt; Person Identifiers</p> <p data-bbox="1102 1156 1283 1177">Person.studentNumber</p>	Text	20
Oct	Dec	Feb	Apr	June											
O	O	O	O	O											



060	LastName	<table border="1" data-bbox="598 261 1085 354"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 391 1085 516">First look to Legal Last Name on the Identities &gt; Protected Identity Information area for reporting If blank, report from Census &gt; People&gt; Demographics &gt; Last Name</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p data-bbox="1102 250 1604 302">Legal Last Name on the Identities &gt; Protected Identity Information area for reporting</p> <p data-bbox="1102 321 1604 342">Census &gt; People &gt; Demographics &gt; Last Name</p> <p data-bbox="1102 362 1604 383">Identity.legalLastName</p> <p data-bbox="1102 402 1604 423">Identity.lastName</p>	Text	60
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
065	FirstName	<table border="1" data-bbox="598 542 1085 634"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 672 1085 789">First look to Legal First Name on the Identities &gt; Protected Identity Information area for reporting If blank, report from Census &gt; People&gt; Demographics &gt; First Name</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p data-bbox="1102 531 1604 583">Legal First Name on the Identities &gt; Protected Identity Information area for reporting</p> <p data-bbox="1102 602 1604 623">Census &gt; People &gt; Demographics &gt; First Name</p> <p data-bbox="1102 643 1604 664">Identity.legalFirstName</p> <p data-bbox="1102 683 1604 704">Identity.firstName</p>	Text	60
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
070	MiddleName	<table border="1" data-bbox="598 823 1085 915"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 953 1085 1070">First look to Legal Middle Name on the Identities &gt; Protected Identity Information area for reporting If blank, report from Census &gt; People&gt; Demographics &gt; Middle Name</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	O	<p data-bbox="1102 816 1604 868">Legal Middle Name on the Identities &gt; Protected Identity Information area for reporting</p> <p data-bbox="1102 888 1604 909">Census &gt; People &gt; Demographics &gt; Middle Name</p> <p data-bbox="1102 928 1604 950">Identity.legalMiddleName</p> <p data-bbox="1102 969 1604 990">Identity.middleName</p>	Text	60
Oct	Dec	Feb	Apr	June											
O	O	O	O	O											
075	Suffix	<table border="1" data-bbox="598 1104 1085 1196"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 1234 1085 1328">First look to Legal Suffix on the Identities &gt; Protected Identity Information area for reporting If blank, report from Census &gt; People&gt; Demographics &gt; Suffix</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	O	<p data-bbox="1102 1097 1604 1149">Legal Suffix on the Identities &gt; Protected Identity Information area for reporting</p> <p data-bbox="1102 1169 1604 1190">Census &gt; People &gt; Demographics &gt; Person Information &gt; Suffix</p> <p data-bbox="1102 1209 1604 1230">Identity.legalSuffix</p> <p data-bbox="1102 1250 1604 1271">Identity.suffix</p>	Text	10
Oct	Dec	Feb	Apr	June											
O	O	O	O	O											



080	DateOfBirth	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Returns birth date.</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Birth Date</p> <p>Identity.birthDate</p>	Text MM/DD/YYYY	10
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
090	County	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p>Returns Residing County. If blank, returns from Sys Admin &gt; Resources &gt; Counties &gt; County Editor &gt; Number.</p>	Oct	Dec	Feb	Apr	June	R	O	O	O	O	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Residing County</p> <p>Enrollment.servingCounty</p> <p>County.number</p>	Text	3
Oct	Dec	Feb	Apr	June											
R	O	O	O	O											
095	StudentGradeLevel	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Returns grade level. Mapped to Sys Admin &gt; Calendar &gt; Calendar &gt; Grade Levels &gt; Grade Level Detail &gt; State Grade Level Code</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p>Student Information &gt; General &gt; Enrollments &gt; General Enrollment Info &gt; Grade</p> <p>Enrollment.grade</p>	Text	2
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
100	Gender	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>O</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>First look to Legal Gender on the Identities &gt; Protected Identity Information area for reporting</p> <p>If blank, report from Census &gt; People &gt; Demographics &gt; Gender</p>	Oct	Dec	Feb	Apr	June	R	R	O	R	R	<p>Legal Gender on the Identities &gt; Protected Identity Information area for reporting</p> <p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Gender</p> <p>Identity.legalGender</p> <p>Identity.gender</p>	Text	1
Oct	Dec	Feb	Apr	June											
R	R	O	R	R											



105	RaceEthnicity	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>O</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Returns state race/ethnicity:</p> <p><b>Campus Logic:</b>            If a student is Hispanic = Y: Yes, then State Race Ethnicity = H            If a student is Asian = Y: Yes, then State Race Ethnicity = A            If a student is Native Hawaiian or Other Pacific Islander = Y: Yes, then State Race Ethnicity = P            If a student is American Indian or Alaskan Native = Y: Yes, then State Race Ethnicity = I            If a student is Black or African American = Y: Yes, then State Race Ethnicity = B            If a student is White = Y: Yes, then State Race Ethnicity = W            If a student is Multiracial = Y: Yes, then State Race Ethnicity = M</p>	Oct	Dec	Feb	Apr	June	R	R	O	R	R	Census > People > Demographics > Person Information > Race Ethnicity Identity.raceEthnicity	Text	1
Oct	Dec	Feb	Apr	June											
R	R	O	R	R											
110	LunchStatus	<table border="1" data-bbox="598 795 1081 885"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <ol style="list-style-type: none"> <li>Look at the school's 'USDA Programs' "Provision" status             <ol style="list-style-type: none"> <li>If the current value selected is "5: CEP" or "2: Provision 2", then report all students as "F"; otherwise, look at Reporting Period Eligibility rules below</li> </ol> </li> <li>When Reporting Period selected on the extract editor is:             <ol style="list-style-type: none"> <li>December: Eligibility is based on status on December 1</li> <li>October: Eligibility is based on status on September count date (last Wed. in September)</li> <li>February: Eligibility is based on status on January 1</li> <li>April or June: Eligibility is based on most recent status <i>only consider FRAM records within the reporting year</i></li> </ol> </li> <li>If eligibility record exists that meets the condition for the selected reporting period (above), return state code</li> <li>Else return U</li> </ol>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	System Administration > FRAM > Eligibility > Eligibility Editor > Eligibility Detail > State Code OR System Administration > Resources > School > school record > USDA Programs POSEligibility.eligibility SchoolAttribute.provision	Text	1
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											



115	Gifted	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>+ R</td> <td>O</td> <td>O</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 389 1050 414">Returns the code entered in the Gifted/Talented dropdown.</p>	Oct	Dec	Feb	Apr	June	+ R	O	O	R	R	<p data-bbox="1102 251 1596 300">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Gifted/Talented</p> <p data-bbox="1102 316 1302 341">Enrollment.giftedTalented</p>	Text	2
Oct	Dec	Feb	Apr	June											
+ R	O	O	R	R											
120	Homeless	<table border="1" data-bbox="598 446 1081 535"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 576 966 633">Report selected code or If no record or blank value report <b>NH</b> as default</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p data-bbox="1102 430 1533 487">Student Information &gt; Program Participation &gt; Program Participation &gt; Homeless tab &gt; Homeless</p> <p data-bbox="1102 503 1291 552">Homeless.primaryNight TimeResidence</p>	Text	2
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
125	Migrant	<table border="1" data-bbox="598 673 1081 763"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 795 798 820">Returns Migrant Indicator.</p>	Oct	Dec	Feb	Apr	June	O	O	O	R	R	<p data-bbox="1102 657 1585 706">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Migrant Indicator</p> <p data-bbox="1102 722 1249 747">Enrollment.migrant</p>	Text	2
Oct	Dec	Feb	Apr	June											
O	O	O	R	R											



130	NotFAYSchool	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>R</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 901"> <b>1. Consider all enrollments for the reported year at same school as well as dual-enrolled students UNLESS</b>            a. Grade Level flagged as 'Exclude from state reporting' - Sys Admin&gt; Calendar&gt; Calendar&gt; Grade Levels            b. Calendar flagged as 'Exclude' - Sys Admin&gt; Calendar&gt; Calendar            c. Student Flagged as 'State Exclude' - Student Info&gt; General&gt; Enrollments&gt; State Reporting Fields            d. Student Flagged as 'No Show' - Student Info&gt; General&gt; Enrollments&gt; General Enrollment Info  <b>2. IF student was <i>not</i> enrolled on the MAP admin. date set by the user in the extract editor AND/OR</b>  <b>3. Not enrolled at least half of the eligible days between the last Wed. in Sept. and MAP admin. date set by the user in the extract editor AND/OR</b>  <b>4. Not enrolled on the last Wed. in Sept.</b> </p>	Oct	Dec	Feb	Apr	June	O	O	O	R	O	<p data-bbox="1102 251 1596 316">Student Information &gt; General &gt; Enrollments &gt; Start Date</p> <p data-bbox="1102 292 1260 316">Enrollment.startDate</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	R	O											

135	NotFAYDistrict	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>R</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 998"> <b>1. Consider all enrollments for the reported year at same district as well as dual-enrolled students UNLESS</b>            a. Grade Level flagged as 'Exclude from state reporting' - Sys Admin&gt; Calendar&gt; Calendar&gt; Grade Levels            b. Calendar flagged as 'Exclude' - Sys Admin&gt; Calendar&gt; Calendar            c. Student Flagged as 'State Exclude' - Student Info&gt; General&gt; Enrollments&gt; State Reporting Fields            d. Student Flagged as 'No Show' - Student Info&gt; General&gt; Enrollments&gt; General Enrollment Info  <b>2. IF student was <i>not</i> enrolled on the MAP admin. date set by the user in the extract editor AND/OR</b>  <b>3. Not enrolled at least half of the eligible days between the last Wed. in Sept. and MAP admin. date set by the user in the extract editor AND/OR</b>  <b>4. Not enrolled on the last Wed. in Sept.</b>             1.            a. Return value = Y            b. ELSE return value = N         </p>	Oct	Dec	Feb	Apr	June	O	O	O	R	O	<p data-bbox="1102 251 1596 341">           Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; First Date in District            EnrollmentMO.firstDateInDistrict         </p>	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	R	O											
140	VoluntaryTransfer	<table border="1" data-bbox="598 1031 1081 1120"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>R</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 1161 1081 1185">Returns 'Y' if State Aid = DI, else 'N'</p>	Oct	Dec	Feb	Apr	June	O	O	O	R	O	<p data-bbox="1102 1023 1596 1112">           Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; State Aid            Enrollment.stateAid         </p>	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	R	O											

145	Aplus	<table border="1" data-bbox="598 259 1083 389"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> <tr> <td>9-12</td> <td>9-12</td> <td>12 only</td> <td>9-12</td> <td>9-12</td> </tr> </tbody> </table> <p data-bbox="598 430 1083 511">9-12 must report Y/N/C for all reporting periods other than Feb. All other grades report blank. Feb. must report 12th graders. All other grades report blank.</p> <p data-bbox="598 527 1083 641">Valid values: C: Complete Y: Yes N: No</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	9-12	9-12	12 only	9-12	9-12	<p data-bbox="1102 251 1602 300">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; A+ Student</p> <p data-bbox="1102 316 1291 341">EnrollmentMO.aPlusStu</p>	Text	1
Oct	Dec	Feb	Apr	June																
O	O	O	O	C																
9-12	9-12	12 only	9-12	9-12																
150	MonthsUSA	<table border="1" data-bbox="598 706 1083 803"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>C</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 836 1083 860">April :</p> <p data-bbox="598 876 1083 901">In April: Required if student is LEP/ELL = MY1, MY2, RCV</p> <p data-bbox="598 909 1083 933"><b>OR</b></p> <p data-bbox="598 941 1083 966">Immigrant = Y : Yes, returns</p> <ul data-bbox="598 974 1083 1209" style="list-style-type: none"> <li>Return the number of months calculated between Date Entered US and April 1st of the reporting year if student has been in the US for &lt; 36 months</li> <li>If number of months is <math>\geq</math> 36 as calculated above, always return '36' in the extract (not the actual calculated number of months).</li> <li>If Date Entered US is blank, report <b>99</b>.</li> <li>Students w/o LEP/ELL = MY1, MY2, RCV, <del>NRG</del></li> </ul> <p data-bbox="598 1218 1083 1242"><b>OR</b></p> <p data-bbox="598 1250 1083 1274">Immigrant = Null or N : No, return NULL.</p>	Oct	Dec	Feb	Apr	June	O	O	O	C	O	<p data-bbox="1102 698 1522 722">Census &gt; People &gt; Demographics &gt; Date Entered US</p> <p data-bbox="1102 738 1144 763"><b>AND</b></p> <p data-bbox="1102 779 1585 836">Student Information&gt;English Learners&gt; English Learners (EL) &gt;Program Status</p> <p data-bbox="1102 852 1585 901">Student Information&gt;English Learners&gt; English Learners (EL) Services</p> <p data-bbox="1102 917 1134 941"><b>OR</b></p> <p data-bbox="1102 958 1585 1015">Student Information &gt; General &gt; Enrollment &gt; State Reporting Fields &gt; Immigrant</p> <p data-bbox="1102 1071 1291 1096">Identity.dateEnteredUS</p> <p data-bbox="1102 1112 1260 1136">Lep.ProgramStatus</p> <p data-bbox="1102 1153 1281 1177">Enrollment.immigrant</p>	Numeric	3					
Oct	Dec	Feb	Apr	June																
O	O	O	C	O																

155	Immigrant	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p>Report Y, when the student's birth country is not US: United States or PR: Puerto Rico and Date Entered US Schools is less than 3 yrs from the first instructional school day date.</p> <p>1. Report N, for all else</p>	Oct	Dec	Feb	Apr	June	R	O	O	O	O	Demographics > Birth Country and Date Entered US Schools Enrollment.immigrant	Boolean	
Oct	Dec	Feb	Apr	June											
R	O	O	O	O											
160	ELLLanguage	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> </tr> </tbody> </table> <p>Required if student is reported as ELL/LEP (RCV or NRC). Required when EL = RCV</p>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	Census > People > Demographics > Home Primary Language Enrollment.homePrimarylanguage	Text	4
Oct	Dec	Feb	Apr	June											
C	C	C	C	C											

165

LEPELL

Oct	Dec	Feb	Apr	June
R	R	R	R	R

Returns LEP/ELL code. Options include:

Code	Description
MY1	1 Yr Monitoring
MY2	2 Yr Monitoring
AY3	3 Yr Monitoring
AY4	4 Yr Monitoring
NLP	reports NLP
RCV	Receiving Services

1. If at least one EL record exists for a student, determine which EL record to use:
  - a. Select the EL record where the Second Year Monitoring Date ⇒ the applicable date for the Reporting Period selected (see below); OR if no such record exists, select the EL record where the Second Year Monitoring Date = NULL
2. Use the selected EL record to determine the code to return as follows:
  - a. If the Program Status = EL and the Parent Declined checkbox is checked OR unchecked, then student should report **RCV**.
  - b. If the Exit date takes place after the First Year Monitoring date and up to or on the Second Year Monitoring date, report '**MY2**'
  - c. If the Exit date takes place after the Second Year Monitoring date and up to or on the Third Year Monitoring date and , report '**AY3**'
  - d. If the Exit date takes place after the Third Year Monitoring date and up to or on the Fourth Year Monitoring date, report '**AY4**'
  - e. ELSE report **NLP**

Student Information > Program Participation > LEP > LEP > Program Status AND

Student Information > English Learners>English Learners> Parent Declined

lep.ProgramServices

lep.EL

Text

3



		<p>Determine the applicable date to be used as follows. When Reporting Period selected on the extract editor is:</p> <table border="1"> <thead> <tr> <th>Reporting Period</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>October</td> <td>September count date (last Wed. in September)</td> </tr> <tr> <td>December</td> <td>December 1</td> </tr> <tr> <td>February</td> <td>January count date (last Wed. in January)</td> </tr> <tr> <td>April or June</td> <td>End Date set in the Extract Editor</td> </tr> </tbody> </table>	Reporting Period	Date	October	September count date (last Wed. in September)	December	December 1	February	January count date (last Wed. in January)	April or June	End Date set in the Extract Editor			
Reporting Period	Date														
October	September count date (last Wed. in September)														
December	December 1														
February	January count date (last Wed. in January)														
April or June	End Date set in the Extract Editor														
170	ELLExit	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>NA</td> <td>NA</td> <td>NA</td> <td>NA</td> <td>NA</td> </tr> </tbody> </table> <p>If LEP = MY2, then return state code from EL Exit.</p> <ol style="list-style-type: none"> <li>If LEPELL reports as MY1, then report blank.</li> <li>If LEPELL reports as MY2, then return state code from ELL Exit on the LEP record from the reporting year as follows:</li> </ol>	Oct	Dec	Feb	Apr	June	NA	NA	NA	NA	NA	<p>Student Information &gt; Program Participation &gt; EL &gt; EL</p> <p>Lep.ELLExit</p>	Text	3
Oct	Dec	Feb	Apr	June											
NA	NA	NA	NA	NA											
175	ELLExitTest	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>NA</td> <td>NA</td> <td>NA</td> <td>NA</td> <td>C</td> </tr> </tbody> </table> <ol style="list-style-type: none"> <li>When EL = RCV report NOE in June reporting period</li> </ol>	Oct	Dec	Feb	Apr	June	NA	NA	NA	NA	C	<p>Student Information &gt; Program Participation &gt; EL &gt; EL &gt; Exit Reason</p> <p>Lep.elExitTest</p>	Text	3
Oct	Dec	Feb	Apr	June											
NA	NA	NA	NA	C											



180	ESOLInstModel	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> </tr> </tbody> </table> <p>Required when LEP = RCV</p> <p>Returns record ESOL Setting code when LEP = RCV. Else blank.</p> <p>Must report code from the most recent enrollment in the reporting year. SEL: Structured ESOL Immersion, CBE: Content Based ESOL, POE: Pull Out ESOL, BLI: Bilingual Immersion, TDP: Two-way Developmental Programs, ELE: Early and Late Exit Programs, TMT:Team Teaching, SHC: Sheltered Classrooms, RSC: Resource Classrooms, NWC: Newcomer Centers, IIL:Instruction incorporates students's native language</p> <ol style="list-style-type: none"> <li>1. Returns record ESOL Setting code when LEP reports as RCV. Else blank.             <ol style="list-style-type: none"> <li>a. If LEP reports as RCV, consider if there are any LEP Services records that are current based on the date range (see below)</li> <li>b. Return the code for a LEP Service record if it is any of the following:                 <ol style="list-style-type: none"> <li>i. BLI</li> <li>ii. CBE</li> <li>iii. ELE</li> <li>iv. ILL</li> <li>v. NWC</li> <li>vi. POE</li> <li>vii. RSC</li> <li>viii. SEL</li> <li>ix. SHC</li> <li>x. TDP</li> <li>xi. TMT</li> </ol> </li> <li>c. Only report values from the state code list above.</li> <li>d. If &gt; 1 LEP Services record that meets the conditions to return exist for a student, return the most recently created</li> </ol> </li> </ol> <p><b>i</b> If the End Date of the LEP Services record ⇒ the date for the applicable reporting period noted below OR the End Date of the</p>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	Student Information > Program Participation > EL > EL Services LepServiceType.code	Text	3
Oct	Dec	Feb	Apr	June											
C	C	C	C	C											



		<p>LEP Services record is between the current school year start date and the date for the applicable reporting period noted below, return the code for that record - When Reporting Period selected on the extract editor is:</p> <table border="1"> <thead> <tr> <th>Reporting Period</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>October</td> <td>September count date (last Wed. in September)</td> </tr> <tr> <td>December</td> <td>December 1</td> </tr> <tr> <td>February</td> <td>January count date (last Wed. in January)</td> </tr> <tr> <td>April or June</td> <td>End Date set in the Extract Editor</td> </tr> </tbody> </table>	Reporting Period	Date	October	September count date (last Wed. in September)	December	December 1	February	January count date (last Wed. in January)	April or June	End Date set in the Extract Editor			
Reporting Period	Date														
October	September count date (last Wed. in September)														
December	December 1														
February	January count date (last Wed. in January)														
April or June	End Date set in the Extract Editor														
185	MOptionProgram	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Returns Y if 'MO Option Prog' field checked AND grade level = 09, 10, 11 or 12. Else returns N. If grade level not = 09, 10, 11 or 12, return null.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; MO Option (checkbox) Enrollment.moOptionprog</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											



190	CareerEd	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 470">Designation for students in Grades 9-12 who have completed or are currently taking a Career Education course approved by DESE.</p> <p data-bbox="598 487 1081 511">Returns Career Ed.</p> <p data-bbox="598 527 1081 706">Valid Options:            NHS: Not Career Ed            PHS: Participant            CHS: Concentrator            CNP: Concentrator Non-Participant            If grade level not = 09, 10, 11 or 12, return null.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p data-bbox="1102 251 1596 300">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Career Ed Program</p> <p data-bbox="1102 316 1596 341">Enrollment.careerEd</p>	Text	3
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

195	TitleI	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p>Select at which enrollment to look to determine a student's Title I status-</p> <ul style="list-style-type: none"> <li>• Use the primary enrollment from the reporting calendar with a date range that encompasses the relevant date for each cycle (see below)</li> <li>• If there is no primary enrollment, use a partial enrollment OR a Special Ed Services enrollment</li> <li>• If &gt; 1 overlapping primary enrollment exists, use the most recently created             <ul style="list-style-type: none"> <li>◦ When Reporting Period selected on the extract editor is:                 <ul style="list-style-type: none"> <li>▪ December- Title I status is based on status on December 1</li> <li>▪ October- Title I status is based on status on September count date (last Wed. in September)</li> <li>▪ February- Title I status is based on the January count date (last Wed. in January)</li> <li>▪ April - Title I status is based on the MAP Admin date set by the user in the extract editor</li> <li>▪ June - Title I status is based on any primary or partial enrollment from the reporting calendar where the Title checkbox = checked</li> </ul> </li> </ul> </li> </ul> <p>Once the appropriate enrollment has been determined based on the reporting cycle as described above, apply that enrollment's Title I checkbox value to the following logic:</p> <p>1. Returns Y if State Aid on Student Enrollment = R2 and Title 1 check box on Student Enrollment is checked OR Returns N if State Aid on Student Enrollment = R2 and Title 1 check box on Student Enrollment is NOT checked (so for R2 students ignore</p> <p><b>OR</b></p> <p>2. Returns Y if Sys Admin&gt; Resources&gt; School&gt; School History&gt; Title 1 has a <b>value = 2</b></p> <p>1.</p> <p>a. ELSE Returns N</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; State Aid</p> <p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Title 1</p> <p>Enrollment.stateAid</p> <p>Enrollment.title1</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											



200	TitleIII	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 389 724 414">Reports as Blank</p> <table border="1" data-bbox="598 470 1081 868"> <thead> <tr> <th>Reporting Period</th> <th>Start Date</th> <th>End Date</th> </tr> </thead> <tbody> <tr> <td>October</td> <td>Calendar Start Date</td> <td>September Count Date</td> </tr> <tr> <td>December</td> <td>Calendar Start Date</td> <td>December Count Date</td> </tr> <tr> <td>February</td> <td>Calendar Start Date</td> <td>January Count Date</td> </tr> <tr> <td>April</td> <td>Date Range start date</td> <td>Date Range end date</td> </tr> <tr> <td>June</td> <td>Date Range start date</td> <td>Date Range end date</td> </tr> </tbody> </table>	Oct	Dec	Feb	Apr	June	O	O	O	O	O	Reporting Period	Start Date	End Date	October	Calendar Start Date	September Count Date	December	Calendar Start Date	December Count Date	February	Calendar Start Date	January Count Date	April	Date Range start date	Date Range end date	June	Date Range start date	Date Range end date	<p data-bbox="1102 251 1585 276">System Administration &gt; Resources &gt; School &gt; School History</p> <p data-bbox="1102 292 1207 316">School.title3</p>	Boolean	1
Oct	Dec	Feb	Apr	June																													
O	O	O	O	O																													
Reporting Period	Start Date	End Date																															
October	Calendar Start Date	September Count Date																															
December	Calendar Start Date	December Count Date																															
February	Calendar Start Date	January Count Date																															
April	Date Range start date	Date Range end date																															
June	Date Range start date	Date Range end date																															
205	Residency Status	<table border="1" data-bbox="598 966 1081 1055"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>O</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 1096 871 1120">Returns state code from State Aid.</p> <p data-bbox="598 1136 745 1161">If blank, reports R1</p> <p data-bbox="598 1177 913 1258">"IF R1 THEN Reporting District Code, Resident District Code, Attending District Code must be the same value.</p> <p data-bbox="598 1266 913 1347">IF NR, DI or PT THEN Reporting District Code and Attending District Code must be the same value.</p> <p data-bbox="598 1356 913 1429">IF R2 or HS THEN Reporting District Code and Resident District Code must be the same value."</p>	Oct	Dec	Feb	Apr	June	R	R	R	O	R	<p data-bbox="1102 958 1585 1006">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; State Aid</p> <p data-bbox="1102 1031 1249 1055">Enrollment.stateAid</p>	Text	2																		
Oct	Dec	Feb	Apr	June																													
R	R	R	O	R																													



210	MemberFTE	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>O</td> <td>C</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 438">Report blank when optional fields not checked in Dec and April reporting.</p> <ul data-bbox="598 454 1081 1201" style="list-style-type: none"> <li>MemberFTE is required when ResidencyStatus is R1, NR, FL, DI, or R2. (Student Info &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; State Aid)</li> <li>Returns blank if State Aid = PT.</li> <li>Value MUST be &lt;= 1 and &gt;0. An FTE greater than 1.00 will report for summed percent enrolled enrollments, if sum is more than 1.00. Users will correct FTE if fte sum is greater than 1.00.</li> <li>For Grade Level (mapped state code) with Kindergarten Code KA/KP FTE must report as 1.00 regardless of Percent Enrolled(Out of 100) value.</li> <li>Enrollment Service Types are considered up to a maximum value of 1.00:             <ul style="list-style-type: none"> <li>P: Primary</li> <li>S: Partial</li> <li>N: Special Ed Services</li> </ul> </li> <li>Enrollments with no end dates within report generation date range</li> <li>If student only has enrollments with end dates, report FTE from most recent end dated enrollment.             <ul style="list-style-type: none"> <li>If multiple enrollments have the same most recent end date, sum FTE of those enrollments.</li> <li>No show students will report FTE from enrollment&gt;Percent enrolled</li> </ul> </li> </ul>	Oct	Dec	Feb	Apr	June	C	O	C	O	C	<p data-bbox="1102 251 1596 300">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Percent Enrolled</p> <p data-bbox="1102 316 1596 341">GradeLevel.kindergartenCode</p> <p data-bbox="1102 357 1596 381">Enrollment.percentEnrolled</p> <p data-bbox="1102 397 1596 422">Enrollment.stateAid</p>	Decimal	4
Oct	Dec	Feb	Apr	June											
C	O	C	O	C											



215	OnePriorTen	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>C</td> <td>C</td> <td>NA</td> <td>NA</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 673">           Required for students with residency status of R1, R2, FL, DI, or NR.            1. Return Y if student was absent all ten days prior to the count date.            2. Else return N            Oct count date is the last Wed in Sept.            Dec count date is December 1.            February count date is the last Weds in January.         </p>	Oct	Dec	Feb	Apr	June	C	C	C	NA	NA	<p data-bbox="1102 251 1596 276">Student Information &gt; General &gt; Attendance</p> <p data-bbox="1102 292 1144 316">AND</p> <p data-bbox="1102 332 1554 357">Student Information &gt; General &gt; Enrollments &gt; Start Date</p> <p data-bbox="1102 373 1144 397">AND</p> <p data-bbox="1102 414 1554 438">MO State Reporting &gt; MOSIS Extracts &gt; Reporting Period</p> <p data-bbox="1102 454 1270 479">Enrollment.startDate</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
C	C	C	NA	NA											
220	EnrolledOnCntDate	<table border="1" data-bbox="598 706 1081 795"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>NA</td> <td>NA</td> </tr> </tbody> </table> <p data-bbox="598 836 1081 1006">           Returns Y if student is actively enrolled on count date, else returns N            Oct cycle count date is the last Wed in Sept.            Dec cycle count date is December 1.            February cycle count date is the last Weds in January.         </p>	Oct	Dec	Feb	Apr	June	R	R	R	NA	NA	<p data-bbox="1102 698 1585 747">Student Information &gt; General &gt; Enrollments &gt; Start Date and MO State Reporting &gt; MOSIS Extracts &gt; Reporting Period</p> <p data-bbox="1102 771 1270 795">Enrollment.startDate</p> <p data-bbox="1102 795 1270 820">Enrollment.endDate</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
R	R	R	NA	NA											



225	EnrolledAllYear	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 462">Consider all of the student's enrollments across the reporting year to determine how the field returns. The field will report a Y if:</p> <ul data-bbox="598 479 1081 763" style="list-style-type: none"> <li>• The student has been enrolled in the district since the last Wednesday in September (on or before) until the final day of the school year without interruption and the First Date in District field is populated on the student's enrollment record.</li> <li>• report Y for students with an enrollment End Status associated with state code G01 or G03 and enrollment end date is on or before the last instructional day of the year when the rest of the current logic is followed: (Enrolled since the last Wed of Sept without interruption and the First Date in District field is populated)</li> </ul> <p data-bbox="598 820 1081 844">The field will report a N in the Enrolled All Year field if:</p> <ul data-bbox="598 860 1081 1096" style="list-style-type: none"> <li>• The student begins enrollment after the September Count Date, which is the last day in September.</li> <li>• The student ends enrollment prior to the last day of school in the calendar.</li> <li>• The student has multiple enrollments in the district, and there is a gap of at least one instructional day in between such enrollments.</li> <li>• The student has a Residency Status = R2.</li> </ul> <p data-bbox="598 1112 1081 1136">A student enrollment will be disregarded by the field logic if:</p> <ul data-bbox="598 1153 1081 1331" style="list-style-type: none"> <li>• The enrollment is flagged as 'No Show'.</li> <li>• The enrollment is flagged as 'State Exclude'.</li> <li>• The enrollment is in a calendar flagged as 'Exclude'.</li> <li>• The enrollment is in a calendar flagged as 'Summer School'.</li> <li>• The enrollment is in a grade level flagged as 'Exclude from State Reporting'.</li> </ul>	Oct	Dec	Feb	Apr	June	O	O	O	O	R	<p data-bbox="1102 251 1596 300">Student Information &gt; General &gt; Enrollments &gt; First Day in District</p> <p data-bbox="1102 316 1323 341">Enrollment.firstDateinDistrict</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	R											



230	FirstYearFreshman	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 381 1081 414">No longer Collected</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	O	<p data-bbox="1102 251 1596 276">Student Information &gt; General &gt; Enrollments</p> <p data-bbox="1102 292 1596 316">GradeLevel.stateGrade</p> <p data-bbox="1102 332 1596 357">Enrollment.grade</p>	Boolean	6
Oct	Dec	Feb	Apr	June											
O	O	O	O	O											
235	GPA	<table border="1" data-bbox="598 527 1081 617"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 657 1081 682">Required for grades 9 and 10</p> <p data-bbox="598 698 1081 836">Returns calculation of the sum of all gradepoints (gpaweight multiplied by gpavalue) plus the sum of all GPA weights divided by the sum of all Gradepoints by the sum of all weights from Student Info&gt; General&gt; Transcript&gt; Courses taken in the school year selected on the extract editor.</p> <p data-bbox="598 852 1081 901">Student Info&gt; General&gt; Enrollments&gt; Grade must = 09 or 10, else returns blank.</p> <p data-bbox="598 917 1081 933">....</p> <p data-bbox="598 950 1081 1031">"This is not a cumulative nor a rolling cumulative GPA. This needs to be the grades in the transcriptCourse table for the year full year.</p> <p data-bbox="598 1039 1081 1088">GPA is required if StudentGradeLevel = '09' or '10' else null is allowed.</p> <p data-bbox="598 1104 1081 1185">When the GPA scale is 4 the GPA can be between 0.000 and 6.000. When the GPA scale is 11 the GPA can be between 0.000 and 13.000."</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Table "TranscriptCourse"		2
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											



240	GPAScale	<table border="1" data-bbox="598 261 1085 354"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 391 1085 597">                     Required for grades 9 and 10                      Returns Grading Scale.                      "GPAScale must be 4 or 11.                      GPA Scale is required if GPA is not Null"                      Student Info&gt; General&gt; Enrollments&gt; Grade must = 09 or 10,                      else returns blank.                 </p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p data-bbox="1102 250 1604 302">System Administration &gt; Calendar &gt; Calendar &gt; Calendar Info &gt; GPA Scale</p> <p data-bbox="1102 323 1251 370">CustomCalendar Calendar.gpaScale</p>	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
245	EighthTechLit	<table border="1" data-bbox="598 623 1085 716"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 753 1085 1013">                     Returns 8th Tech Lit code if grade level = 08, else returns blank.                      Valid Options:                      P: Passed                      T: Tested                      N: Not Tested                      If grade level = 08 and 8th Tech Lit is blank, return value N.                 </p>	Oct	Dec	Feb	Apr	June	O	O	O	O	O	<p data-bbox="1102 612 1604 665">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; 8th Tech Lit</p> <p data-bbox="1102 686 1266 704">Enrollment.8thtechlit</p>	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	O											

250	AerobicCap	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Required for students in grade 05 or 09</p> <p>Returns AerobicCap if Grade Level = 05, 07, or 09. Else returns blank.</p> <p>.....</p> <ol style="list-style-type: none"> <li>Score Groups and Standards &gt; Create Physical Fitness Scores Rubric. Name = Physical Fitness Scores             <ol style="list-style-type: none"> <li>Detail Name and Score &gt; set up each HFR, NOT TESTED and TESTED in Name and Score</li> </ol> </li> <li>Standards Bank &gt; Next create Standard Name = Physical Fitness Assessments.             <ol style="list-style-type: none"> <li>Child assessment = AbdominalStr Abbreviation and Name = PE2</li> <li>Child assessment = AerobicCap Abbreviation and Name = PE1</li> <li>Child assessment = Flexibility. Abbreviation and Name = PE3</li> <li>Child assessment = AbdominalStr.UpperBodyStr Abbreviation and Name = PE4</li> </ol> </li> <li>In Course/Section&gt;Standards&gt;Standards Alignment. Create Standards for AbdominalStr, AerobicCap, Flexibility, and UpperBodyStr.</li> <li>Assign the Grades in Sections&gt;Grading By Task</li> <li>Not allowed unless StudentGradeLevel = '05', 07, or '09'.</li> <li>Locate the Grading standard by this name and report the chosen score. If it is blank report NOT TESTED.</li> </ol>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Grading &amp; Standards &gt; Standards Bank &gt; Physical Fitness Assessment &gt; AerobicCap</p>  <p>GradingTask.name = Aerobic Cap</p>	Text	10
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
255	AbdominalStr	<table border="1" data-bbox="598 1177 1081 1266"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Required for students in grade 05 or 09</p> <p>Returns AbdominalStr if Grade Level =05, 07, or 09. Else returns blank.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Grading &amp; Standards &gt; Standards Bank &gt; Physical Fitness Assessment &gt; AbdominalStr</p> <p>GradingTask.name = AbdominalStr</p>	Text	10
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											



260	UpperBodyStr	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 479">Required for students in grade 05 or 09 Returns state code from UpperBodyStr if Grade Level = 05, 07, or 09. Else returns blank.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p data-bbox="1102 251 1596 300">Grading &amp; Standards &gt; Standards Bank &gt; Physical Fitness Assessment &gt; UpperBodyStr</p> <p data-bbox="1102 316 1596 341">GradingTask.name = UpperBodyStr</p>	Text	10
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
265	Flexibility	<table border="1" data-bbox="598 511 1081 600"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 641 1081 730">Required for students in grade 05 or 09 Returns state code from Flexibility if Grade Level = 05, 07, or 09. Else returns blank.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p data-bbox="1102 503 1596 552">Grading &amp; Standards &gt; Standards Bank &gt; Physical Fitness Assessment &gt; Flexibility</p> <p data-bbox="1102 568 1596 592">GradingTask.name = Flexibility</p>	Text	10
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

270

IEPDisability

Oct	Dec	Feb	Apr	June
R	R	R	R	R

Returns Primary Disability.

In June, IEP should be reported if the student had an IEP at any time during the school year. Other cycles report the most current IEP Status.

If the Reporting Period = June, return user-entered value for IEPDisability.

If the Reporting Period is **not** = June, first determine if there is a current IEP:

1. If the Reporting Period = Oct., Dec. or Feb.-
    - a. Look at Student Info> General> Enrollments> Special Ed Fields> SPED Exit Date
    - b. If the SPED Exit Date is <= the count date for the reporting cycle **OR** Student Info> General> Enrollments> Special Ed Fields> Special Ed Status = N: No
      - i. IEPDisability return value = 00
  2.
    - a. If the SPED Exit Date is > the count date for the reporting cycle
- OR**
1.
    - a. Student Info> General> Enrollments> Special Ed Fields> Special Ed Status = Y: Yes **AND** SPED Exit Date = blank
  2.
    - a.
      - i. Return user-entered value for IEPDisability
  3. If the Reporting Period = Apr.-
  4.
    - a. Look at Student Info> General> Enrollments> Special Ed Fields> SPED Exit Date
    - b. If the SPED Exit Date is within the Date Range set in the Extract Editor **OR** Student Info> General> Enrollments> Special Ed Fields> Special Ed Status = N: No
      - i. IEPDisability return value = 00

Student Information > General > Enrollments > Special Ed Fields

Text

2

> Primary Disability

Enrollment.disability



		<p>c. If the SPED Exit Date is &gt; the End Date of the Date Range set in the Extract Editor</p> <p><b>OR</b></p> <p>d. Student Info &gt; General &gt; Enrollments &gt; Special Ed Fields &gt; Special Ed Status = Y: Yes <b>AND</b> SPED Exit Date = blank</p> <p>i. Return user-entered value for IEPDisability</p>													
275	MAPA	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>O</td> <td>O</td> <td>R</td> <td>O</td> </tr> </tbody> </table> <p>Returns 'Y' if MAP-A = checked AND IEPDisability &lt;&gt; 00. Else returns 'N'</p>	Oct	Dec	Feb	Apr	June	R	O	O	R	O	<p>Student Information &gt; General &gt; Enrollments &gt; Special Ed Fields &gt; MAP-A</p> <p>Enrollment.mapA</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
R	O	O	R	O											
280	SPEDPlacement	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> </tr> </tbody> </table> <p>Required for students with an IEP</p> <p>Returns Special Ed Setting if exists AND IEP Disability &lt;&gt; 00. Else returns NULL</p>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	<p>Student Information &gt; General &gt; Enrollments &gt; Special Ed Fields &gt; Special Ed Setting</p> <p>Enrollment.specialEdSetting</p>	Text	4
Oct	Dec	Feb	Apr	June											
C	C	C	C	C											
285	SPEDExit	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Returns Exit Reason if exists AND IEP Disability &lt;&gt; 00. Else returns NULL</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information &gt; General &gt; Enrollments &gt; Special Ed Fields &gt; Exit Reason</p> <p>Enrollment.spedExitReason</p>	Text	2
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

286	Truant	<table border="1" data-bbox="598 259 1083 354"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> </tr> </tbody> </table> <p>Required for all students except grade PK when truant student has 10 or more cumulative days of unexcused absence from the school district.</p> <p>"Truant student has 10 or more unique days of unexcused absence from the school district. Days of absence must be unique; do not count absence from 2 separate buildings in 1 day as 2 days of unexcused absence.</p> <p>Returns 'Y' if Attendance shows 11 or more unexcused FULL DAY absences from all of student's active calendar enrollments. Else returns N</p> <p>Look for all active enrollments for a student. If the student has 11 or more unique days in one or more calendars, the student is considered Truant. If a student is enrolled in Building 1 for 3 hours and Building 2 for 3 hours for the day and was absent from Building 1 but attends Building 2, this would not be considered a full day absence. Only if the student was marked with an unexcused absence at both locations should the student be counted as a full day of absence.</p> <p>Valid options are ""Y"" or ""N"".</p>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	Calculated	Boolean	1
Oct	Dec	Feb	Apr	June											
C	C	C	C	C											
288	SuppEdService	<table border="1" data-bbox="598 1006 1083 1101"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p>1. Returns user-entered value for SES if exists, WHEN:</p> <ul style="list-style-type: none"> <li>a. The Title 1 check box on the Student Enrollment is checked and if Sys Admin&gt; Resources&gt; School&gt; School History&gt; Title 1 has a <b>value</b> = 1</li> <li><b>OR</b></li> <li>b. Sys Admin&gt; Resources&gt; School&gt; School History&gt; Title 1 has a <b>value</b> = 2</li> <li><b>OR</b></li> <li>c. The student's FRAM Eligibility = Free or Reduced             <ul style="list-style-type: none"> <li>i. Else returns NULL</li> </ul> </li> </ul>	Oct	Dec	Feb	Apr	June	O	O	O	O	O	Student Information > General > Enrollments > State Reporting Fields > SES Enrollment.SES	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	O											



290	CTECluster	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 771">                     Required when CareerEd = CHS, CNP or PHS                      Returns Career Cluster if CareerED is in (CHS, CNP or PHS), else returns blank.                      Only reports the numerical code in the Student Core report                      ...                      Required for secondary career education students who are identified as Perkins Concentrators (please review the HS Career Ed code set for the definition of a Concentrator). 16 Career Education clusters used by DESE to identify the primary career education path.                 </p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Student Information > General > Enrollments > State Reporting Fields > Career Cluster Enrollment.careerCluster	Text	2
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											



292	NonTradStudent	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 389 850 414">Required when PHS, CHS, CNP</p> <p data-bbox="598 462 1081 950">                     1. Report Y when the Non Trad Student drop list = Yes, report Y (Student's CTE &gt; Career Ed = PHS, CHS, CNP to report this field)(Optional Oct-April. Conditional in June with CTE)                      2. If Student's CTE &gt; Career Ed = PHS, CHS, CNP and Non-Trad blank or No, look to the CTE Program Type, if code = 0104, 0804, 0110, 0810, 0107, 0807or 1004 and the student's gender = F: Female, report Y                          a. If Student's CTE &gt; Career Ed = PHS, CHS, CNP and Non-Trad blank or No and the CTE Program Type is blank or not the above code, report N                      3. If Student's CTE &gt; Career Ed = PHS, CHS, CNP and Non-Trad blank or No, look to the CTE Program Type, if code = 0604, 0504, 0510, 0610, 0710, 0810, 0507, 0607, 0707 or 0704 and the student's gender = M: Male, report Y                          a. If Student's CTE &gt; Career Ed = PHS, CHS, CNP and Non-Trad blank or No and the CTE Program Type is blank or not the above code, report N                 </p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p data-bbox="1102 251 1596 300">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Non Trad Student</p> <p data-bbox="1102 316 1270 341">Must be NULL, Y or N</p> <p data-bbox="1102 357 1480 381">(Optional Oct-April. Conditional in June with CTE)</p> <p data-bbox="1102 397 1312 422">Enrollment.nonTradStudent</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
294	SingleParent	<table border="1" data-bbox="598 982 1081 1071"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 1112 987 1136">Required for secondary career education students</p> <p data-bbox="598 1153 714 1177">REPORT NULL</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p data-bbox="1102 974 1596 1023">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Single Parent</p> <p data-bbox="1102 1039 1291 1063">Enrollment.singleParent</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
296	DisplacedHomemaker	<table border="1" data-bbox="598 1209 1081 1299"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 1339 987 1364">Required for secondary career education students</p> <p data-bbox="598 1380 714 1404">REPORT NULL</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p data-bbox="1102 1201 1596 1250">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Displaced Homemaker</p> <p data-bbox="1102 1266 1354 1291">Enrollment.displacedHomemaker</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

298	CTETSA	<table border="1" data-bbox="598 261 1085 354"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 431 1035 508">Required for secondary, postsecondary and adult career technical education (CTE) students identified as Perkins Concentrators</p> <p data-bbox="598 529 1056 605">Return CTE Tech Skills Attainment if Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Career Ed = 'CNP', 'CHS', or else returns blank.</p> <p data-bbox="598 630 753 818">Valid options: PT: Passed Test FT: Failed Test NT: Not Tested NA: Not Available NE: Not Eligible PR: Pending Results</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p data-bbox="1102 251 1587 302">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; CTE Tech Skills Attainment</p> <p data-bbox="1102 321 1318 342">EnrollmentMO.cteTechSkills</p>	Text	2
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
300	K8GradDistrictCode	<table border="1" data-bbox="598 850 1085 943"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 984 1035 1034">Required for grade 09 and 10 non-resident students who graduated 8th grade from a K-8 District</p> <p data-bbox="598 1055 1083 1159">Returns state code K-8 Graduate District Code if Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; State Aid = NR: Non-resident AND if Student Information &gt; General &gt; Enrollments &gt; Grade = 09 or 10.</p> <p data-bbox="598 1180 716 1201">Else return null.</p>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	<p data-bbox="1102 846 1587 896">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; K-8 Graduate District Code</p> <p data-bbox="1102 915 1346 937">EnrollmentMO.k8gradDistCode</p>	Text	
Oct	Dec	Feb	Apr	June											
C	C	C	C	C											
302	ECOEntryDate	<table border="1" data-bbox="598 1232 1085 1325"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>OC</td> </tr> </tbody> </table> <p data-bbox="598 1406 1029 1456">Returns ECO Entry Date ONLY if date is within reporting calendar.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	OC	<p data-bbox="1102 1224 1587 1274">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; ECSE Entry Date</p> <p data-bbox="1102 1294 1325 1315">EnrollmentMO.ecoEntryDate</p>	Text	10
Oct	Dec	Feb	Apr	June											
O	O	O	O	OC											



304	ECOEntryInd1	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Returns ECOEntryInd1 ONLY if Student Information &gt; General &gt; Enrollments &gt; ECO &gt; ECO Entry Date exists and is within the reporting year, else returns blank.</p> <p>....</p> <p>If the student has an ECSE Entry Date a value must be reported.</p> <p>If no ECSE Entry Date is present, and a value is selected, report NULL.</p> <p>NULL is the default value.</p> <p>Valid options are...</p> <p>1: Not Yet</p> <p>2: Emerging</p> <p>3: Occasionally</p> <p>4: Frequently</p> <p>5: Completely</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information&gt; General &gt; Enrollments &gt; State Reporting Fields &gt; ECO Entry Indicator 1</p> <p>EnrollmentMO.ecoEntryInd1</p>	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
306	ECOEntryInd2	<table border="1" data-bbox="598 966 1081 1055"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Returns value from ECOEntryInd2 if Student Information&gt; General&gt; Enrollments&gt; ECO&gt; ECO Entry Date exists and is within the reporting year, else returns blank.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; ECO Entry Indicator 2</p> <p>EnrollmentMO.ecoEntryInd2</p>	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
308	ECOEntryInd3	<table border="1" data-bbox="598 1209 1081 1299"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Returns value from ECOEntryInd3 if Student Information&gt; General&gt; Enrollments&gt; ECO&gt; ECO Entry Date exists and is within the reporting year, else returns blank.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; ECO Entry Indicator 3</p> <p>EnrollmentMO.ecoEntryInd3</p>	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											



310	ECOExitDate	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>OC</td> </tr> </tbody> </table> <p>Returns value from ECOExitDate if date is within reporting calendar.</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	OC	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; ECSE Exit Date</p> <p>EnrollmentMO.ecoExitDate</p>	Text	10
Oct	Dec	Feb	Apr	June											
O	O	O	O	OC											
312	ECOExitInd1	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Returns value from ECOExitInd1 if Student Information&gt; General&gt; Enrollments&gt; ECO&gt; ECOExitDate exists and is within the reporting year, else returns blank</p> <p>.....</p> <p>NULL is the default value.</p> <p>Valid options are...</p> <p>1: Not Yet</p> <p>2: Emerging</p> <p>3: Occasionally</p> <p>4: Frequently</p> <p>5: Completely</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; ECOExitInd1</p> <p>EnrollmentMO.ecoExitInd1</p>	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											



314	ECOExitInd2	<table border="1" data-bbox="598 261 1083 354"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Returns value from ECOExitInd2 if Student Information&gt; General&gt; Enrollments&gt; ECO&gt; ECOExitDate exists and is within the reporting year, else returns blank</p> <p>.....</p> <p>NULL is the default value.</p> <p>Valid options are...</p> <p>1: Not Yet</p> <p>2: Emerging</p> <p>3: Occasionally</p> <p>4: Frequently</p> <p>5: Completely</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; ECOExitInd2</p> <p>EnrollmentMO.ecoExitInd2</p>	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
316	ECOExitInd3	<table border="1" data-bbox="598 829 1083 922"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Returns value from ECOExitInd3 if Student Information&gt; General&gt; Enrollments&gt; ECO&gt; ECOExitDate exists and is within the reporting year, else returns blank</p> <p>.....</p> <p>NULL is the default value.</p> <p>Valid options are...</p> <p>1: Not Yet</p> <p>2: Emerging</p> <p>3: Occasionally</p> <p>4: Frequently</p> <p>5: Completely</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; ECOExitInd3</p> <p>EnrollmentMO.ecoExitInd3</p>	Text	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											



318	CTEProgramCode	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p>Returns CTE Program Type if CareerEd = LTO, PHS, PTP, CHS, CNP, CTP, or CNT.  </p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; CTE Program Type. The Career Education program where the students main concentration is</p> <p>EnrollmentMO.cteProgramType</p> <p>EnrollmentMO.careerEd</p>	Text	4																		
Oct	Dec	Feb	Apr	June																													
O	O	O	O	C																													
320	Title3LEP	<table border="1" data-bbox="598 479 1081 568"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> </tr> </tbody> </table> <p>Conditional and required if LEPELL is RCV. Report code when EL = RCV. If null, report NE All else, report NE.</p> <table border="1" data-bbox="598 722 1081 1128"> <thead> <tr> <th>Reporting Period</th> <th>Start Date</th> <th>End Date</th> </tr> </thead> <tbody> <tr> <td>October</td> <td>Calendar Start Date</td> <td>September Count Date</td> </tr> <tr> <td>December</td> <td>Calendar Start Date</td> <td>December Count Date</td> </tr> <tr> <td>February</td> <td>Calendar Start Date</td> <td>January Count Date</td> </tr> <tr> <td>April</td> <td>Date Range start date</td> <td>Date Range end date</td> </tr> <tr> <td>June</td> <td>Date Range start date</td> <td>Date Range end date</td> </tr> </tbody> </table>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	Reporting Period	Start Date	End Date	October	Calendar Start Date	September Count Date	December	Calendar Start Date	December Count Date	February	Calendar Start Date	January Count Date	April	Date Range start date	Date Range end date	June	Date Range start date	Date Range end date	<p>Enrollment &gt; Title III EL drop list</p> <p>SchoolHistory.title3</p> <p>Enrollment.LEP</p>	Text	
Oct	Dec	Feb	Apr	June																													
C	C	C	C	C																													
Reporting Period	Start Date	End Date																															
October	Calendar Start Date	September Count Date																															
December	Calendar Start Date	December Count Date																															
February	Calendar Start Date	January Count Date																															
April	Date Range start date	Date Range end date																															
June	Date Range start date	Date Range end date																															

321	Title3Immigrant	<table border="1" data-bbox="598 259 1083 354"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 389 1083 527">Conditional and required if Immigrant is RCV When student is Immigrant = Y, report selected code in Enrollment &gt; Title III EL drop list. If null, report NE All else, report NE.</p> <table border="1" data-bbox="598 540 1083 943"> <thead> <tr> <th>Reporting Period</th> <th>Start Date</th> <th>End Date</th> </tr> </thead> <tbody> <tr> <td>April</td> <td>Date Range Start Date</td> <td>Date Range end date</td> </tr> <tr> <td>June</td> <td>Date Range start date</td> <td>Date Range end date</td> </tr> <tr> <td>December</td> <td>Calendar Start Date</td> <td>December Count Date</td> </tr> <tr> <td>February</td> <td>Calendar Start Date</td> <td>January Count Date</td> </tr> <tr> <td>October</td> <td>Calendar Start Date</td> <td>September Count Date</td> </tr> </tbody> </table>	Oct	Dec	Feb	Apr	June	C	O	O	O	O	Reporting Period	Start Date	End Date	April	Date Range Start Date	Date Range end date	June	Date Range start date	Date Range end date	December	Calendar Start Date	December Count Date	February	Calendar Start Date	January Count Date	October	Calendar Start Date	September Count Date	<p data-bbox="1102 251 1602 357">Enrollment &gt; Title III Immigrant drop list Enrollment.immigrant SchoolHistory.title3</p>	Text	
Oct	Dec	Feb	Apr	June																													
C	O	O	O	O																													
Reporting Period	Start Date	End Date																															
April	Date Range Start Date	Date Range end date																															
June	Date Range start date	Date Range end date																															
December	Calendar Start Date	December Count Date																															
February	Calendar Start Date	January Count Date																															
October	Calendar Start Date	September Count Date																															



322	FirstFreshmanYear	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>R</td> </tr> </tbody> </table> <p>Only pull for students in state mapped grade levels of 09-12.</p> <p>Report the latter four digit school year in which the student first attended the 9th grade for students not previously enrolled in a Missouri public school district in grades 09, 10, 11, 12.</p> <ol style="list-style-type: none"> <li>Look to the Start Date of the student's first 9th grade enrollment that is not in a Summer School and report the end year of the calendar of enrollment. (Ex : enrollment start date = 09/01/2016, report 2017)             <ol style="list-style-type: none"> <li>Ignore 9th grade summer school enrollments. (Calendar &gt; Calendar &gt; Summer School checked)</li> </ol> </li> <li>If student is in grade 10-12 and does not have a 9th grade enrollment, report from Graduation &gt; NGA Cohort End Year and subtract by 4, report that date.</li> </ol> <p>Ignore 9th grade summer school enrollments. (Calendar &gt; Calendar &gt; Summer School checked)</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	R	<p>Report from the student's first 9th grade enrollment that is not in Summer School. (No longer report from the Graduation tab &gt; First Date Entered 9th grade &gt; end year.</p> <p>GradeLevel.stateGrade</p> <p>Enrollment.grade</p>	YYYY	4
Oct	Dec	Feb	Apr	June											
O	O	O	O	R											
323	ZipCode	<table border="1" data-bbox="598 885 1081 974"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p>Pull the 9-digit zip code for the student household address where the Secondary checkbox is <b>not checked</b>.</p> <p>If the student belongs to &gt; 1 household where the Secondary checkbox is <b>not checked</b>, return the zip code from the one that was first created (earliest creation date).</p>	Oct	Dec	Feb	Apr	June	R	O	O	O	O	<p>Census &gt; People &gt; Households &gt; Address &gt; Zip</p> <p>Address.zip</p>	N	9
Oct	Dec	Feb	Apr	June											
R	O	O	O	O											



324	IndustryCred	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>NA</td> <td>NA</td> <td>NA</td> <td>NA</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 576">                     All reporting time periods other than June will report NULL.                      In JUNE, will report from Industry Credit field. If Null, reports NULL.                      June: MUST report if Optional is selected if student received a Department-approved-Industry-recognized credential/certification                 </p>	Oct	Dec	Feb	Apr	June	NA	NA	NA	NA	C	State Reporting Fields > Industry Cred EnrollmentMO.industryCredential	Text	10
Oct	Dec	Feb	Apr	June											
NA	NA	NA	NA	C											

325	Military	<table border="1" data-bbox="598 259 1083 354"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 389 1083 1331">                     1. Report from the student's guardian's &gt; Military Connections tab (Relationship &gt; Guardian checked and end date is null from any active primary household) with the following logic for all reporting periods :                     <ul style="list-style-type: none"> <li>a. Report <b>AD</b>, when any of the student's guardians have record on the Military Connections tab &gt; End Date is blank where Status = <b>1</b> : Active Duty, Deployed or <b>2</b> : Active Duty, Not Deployed or <b>9</b> : Transitioning out of Active Duty and Branch is not = 3 or 6                             <ul style="list-style-type: none"> <li>i. Report <b>NGR</b>, when any of the student's guardians have record on the Military Connections tab where Status = <b>1</b> : Active Duty, Deployed or <b>2</b> : Active Duty, Not Deployed or <b>9</b> : Transitioning out of Active Duty and Branch = <b>3</b> : Air National Guard or <b>6</b> : Army National Guard                                     <ul style="list-style-type: none"> <li>1. Report <b>NM</b>, when guardian(s) has a military connected record and none of them = AD or NGR logic</li> <li>2. Report <b>NM</b> when guardian(s) has a military connected record and status is   <ul style="list-style-type: none"> <li>a. Discharged</li> <li>b. Inactive</li> <li>c. Injured</li> <li>d. Killed in Action</li> <li>e. Retired</li> <li>f. Student Military Identifier</li> </ul> </li> <li>g. Report <b>UNK</b>, when no guardian has a military connected record of AD, NGR or NM</li> </ul> </li> <li>3. Report NM if Not Military is selected</li> </ul> </li> <li>b. If there are multiple guardians with different Military Status first report the AD, if no AD, report NGR, if neither report NM, else UNK</li> </ul> </p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	Guardian's Census > Military Connections > Status ImpactAidEmployment.militaryStatus	Text	
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											



326	MPP	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>O</td> <td>C</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 446">If checked, report 'Y' if unchecked, report 'N'</p>	Oct	Dec	Feb	Apr	June	C	O	C	O	C	<p data-bbox="1102 251 1596 300">Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; MPP</p> <p data-bbox="1102 316 1596 341">EnrollmentMO.mpp</p>	Text	1
Oct	Dec	Feb	Apr	June											
C	O	C	O	C											
327	FosterCare	<table border="1" data-bbox="598 487 1081 576"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>R</td> <td>R</td> <td>R</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 617 1081 690">Oct - April : Report 'Y' when foster care record start date is populated and End Date is null or on or after report generation date'</p> <p data-bbox="598 714 1081 763">Report 'N' when there is no foster care record or record End Date is before report generation date</p> <p data-bbox="598 787 1081 812">June report Y if ever Foster during year</p>	Oct	Dec	Feb	Apr	June	R	R	R	R	R	<p data-bbox="1102 479 1596 495">Student information &gt; Program Participation &gt; Foster Care</p> <p data-bbox="1102 519 1596 535">FosterCare.startDate</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
R	R	R	R	R											
329	PKEligStateAid	<table border="1" data-bbox="598 836 1081 925"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 966 1081 1015">Reported if an eligible district has selected the PK student to have attendance hours claimed for state aid</p> <p data-bbox="598 1039 1081 1055">Report selected code (Y/N)</p> <p data-bbox="598 1079 1081 1096">If null, report 'N'</p>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	<p data-bbox="1102 828 1596 844">Enrollments &gt; State Reporting fields &gt; PK Eligible State Aid</p> <p data-bbox="1102 868 1596 885">Enrollment.pkEligibleStateAid</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
C	C	C	C	C											
329	KindergartenReadiness	<table border="1" data-bbox="598 1136 1081 1226"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 1266 1081 1282">If student state grade level = K</p> <p data-bbox="598 1307 1081 1323">Report selected code (Y/N/Not Assessed)</p> <p data-bbox="598 1347 1081 1364">If null, report 'Not Assessed'</p> <p data-bbox="598 1388 1081 1404">All other grades report null.</p>	Oct	Dec	Feb	Apr	June	R	O	O	O	O	<p data-bbox="1102 1128 1596 1144">Program Participation &gt; KG Readiness Tab</p> <p data-bbox="1102 1169 1596 1185">KGReadiness.readiness</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
R	O	O	O	O											

330	HighNeedStudent	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>NA</td> <td>NA</td> <td>NA</td> <td>NA</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 462">An IEP student whose educational costs exceed three times the LEA's current expenditure per Average Daily Attendance (ADA).</p> <ol data-bbox="598 487 1081 860" style="list-style-type: none"> <li>1. Only report when the Report Optional fields checkbox is checked and reporting periods = June             <ol style="list-style-type: none"> <li>a. Report Blank for all reporting periods except June</li> <li>b. Report Blank if reporting period = June and Report Optional Fields is not checked during report generation</li> </ol> </li> <li>2. When Report Optional fields is checked and Reporting Period = June, report from the High Need Student check box in sped fields             <ol style="list-style-type: none"> <li>a. If checked report Y for all grades except PK.</li> <li>b. If not checked report blank                 <ol style="list-style-type: none"> <li>i. If student grade = PK, report blank</li> </ol> </li> </ol> </li> <li>3. When reporting periods = October, Dec, Feb and April, report Blank</li> </ol>	Oct	Dec	Feb	Apr	June	NA	NA	NA	NA	R	Enrollments > Special Ed fields > Enrollment.highNeed	Boolean	1
Oct	Dec	Feb	Apr	June											
NA	NA	NA	NA	R											

331	Dyslexia	<table border="1" data-bbox="598 259 1083 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 389 1083 438">Universal screening for reading/dyslexia risk factors is required yearly for students in grades K-3.</p> <ol data-bbox="598 454 1083 909" style="list-style-type: none"> <li>1. Only report when the Report Optional fields checkbox is checked and reporting periods = October, Dec, Feb and April             <ol style="list-style-type: none"> <li>a. Report Blank for all reporting periods except June</li> <li>b. Report Blank if reporting period = October, Dec, Feb and April and Report Optional Fields is not checked during report generation</li> </ol> </li> <li>2. When Report Optional fields is checked and Reporting Period = October, Dec, Feb and April report from the Dyslexia Screening drop list on the Dyslexia tab             <ol style="list-style-type: none"> <li>a. Report selected code                 <ol style="list-style-type: none"> <li>i. If blank, report blank</li> </ol> </li> </ol> </li> <li>3. When Reporting Period = June, the field will report from the Dyslexia Screening drop list on the Dyslexia tab             <ol style="list-style-type: none"> <li>a. Report selected code                 <ol style="list-style-type: none"> <li>i. If blank, report blank</li> </ol> </li> </ol> </li> </ol>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p data-bbox="1102 251 1602 272">Dyslexia tab &gt; Screening</p> <p data-bbox="1102 292 1602 313">Reports a value for grade K-3 only. NS is default value.</p> <p data-bbox="1102 332 1602 354">Other grades report blank.</p> <p data-bbox="1102 373 1602 479">MO Student Core, field 331, Dyslexia will report from the active or most recent Dyslexia record, within report generation dates, where end date is blank, within report generation dates or after report generation end date.</p> <p data-bbox="1102 498 1602 519">Dyslexia.screening</p>	Text	3
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											



332	NeglectedorDelinquent	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 470">Identifies if a student residing in a neglected or delinquent institution is participating in programs for neglected or delinquent students.</p> <ol data-bbox="598 487 1081 909" style="list-style-type: none"> <li>Only report when the Report Optional fields checkbox is checked and reporting periods = October, Dec, Feb and April             <ol style="list-style-type: none"> <li>Report Blank if reporting period = October, Dec, Feb and April and Report Optional Fields is not checked during report generation</li> </ol> </li> <li>When Report Optional fields is checked and Reporting Period = October, Dec, Feb and April , report from the Neglected Delinquent drop list in state reporting fields             <ol style="list-style-type: none"> <li>Report selected code                 <ol style="list-style-type: none"> <li>If blank, report blank</li> </ol> </li> </ol> </li> <li>When Reporting Period = June, the field will report from the Neglected Delinquent drop list in state reporting fields             <ol style="list-style-type: none"> <li>Report selected code                 <ol style="list-style-type: none"> <li>If blank, report N</li> </ol> </li> </ol> </li> </ol>	Oct	Dec	Feb	Apr	June	O	O	O	O	R	<p data-bbox="1102 251 1596 276">Enrollments &gt; State Reporting fields &gt;</p> <p data-bbox="1102 292 1596 316">Enrollment.neglectedDelinquent</p>	text	3
Oct	Dec	Feb	Apr	June											
O	O	O	O	R											

333	CTECertificate	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 495">Only CTE Concentrators that graduate and meet all of the criteria set forth by the State Board of Education are eligible to receive a CTE Certificate. Report Yes for students receiving the certificate.</p> <ol data-bbox="598 511 1081 1234" style="list-style-type: none"> <li>1. Only report when the Report Optional fields checkbox is checked and reporting periods = October, Dec, Feb and April             <ol style="list-style-type: none"> <li>a. Report Blank if reporting period = October, Dec, Feb and April and Report Optional Fields is not checked during report generation</li> </ol> </li> <li>2. When Report Optional fields is checked and Reporting Period = October, Dec, Feb and April report from State Reporting fields &gt; CTE Certificate check box.             <ol style="list-style-type: none"> <li>a. Report Y when checked and field 190, CareerEd = CHS or CNP (state reporting fields &gt; Career Ed) and enrollment End Status = G01 or G03</li> <li>b. Report N when not checked and field 190, CareerEd = CHS or CNP (state reporting fields &gt; Career Ed) and enrollment End Status = G01 or G03</li> </ol> </li> <li>3. When Reporting Period = June, report from State Reporting fields &gt; CTE Certificate check box.             <ol style="list-style-type: none"> <li>a. Report Y when checked and field 190, CareerEd = CHS or CNP (state reporting fields &gt; Career Ed) and enrollment End Status = G01 or G03</li> <li>b. Report N when not checked and field 190, CareerEd = CHS or CNP (state reporting fields &gt; Career Ed) and enrollment End Status = G01 or G03</li> </ol> </li> <li>4. Report blank when student not CHS or CNP and Enrollment End Status = G01 or G03</li> </ol>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p data-bbox="1102 251 1596 276">Enrollments &gt; State Reporting fields &gt; CTE Certificate</p> <p data-bbox="1102 292 1291 316">Enrollment.cteCertificate</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											



334	InstructionMethod	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>O</td> <td>R</td> <td>O</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 470">1. Report code selected in the Instruction Method for Remote Learning drop list on the Digital Equity tab 2. If blank report <b>OS</b></p>	Oct	Dec	Feb	Apr	June	R	O	R	O	R	<p data-bbox="1102 251 1596 276">Digital Equity tab</p> <p data-bbox="1102 292 1596 316">DigitalEquity.instructionPercentOfTime</p>	text	3
Oct	Dec	Feb	Apr	June											
R	O	R	O	R											
335	InternetAccess	<table border="1" data-bbox="598 511 1081 600"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 633 1081 714">1. Report code selected in the Internet Access for Remote Learning drop list on the Digital Equity tab 2. If blank report <b>U</b></p>	Oct	Dec	Feb	Apr	June	R	O	O	O	O	<p data-bbox="1102 495 1596 519">Digital Equity tab</p> <p data-bbox="1102 535 1596 560">DigitalEquity.internetAccessType</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
R	O	O	O	O											
336	DeviceAccess	<table border="1" data-bbox="598 755 1081 844"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 876 1081 958">1. Report code selected in the Device Access for Remote Learning drop list on the Digital Equity tab 2. If blank report <b>U</b></p>	Oct	Dec	Feb	Apr	June	R	O	O	O	O	<p data-bbox="1102 738 1596 763">Digital Equity tab</p> <p data-bbox="1102 779 1596 803">DigitalEquity.deviceAccess</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
R	O	O	O	O											
337	PKReplacementID	<p data-bbox="598 982 1081 1006">Always Optional</p> <p data-bbox="598 1023 1081 1079">Report only when Optional Fields Allowed is checked during report generation for all Reporting Periods.</p> <p data-bbox="598 1096 1081 1120">Report code in PK Replacement ID textbox</p>	<p data-bbox="1102 982 1596 1006">Enrollments &gt; State Reporting Fields &gt; PK Replacement ID</p> <p data-bbox="1102 1023 1596 1047">Enrollment.pkReplacementId</p>												
338	StackCred1	<table border="1" data-bbox="598 1153 1081 1242"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>NA</td> <td>NA</td> <td>NA</td> <td>NA</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 1274 1081 1299">Report selected code</p> <p data-bbox="598 1315 1081 1372">Report only when Reporting Period = June AND Optional Fields Allowed is checked</p> <p data-bbox="598 1388 1081 1412">1. If June and Optional fields is not checked, report blank</p>	Oct	Dec	Feb	Apr	June	NA	NA	NA	NA	O	<p data-bbox="1102 1136 1596 1161">Enrollments &gt; State Reporting Fields &gt; Stackable Cred 1</p> <p data-bbox="1102 1177 1596 1201">EnrollmentMO.stackableCred1</p>	text	10
Oct	Dec	Feb	Apr	June											
NA	NA	NA	NA	O											



339	StackCred2	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>NA</td> <td>NA</td> <td>NA</td> <td>NA</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 519">           Report selected code            Report only when Reporting Period = June AND Optional Fields Allowed is checked            1. If June and Optional fields is not checked, report blank         </p>	Oct	Dec	Feb	Apr	June	NA	NA	NA	NA	O	<p data-bbox="1102 251 1596 276">Enrollments &gt; State Reporting Fields &gt; Stackable Cred 2</p> <p data-bbox="1102 292 1596 316">EnrollmentMO.stackableCred2</p>	text	10
Oct	Dec	Feb	Apr	June											
NA	NA	NA	NA	O											
340	ICAP	<table border="1" data-bbox="598 552 1081 641"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 682 1081 730">Report when Reporting Period = June. All other reporting periods report Blank.</p> <p data-bbox="598 795 1081 820">Required to be reported for students in grade 8</p> <p data-bbox="598 836 1081 1063">           1. Report Y when 8<sup>th</sup> grade student has a state program where ICAP is checked                a. If blank, Report Y when 8<sup>th</sup> grade student has a graduation program for the 9<sup>th</sup> grade. Plan can be dated in the future.            2. Report N when no graduation plan and state program does not have ICAP checked            3. All other grades report blank         </p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p data-bbox="1102 544 1596 568">State Program &gt; ICAP or Academic planning Graduation Plan</p> <p data-bbox="1102 584 1596 609">OnTrack.GraduationPrograms</p>	boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

341	ICAPReview	<table border="1" data-bbox="598 261 1083 354"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 391 1083 440">When Reporting Period = June, report as required for students in state grade = 09-12. All other grades report blank</p> <p data-bbox="598 461 1083 537">Optional Fields Allowed is checked and Reporting Period = October, December, February or April for students in state grade level = 09-12</p> <p data-bbox="598 599 1083 618">Required to be reported for students in grades 9, 10, 11, and 12</p> <ol data-bbox="598 639 1083 834" style="list-style-type: none"> <li>Report <b>Y</b> when ICAP Review with the match state grade level of student reporting is checked on the ICAP/On Track state program (grade levels 9-12 only)</li> <li>When blank, Report <b>Y</b> when student graduation program is set up for the grade level of the student</li> <li>Report <b>N</b> when no graduation plan at student grade level or ICAP review not checked on state program tab</li> </ol>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p data-bbox="1104 250 1600 269">State Program &gt; ICAP or Academic planning Graduation Plan</p> <p data-bbox="1104 293 1251 313">OnTrack.review9th</p> <p data-bbox="1104 321 1251 341">OnTrack.review10th</p> <p data-bbox="1104 349 1251 368">OnTrack.review11th</p> <p data-bbox="1104 376 1251 396">OnTrack.review12th</p>	boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
342	SealofBiliteracy	<table border="1" data-bbox="598 867 1083 959"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 1081 890 1101">Report for students in grades 11, or 12</p> <ol data-bbox="598 1122 1083 1406" style="list-style-type: none"> <li>Report when Reporting Period = June. All other reporting periods report Blank.</li> <li>Report when state grade = 11 or 12             <ol data-bbox="625 1208 957 1227" style="list-style-type: none"> <li>All else reports blank for all other grades</li> </ol> </li> <li>Report Y, when the 11 or 12th grade student has a Graduation record where State Seal of Biliteracy drop list is populated</li> <li>Report N, when the 11 or 12th grade student has a Graduation record where State Seal of Biliteracy drop list is blank</li> </ol>	Oct	Dec	Feb	Apr	June	X	X	X	X	C	<p data-bbox="1104 862 1383 881">Graduation &gt; State Seal Information</p> <p data-bbox="1104 902 1299 922">GraduationSeal.stateSeal</p>	boolean	1
Oct	Dec	Feb	Apr	June											
X	X	X	X	C											

343	SealofBiliteracyLanguage1	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 430 1081 511">Required if Seal of Biliteracy if Yes. Report Code from the Language drop list dictionary Standard Code column. Report for students in grades 11, or 12</p> <ol data-bbox="598 527 1081 730" style="list-style-type: none"> <li>1. Report when Reporting Period = June. All other reporting periods report Blank.</li> <li>2. Report when state grade = 11 or 12</li> <li>3. Report the Code from the language selected in the Language drop list (Grad tab &gt; State Seal Information area, first record)</li> <li>4. If blank or the code is not = 1-25, report blank</li> </ol>	Oct	Dec	Feb	Apr	June	X	X	X	X	C	<p data-bbox="1102 251 1596 267">Graduation &gt; State Seal Information</p> <p data-bbox="1102 292 1596 308">GraduationSeal.languageage</p>	boolean	1
Oct	Dec	Feb	Apr	June											
X	X	X	X	C											
344	SealofBiliteracyLanguage2	<table border="1" data-bbox="598 763 1081 852"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 933 1081 982">Report Code from the Language drop list dictionary Standard Code column. Report for students in grades 11, or 12</p> <ol data-bbox="598 998 1081 1201" style="list-style-type: none"> <li>1. Report when Reporting Period = June AND when Optional Fields Allowed is checked during report generation.</li> <li>2. Report when state grade = 11 or 12</li> <li>3. Report the Code from the language selected in the Language drop list (Grad tab &gt; State Seal Information area, second record)</li> <li>4. If blank or the code is not = 1-25, report blank</li> </ol>	Oct	Dec	Feb	Apr	June	X	X	X	X	O	<p data-bbox="1102 755 1596 771">Graduation &gt; State Seal Information</p> <p data-bbox="1102 795 1596 812">GraduationSeal.language</p>	boolean	1
Oct	Dec	Feb	Apr	June											
X	X	X	X	O											

345	SealofBiliteracyLanguage3	<table border="1" data-bbox="600 264 1083 354"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="600 431 1083 703">           Report Code from the Language drop list dictionary Standard Code column. Report for students in grades 11, or 12            1. Report when Reporting Period = June AND when Optional Fields Allowed is checked during report generation.            2. Report when state grade = 11 or 12            3. Report the Code from the language selected in the Language drop list (Grad tab &gt; State Seal Information area, third record)            4. If blank or the code is not = 1-25, report blank         </p>	Oct	Dec	Feb	Apr	June	X	X	X	X	O	<p data-bbox="1104 253 1602 318">           Graduation &gt; State Seal Information            GraduationSeal.language         </p>	boolean	1
Oct	Dec	Feb	Apr	June											
X	X	X	X	O											
346	AssociateDegree	<table border="1" data-bbox="600 735 1083 824"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="600 902 1083 1146">           Required for students in grade 12            1. Report when Reporting Period = June. All other reporting periods report Blank.            2. Report when state grade = 12                a. All else reports blank for all other grades                b. Report Y, when Associate Degree Institution is populated                c. Report N, when Associate Degree Institution is not populated         </p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p data-bbox="1104 724 1602 789">           Graduation tab            Graduation.associatesInstitution         </p>	boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											

347	AssociateDegreeInstitution	<table border="1" data-bbox="598 261 1085 354"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 431 1062 639">           Required if Associate Degree is Yes            1. Report when Reporting Period = June. All other reporting periods report Blank.            2. Report when state grade = 12                a. All else reports blank for all other grades            3. Report code selected                a. If blank, report blank         </p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	Graduation tab Graduation.associatesInstitution	boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											
348	KGPhysicalWell-beingandMotor	<table border="1" data-bbox="598 672 1085 764"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 846 1062 906">           Report code selected or default code in attribute dictionary            Else report 'Not Assessed'         </p>	Oct	Dec	Feb	Apr	June	C	O	O	O	O	Program Participation > KG Readiness tab KGReadiness.physicalMotor		
Oct	Dec	Feb	Apr	June											
C	O	O	O	O											
349	KGSocialandEmotional	<table border="1" data-bbox="598 940 1085 1032"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 1114 1062 1174">           Report code selected or default code in attribute dictionary            Else report 'Not Assessed'         </p>	Oct	Dec	Feb	Apr	June	C	O	O	O	O	Program Participation > KG Readiness tab KGReadiness.socialEmotional		
Oct	Dec	Feb	Apr	June											
C	O	O	O	O											
350	KGCognitionandGeneralKnowledge	<table border="1" data-bbox="598 1208 1085 1300"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 1382 1062 1442">           Report code selected or default code in attribute dictionary            Else report 'Not Assessed'         </p>	Oct	Dec	Feb	Apr	June	C	O	O	O	O	Program Participation > KG Readiness tab KGReadiness.cognitiveGeneral		
Oct	Dec	Feb	Apr	June											
C	O	O	O	O											



351	KGApproachesTowardLearning	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p>Report code selected or default code in attribute dictionary Else report 'Not Assessed'</p>	Oct	Dec	Feb	Apr	June	C	O	O	O	O	<p>Program Participation &gt; KG Readiness tab KGReadiness.learningApproaches</p>		
Oct	Dec	Feb	Apr	June											
C	O	O	O	O											
352	KGLanguageandLiteracy	<table border="1"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>O</td> <td>O</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p>Report code selected or default code in attribute dictionary Else report 'Not Assessed'</p>	Oct	Dec	Feb	Apr	June	C	O	O	O	O	<p>Program Participation &gt; KG Readiness tab KGReadiness.languageLiteracy</p>		
Oct	Dec	Feb	Apr	June											
C	O	O	O	O											



353	OnTracktoGraduate	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 438">When Reporting Period = June, report as required for students in state grade = 09-12</p> <p data-bbox="598 454 1081 479">1. All other grades report blank</p> <p data-bbox="598 495 1081 576">Report when Optional Fields Allowed is checked and Reporting Period = October, December, February or April for students in state grade level = 09-12</p> <p data-bbox="598 592 1081 641">Report Y when state program ICAP On Track is checked (grade levels 9-12 only)</p> <p data-bbox="598 657 1081 795">1. When On Track not checked, Report Y when the grade level matching the student's total Graduation Plan's &gt; Progress tab's &gt; Total number on top is equal to or greater than the bottom number. This total should include credits earned and in progress grades but NOT any planned credits.</p> <p data-bbox="598 803 1081 885">a. Report N when top number is less than the bottom number or On Track not checked on student's ICAP/On Track state program</p> <p data-bbox="598 893 1081 974">b. Report N when no progress tab on the academic plan or On Track not checked on student's ICAP/On Track state program</p>	Oct	Dec	Feb	Apr	June	O	O	O	O	C	<p data-bbox="1102 251 1596 276">State Program &gt; ICAP or Academic planning Graduation Plan</p> <p data-bbox="1102 292 1596 316">OnTrack.graduate</p>	boolean	1
Oct	Dec	Feb	Apr	June											
O	O	O	O	C											



354	CreditsEarned	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>O</td> <td>O</td> <td>O</td> <td>C</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 438">When Reporting Period = October or June, report as required for students in state grade = 09-12</p> <p data-bbox="598 454 1081 479">1. All other grades report blank</p> <p data-bbox="598 495 1081 576">Report when Optional Fields Allowed is checked and Reporting Period = December, February or April for students in state grade level = 09-12</p> <p data-bbox="598 592 1081 641">1. First report the value from the state program tab Credits Earned textbox <b>(grade levels 9-12 only)</b></p> <p data-bbox="598 657 1081 958">2. When state program tab Credits Earned is null: Report number from the Graduation Plan's &gt; Progress tab's &gt; ER column (same as the student's Credit Summary's &gt;Total) AND Also look for Transfer in Credits: Look at the credit group associated graduation academic plan (academic plan category = graduation) to count credits earned. Sum the credits earned from courses where Credit Type is in a credit group associated with any active graduation plan with the ER number on the student credit summary of the Graduation plan's Progress tab. Make sure to include any High school credits earned prior to 9th grade.</p> <p data-bbox="598 974 1081 1071">a. When credits earned text box blank and no grad plan, sum the credits on the student's transcript tab Sum the credits earned from courses where Credit Type is in a credit group associated with any active graduation plan.</p>	Oct	Dec	Feb	Apr	June	C	O	O	O	C	<p data-bbox="1102 251 1596 276">State Program &gt; ICAP or Academic planning Graduation Plan</p> <p data-bbox="1102 292 1596 316">OnTrack.creditsEarn</p>	Number	7
Oct	Dec	Feb	Apr	June											
C	O	O	O	C											



355	ReadingSuccessPlan	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>R</td> <td>O</td> <td>R</td> </tr> </tbody> </table> <p data-bbox="598 389 1081 438">When Reporting Period = February or June, Report Program Status from State program tab.</p> <p data-bbox="598 462 1081 511">Also Report in October, December, and April if Optional Fields Allowed is checked, else report Blanks</p> <ol data-bbox="598 527 1081 1128" style="list-style-type: none"> <li>1. If Reading Success Plan exists, report Program Status from the State Program tab.</li> <li>2. Valid Values:             <ol data-bbox="619 617 745 803" style="list-style-type: none"> <li>a. EXEMPT</li> <li>b. EXIT RSP</li> <li>c. NO RSP</li> <li>d. QUALIFY</li> <li>e. REC RSP</li> <li>f. UPDATE RSP</li> </ol> </li> <li>3. If not required and Optional Fields not checked report Blank.</li> <li>4. For Feb Cycle, If Reading Success Plan exists, report the active Program Status as of the January Count Date from the State Program tab</li> <li>5. For June Cycle, if Reading Success Plan exists, report the active program status if end date is null or end date &gt;= start date on extract editor.             <ol data-bbox="619 1015 1039 1063" style="list-style-type: none"> <li>a. If more than 1 record exists, report the most recent record</li> </ol> </li> <li>6. In Feb and June, if there is no Reading Success Plan, Report 'NO RSP'.</li> </ol>	Oct	Dec	Feb	Apr	June	O	O	R	O	R	<p data-bbox="1102 251 1407 276">State Program &gt; Reading Success Plan</p> <p data-bbox="1102 292 1302 316">ReadingDeficiency.status</p>	Text	
Oct	Dec	Feb	Apr	June											
O	O	R	O	R											

356	RSPPrimaryIntervention	<table border="1" data-bbox="598 261 1085 354"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>C</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 391 1085 907">                     When Reporting Period = February required                      IF ReadingSuccessPlan = 'REC RSP' OR 'UPDATE RSP'                      Report Primary Intervention                      ELSE                      Report Blank                      Optional in all cycles except February.                      1. If Reading Success Plan exists, report Primary Intervention from the State Program tab.                      2. Translate numeric code on tab to short description:                      a. COMP: Comprehension                      b. FLUENCY: Fluency                      c. PHONAWARNS: Phonemic Awareness                      d. PHONICS: Phonics                      e. VOCAB: Vocabulary                      f. DYSLEXIA: Dyslexia                 </p>	Oct	Dec	Feb	Apr	June	O	O	C	O	O	State Program > Reading Success Plan > Primary Intervention  ReadingDeficiency. primaryIntervention	text	10
Oct	Dec	Feb	Apr	June											
O	O	C	O	O											

357	RSPPrimarySupport	<table border="1" data-bbox="598 259 1081 349"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>O</td> <td>C</td> <td>O</td> <td>O</td> </tr> </tbody> </table> <p data-bbox="598 389 1008 438">When Reporting Period = February required IF ReadingSuccessPlan = 'REC RSP' OR 'UPDATE RSP'</p> <p data-bbox="598 462 640 479">ELSE</p> <p data-bbox="598 503 703 519">Report Blank</p> <p data-bbox="598 544 934 560">When Reporting Period = February required</p> <p data-bbox="598 584 892 600">If Primary Intervention = 'DYSLEXIA'</p> <p data-bbox="598 625 850 641">Primary Support Reports Blank.</p> <ol data-bbox="598 706 1081 1079" style="list-style-type: none"> <li>1. If Reading Success Plan exists, report Primary Support from the State Program tab.</li> <li>2. Translate numeric code on tab to short description:             <ol style="list-style-type: none"> <li>a. BFAFTERSCHL: Before or After School Tutoring</li> <li>b. If INTERVENTION: Individual Intervention is selected, then convert code to <code>INDVINTERVENTION</code> in the report</li> <li>c. SMALLGROUPINCLS: Small Group Instruction (in classroom)</li> <li>d. If SMALLGROUPOUTCL: Small Group Instruction (outside the classroom) is selected convert code to <code>SMALLGROUPOUTCLS</code> in the report</li> </ol> </li> </ol>	Oct	Dec	Feb	Apr	June	O	O	C	O	O	<p data-bbox="1102 251 1554 267">State Program &gt; Reading Success Plan &gt; Primary Support</p> <p data-bbox="1102 292 1375 308">ReadingDeficiency.primarySupport</p>	text	16
Oct	Dec	Feb	Apr	June											
O	O	C	O	O											

358	MOQPK-LEA	<table border="1" data-bbox="598 259 1083 354"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>R</td> <td>X</td> <td>R</td> <td>X</td> <td>R</td> </tr> </tbody> </table> <p>When Reporting Period = October, February, or June, Report Y if criteria met, else Report N.</p> <p>Not allowed in December and April - Report Blank</p> <ol style="list-style-type: none"> <li>Indicates the student is in a Missouri Quality Pre-K program.</li> <li>if PKEligStateAid is Y on the enrollment then MOQPK-LEA should report N</li> <li>Reports as Y when the student is scheduled into at least one course with a State Course Code of 990053 and a Delivery Method of FD: Full Day MOQPK-LEA or HD: Half Day MOQPK-LEA.</li> <li>In order for Y to report, the following must be true: <ul style="list-style-type: none"> <li>To report Y students must be rostered in a Course that has the Attendance checkbox checked</li> <li>the Student Grade Level element (#95) must be PK, PKA, or PKP.</li> <li>the calculated age of the student must be 4 or 5 as of 7/31 of the current school year.</li> </ul> </li> </ol> <p>Otherwise, reports as N.</p>	Oct	Dec	Feb	Apr	June	R	X	R	X	R	<p>Course Information &gt; Program</p> <p>Student information&gt;Enrollment&gt;State Reporting Fields&gt;PK Eligible State Aid</p> <p>Scheduling&amp;Courses&gt;Course Information&gt;State Code</p> <p>Section Information &gt; Delivery Method</p> <p>Course.program</p> <p>Section.teachingMethod</p> <p>Scheduling&amp;Courses&gt;Course Information&gt;CourseSetup section&gt;Attendance</p>	Boolean	1
Oct	Dec	Feb	Apr	June											
R	X	R	X	R											
359	SecondaryDisability	<table border="1" data-bbox="598 990 1083 1084"> <thead> <tr> <th>Oct</th> <th>Dec</th> <th>Feb</th> <th>Apr</th> <th>June</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td>C</td> </tr> </tbody> </table> <p>If Secondary disability exists (Visual, Hearing, or Both) Report Value</p> <p>Else</p> <p>Null</p>	Oct	Dec	Feb	Apr	June	C	C	C	C	C	<p>Student Information &gt; General &gt; Enrollments &gt; Special Ed &gt; Secondary Disability</p> <p>Enrollments.secondaryDisability</p>	text	
Oct	Dec	Feb	Apr	June											
C	C	C	C	C											



360	CTEWorkBasedLearning (WBL)	<table border="1"> <thead> <tr> <th data-bbox="598 261 695 305">Oct</th> <th data-bbox="695 261 791 305">Dec</th> <th data-bbox="791 261 888 305">Feb</th> <th data-bbox="888 261 984 305">Apr</th> <th data-bbox="984 261 1081 305">June</th> </tr> </thead> <tbody> <tr> <td data-bbox="598 305 695 349">O</td> <td data-bbox="695 305 791 349">O</td> <td data-bbox="791 305 888 349">O</td> <td data-bbox="888 305 984 349">O</td> <td data-bbox="984 305 1081 349">R</td> </tr> </tbody> </table>	Oct	Dec	Feb	Apr	June	O	O	O	O	R	Field to report Blank		
Oct	Dec	Feb	Apr	June											
O	O	O	O	R											
		Field to report Blank													



Report Design/layout



Calculations or Logic

1	Identify the Report Data Elements that use this calculation.	Type calculation or logic requirements here.
2		
3		
4		
5		

Appendix A - Data Setup

Code	Meaning	Logic
C	Conditional	Only report a value for this column if the logic requirements are met.
N	Not Allowed	Do not report a value for this column.
O	Optional	Only report the value indicated in the logic if the report is run with the "Include Optional Fields" checkbox selected. Leave blank otherwise.
OC	Optional, but actually Conditional	The state designates this as an Optional column, but in practice, the state would like all data reported, so long as the logic requirements are met.
R	Required	Always report a value.

Reporting Period	Reporting Population Logic	Snapshot Date
October	1 record per actively enrolled PK-12 student on the effective date selected on the extract editor	
December	1 record is required per PK-12 student that is actively enrolled on the effective date selected on the extract editor <b>AND</b> has an active IEP	
February	1 record per actively enrolled PK-12 student on the effective date selected on the extract editor: (snapshot = Last Weds of January)	
April	<ul style="list-style-type: none"> <li>The April Student Core data collection requires a single record for each student that has taken a state assessment.</li> <li>All students, kindergarten through grade 12, are reported in the April Student Core file.                             <ul style="list-style-type: none"> <li>The editor also contains a "MAP Administration Date" field that is used in logic by report fields Not Fay District &amp; Not Fay School.</li> </ul> </li> </ul>	
June	<ul style="list-style-type: none"> <li>1 record per PK-12 student:                             <ul style="list-style-type: none"> <li>Enrolled at some time within the start and end date range selected on the extract editor (includes grads, dropouts, and transfers) <b>OR</b></li> <li>Who had dropped out or moved during the prior summer.</li> </ul> </li> </ul> <p>Majority of the data set-up entered in Student Info&gt; General&gt; Enrollments&gt; State Reporting Fields &amp; Census&gt; People&gt; Demographics&gt; Person Info.</p>	

