

AZ Ed-Fi Suite v7.3, Data Standard v6.0: Student Demographics (SY 26-27)

Table of Contents

- [Summary](#)
- [Object Triggering Logic](#)
- [Required Entities \(Upstream\)](#)
- [Dependent Entities \(Downstream\)](#)
- [Error Log](#)
- [Object Data Elements Logic](#)
- [Appendix](#)

Summary

The demographic information associated to a student.

Object Triggering Logic

Action	Business Rule(s)
--------	------------------

Post

Reports a record when an Enrollment is saved and overlaps the configured year.

- This entity will only report a record if the Ed-Fi Configuration is tied to School Year 26-27 or higher.
 - This entity is not present in past configurations for AZ.
- A record is only reported for Enrollments in the same School Year as the Ed-Fi Connection sending the record.
 - School Year dates are defined in [School Year Setup](#).
 - If Start Date is NULL, 07/01/StartYear will be used.
 - If End Date is NULL, 06/30/EndYear will be used.
- A record will report for each Enrollment with a unique School.
- When a student has two enrollments in the same School, Calendar, and Schedule Structure with the same start date, report from the enrollment service type in the following order:
 - P: Primary Enrollment
 - S: Partial/Ancillary
 - N: Special Ed Services
- When a student has two Primary enrollments in the same school with the same start date, post the record with the highest enrollment ID.
- Do not report a record if the any of the following exclusions are present:
 - Enrollment State Exclude
 - Enrollment No Show
 - Enrollment Grade Exclude from State Reporting
 - Enrollment Start Status is *E: NON-SAIS DISTRICT USE ONLY!*
 - Calendar Exclude



◦ School Exclude

Delete/Post Put	<p>A DELETE / POST will be performed if the data element being altered is part of the entity's natural key. A PUT will be performed otherwise.</p> <ul style="list-style-type: none"> • When any of the following information is changed on Enrollments: <ul style="list-style-type: none"> ◦ Enrollment ID (New Enrollment) ◦ Start Date ◦ State Start Status ◦ End Date ◦ No Show • When any of the following information is changed on Identity: <ul style="list-style-type: none"> ◦ Identity ID (New Identity) ◦ Effective Date ◦ Gender ◦ Home Primary Language ◦ Most Spoken Language ◦ First Acquired Language ◦ Race Checkboxes ◦ Is the individual Hispanic/Latino? ◦ Tribal Affiliation ◦ Tribal Enrollment • When any of the following information is changed on Demographics: <ul style="list-style-type: none"> ◦ Student State ID
--------------------	--

- When any of the following information is changed on Relationships:
 - Relationship ID (New Relationship)
 - Guardian
 - Start Date
 - End Date
- When any of the following information is changed on Foster Care:
 - Foster Care ID (New Foster Care record)
 - Start Date
 - End Date
- When any of the following information is changed on Military Connections:
 - Military Connections ID (New Military Connections record)
 - Start Date
 - End Date
 - Status
- When any of the following information is changed on Flags:
 - Flag ID (New Flag record)
 - Start Date
 - End Date
- Changes to Resource Preferences mappings **do NOT trigger**. A manual resync must be performed on the resource if mappings are changed.

Delete	<ul style="list-style-type: none"> • When the student is now excluded in some way. • When the Enrollment is deleted. • When the Enrollment dates are changed to no longer overlap the configured year. • When a record is in the Ed-Fi Identity Mapping Report but cannot be found on the Campus site.
--------	--

Required Entities (Upstream)

The following entities must be sent prior to this entity:

- Local Education Agencies (Pre-populated)
- Students

Dependent Entities (Downstream)

The following entities are dependent on this entity (must be sent after this entity):

- N/A

Error Log

The following are potential Tier 1 (Ed-Fi API generated) or custom (Campus generated) errors you may receive when posting, updating, or deleting this entity. Please keep in mind that the "Error Message" below may not match your exact error message.

Error Message	Possible Causes / How to Fix
400: Validation of ' ENTITY ' failed. FIELD is required.	<p>An element of the JSON that is required is missing and needs to be added.</p> <ul style="list-style-type: none"> • Double check that all bolded data elements below are reporting a valid value and no data elements below are reporting an invalid value.
400: ' ENTITY ' failed. ENTITY reference could not be resolved.	<p>A entity that was referenced from a difference entity does not yet exist.</p> <ul style="list-style-type: none"> • Resync the entity being mentioned in the error, then resync the errored entity. Alternatively, the entity being referenced may be incorrect. This can happen with Schools and the Ed-Fi School ID being used as an example. Double check the referenced values being sent are valid.
403: Authorization denied. The claim does not have any established relationships with the requested entity.	<p>The key/secret being used does not have permission to send a record for the entity / referenced entity.</p> <ul style="list-style-type: none"> • Double check your API credentials (key/secret). Sometimes specific keys/secrets cannot report specific entities. • The referenced person (student, staff, parent, contact, etc.) has not yet been associated to the key/secret. Resync their "linking" entity (Students → Student School Associations, Staffs → Staff Education Organization Assignment Associations, etc.) then resync the errored entity. • The referenced person (student, staff, parent, contact, etc.) may not exist in the ODS yet. Resync the "person" entity and the "linking" entity (Students → Student School Associations, Staffs → Staff Education Organization Assignment Associations, etc.) then resync the errored entity.

<p>404: Failed to delete 'ENTITY'. Record does not exist.</p>	<p>The attempt to delete a specific Ed-Fi record ID in the ODS failed because it did not exist.</p> <ul style="list-style-type: none"> • This error can be ignored. The ID was cleared from the Ed-Fi Identity Mapping Report and will not attempt to delete again.
<p>409: A natural key conflict occurred when attempting to create a new entity 'ENTITY' with a duplicate key.</p>	<p>The Ed-Fi API has a natural key system alongside a standard REST ID system. This error is often protecting against the erroneous creation of a duplicate record in the API. However, it may also indicate that the natural key requirements of the Ed-Fi API have not been satisfied, and the key needs to be modified.</p> <ul style="list-style-type: none"> • Check for duplicate data in your Campus site. If no duplicate data can be found, report the issue to Campus Support. <ul style="list-style-type: none"> ◦ This can be caused by numerous issues. Our code may be attempting to send duplicate records when it should not. The natural key (bolded fields below) may not be unique enough to satisfy Ed-Fi requirements in all cases. Most times this error will require a code change to fix.
<p>409: The entity (or a subordinate entity of the entity) cannot be deleted because it is a dependency of the 'ENTITY' entity.</p>	<p>The entity that the application is attempting to delete is referenced from another entity.</p> <ul style="list-style-type: none"> • Use the Delete Tool to delete the referenced entity in the error message. Then retry the delete on the original entity that errored.



<p>500: Internal Server Error.</p>	<p>Something unexpected happened and no specific error message could be returned.</p> <ul style="list-style-type: none"> • This issue usually occurs when the ODS is having issues. Confirm that there are no issues with the ODS the data is being sent to and then attempt to retry the errored record. • Contact Campus Support if 500 errors continue to occur, can be replicated consistently, and the ODS the data is being sent to has no ongoing issues. <ul style="list-style-type: none"> ◦ There is a chance that Campus Ed-Fi code is sending an invalid JSON request resulting in the 500 error. ◦ There is a chance that an Ed-Fi Data Standard / API bug is causing the issue. ◦ Investigation is needed in these cases as there are many different potential causes.
------------------------------------	--

Object Data Elements Logic

Data element labels below in **BOLD** are part of the natural key of this entity and are required data elements for the record to send through Ed-Fi.

Data Element Label	Business Rule(s)	Data Source GUI Path	Database Field
---------------------------	-------------------------	-----------------------------	-----------------------

educationOrganizationReference <i>(reference)</i>	<p><i>A reference to an Education Organization (Schools, Local Education Agencies, etc.) resource associated with the Student Demographic being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Local Education Agencies resource.</p>	N/A	N/A
studentReference <i>(reference)</i>	<p><i>A reference to the Students resource associated with the Student Demographic being reported.</i></p> <hr/> <p>Reports the fields that are part of the Natural Key for the Students resource.</p>	N/A	N/A
hispanicLatinoEthnicity <i>(boolean)</i>	<p><i>An indication that the individual traces his or her origin or descent to Mexico, Puerto Rico, Cuba, Central, and South America, and other Spanish cultures, regardless of race, as last reported to the education organization. The term "Spanish origin", can be used in addition to "Hispanic or Latino".</i></p> <hr/> <ul style="list-style-type: none"> • Report True when <i>Is the individual Hispanic/Latino?</i> is set to Y: Yes on the current Identity record. • Report False in all other situations. 	Identities	[Identity].hispanic Ethnicity

<p>languages (array)</p>	<p><i>An unordered collection of studentDemographicLanguages. The language(s) the individual uses to communicate. It is strongly recommended that entries use only ISO 639-3 languages codes.</i></p> <hr/> <p>Reports the following data elements in an array:</p> <ul style="list-style-type: none"> • languageDescriptor <ul style="list-style-type: none"> ◦ Reports the Ed-Fi Code mapped to the value selected for Home Primary Language, Most Spoken Language, and First Acquired Language on the current Identity record. <ul style="list-style-type: none"> ▪ These mapping are hard-coded but can be overwritten using the Language Descriptor Override mapping in the Resource Preferences of the Ed-Fi Connection under the Student Demographics resource. • uses <ul style="list-style-type: none"> ◦ languageUseDescriptor <ul style="list-style-type: none"> ▪ Reports Home language when reporting the Home Primary Language. ▪ Reports Spoken language when reporting the Most Spoken Language. 	<p>Identities</p>	<p>[Identity]</p> <p>.homePrimaryLanguage (Home Primary)</p> <p>.languageAlt (First Acquired)</p> <p>.languageAlt2 (Most Spoken)</p>
--------------------------	--	-------------------	--

	<ul style="list-style-type: none"> ▪ Reports First Acquired Language when reporting the First Acquired Language. 		
<p>racess (array)</p>	<p><i>An unordered collection of studentDemographicRaces. The general racial category which most clearly reflects the individual's recognition of his or her community or with the which the individual most identifies as last reported to the education organization. The data model allows for multiple entries so that each individual can specify all appropriate races.</i></p> <hr/> <p>Reports the following data elements in an array:</p> <ul style="list-style-type: none"> • raceDescriptor <ul style="list-style-type: none"> ◦ Reports the Ed-Fi Code mapped to each race checkbox that is checked in the current Identity record. <ul style="list-style-type: none"> ▪ This mapping can be found in the Resource Preferences of the Ed-Fi Connection under the Student Demographics resource. 	Identities	RaceEthnicity.race ID

<p>sexDescriptor (string)</p>	<p><i>The student's birth sex as reported to the education organization.</i></p> <hr/> <p>Reports the Gender from the person's most recent Identity record.</p> <ul style="list-style-type: none"> • This does NOT consider legal information. We only report based on the preferred information. • Male reports Male. • Female reports Female. • All other codes report Not Selected. <ul style="list-style-type: none"> ◦ This will error. This is by design to indicate that the Gender selected cannot be reported. 	<p>Identities</p>	<p>[Identity].gender</p>
-----------------------------------	--	-------------------	--------------------------

studentCharacteristics (array)

An unordered collection of studentDemographicStudentCharacteristics. Reflects important characteristics of a student. If a student has a characteristic present, that characteristic is considered true or active for that student. If a characteristic is not present, no assumption is made as to the applicability of the characteristic, but local policy may dictate otherwise.

Reports the following data elements in an array. Reports a record for each characteristic the student is eligible for based on below requirements.

- studentCharacteristicDescriptor
 - Reports the Ed-Fi Code mapped to the value selected for each respective area. This mapping can be found in the Resource Preferences of the Ed-Fi Connection under the Student Demographics resource.

Characteristic	Logic
----------------	-------

Parent in Military:

Military Connections

Foster Care:

Foster Care

Flags:

Flags

1/4 or more degree Indian blood:

Identities

Parent in Military:

ImpactAidEmployment

.militaryStatus

.startDate

.endDate

RelatedPair.guardian

Foster Care:

FosterCare

.startDate

.endDate

Flags:

ProgramParticipation

.startDate

.endDate

1/4 or more degree Indian blood:

blood:

Parent in Military	Report the Ed-Fi Code mapped to the value selected for Status on a Military Connections record that overlaps the configured year.
Foster Care	Reports the Ed-Fi Code mapped to the value selected for Foster Care when the student has a Foster Care program that overlaps the current configured year.
Flags	Reports the Ed-Fi Code mapped to the Flag if the Student has a Flag record within the current configured year.
1/4 or more degree Indian blood	Reports 35 when the <i>1/4 more degree Indian blood</i> checkbox is checked on the person's current Identity record.

[Identity].certificat
eOfIndianBlood

- periods
 - This array will only report for the following characteristics: Foster Care, Parent in Military
 - beginDate
 - Reports the **Start Date** of the respective record.
 - endDate
 - Reports the **End Date** of the respective record.
- The following data elements do not report:
 - designatedBy

<p>tribalAffiliations (array)</p>	<p><i>An unordered collection of studentDemographicTribalAffiliations. An American Indian tribe with which the student is affiliated as last reported to the education organization.</i></p> <hr/> <p>Reports the following data elements in an array:</p> <ul style="list-style-type: none"> • tribalAffiliationDescriptor <ul style="list-style-type: none"> ◦ Reports the Ed-Fi Code mapped to the value selected for Tribal Affiliation. <ul style="list-style-type: none"> ▪ This mapping can be found in the Resource Preferences of the Ed-Fi Connection under the Student Demographics resource. ▪ Values can only be entered in this field if the <i>American Indian or Alaska Native</i> race checkbox is checked. ◦ A record will report for each uniquely mapped Tribal Affiliation value. ◦ Does not report if Tribal Affiliation is NULL or not mapped. 	<p>Identities</p>	<p>RaceSubcategory. subcategory</p>
---------------------------------------	--	-------------------	---

<p>azTribalAffiliations (array) (extension)</p>	<p><i>An unordered collection of studentDemographicAZTribalAffiliations. An American Indian tribe with which an individual is affiliated.</i></p> <hr/> <p>Reports the following data elements in an array:</p> <ul style="list-style-type: none"> • tribalAffiliationDescriptor <ul style="list-style-type: none"> ◦ Reports the Ed-Fi Code mapped to the value selected for Tribal Enrollment. <ul style="list-style-type: none"> ▪ This mapping can be found in the Resource Preferences of the Ed-Fi Connection under the Student Demographics resource. ▪ Values can only be entered in this field if the <i>American Indian or Alaska Native</i> race checkbox is checked. ◦ Does not report if Tribal Enrollment is NULL or not mapped. • isEnrolled <ul style="list-style-type: none"> ◦ Reports True. <ul style="list-style-type: none"> ▪ This is hard-coded as we only report the Tribal Enrollment in this array. 	<p>Identities</p>	<p>[Identity].tribalEnrollment</p>
---	---	-------------------	------------------------------------

ancestryEthnicOrigins	This data element is optional and does not report.	N/A	N/A
citizenshipStatusDescriptor	This data element is optional and does not report.	N/A	N/A
disabilities	This data element is optional and does not report.	N/A	N/A
economicDisadvantageDescriptor	This data element is optional and does not report.	N/A	N/A
genderIdentity	This data element is optional and does not report.	N/A	N/A
identificationDocuments	This data element is optional and does not report.	N/A	N/A
limitedEnglishProficiencyDescriptor	This data element is optional and does not report.	N/A	N/A
supporterMilitaryConnectionDescriptor	This data element is optional and does not report.	N/A	N/A

Appendix